## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



→ FEB 20 15 🖄

F. B. Monavemont of the

LIBRAR

# PRINCETON NURSERIES

WM. FLEMER'S SONS, INC.



1940 SPRING PRICE LIST WHOLESALE

1776

#### TO THE TRADE

Please Note:

This wholesale price list contains only varieties and sizes which we have in quantity and which are most commonly used by the wholesale trade.

Our retail catalogue contains our complete list of material and includes many rare and unusual items not listed in this book. Retail catalogue will be gladly mailed on request.

We specialize in material wanted for both Private and Public Landscape Work. Our inventory includes not only specimen stock but large quantities of material for massing and screening. We suggest that you send us complete lists on which we are prepared to quote attractive prices because of our comprehensive inventory and large scale production.

PRINCETON NURSERIES
Telephone
Princeton 1776

### Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

#### TERMS: Prices listed are F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

#### 2% DISCOUNT

will be allowed

for payment in ten days from date of invoice or FIVE PER CENT FOR CASH IN FULL WITH ORDER

Orders for shipment C.O.D. must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

## Notes in Explanation of Catalogue


The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

#### EXTRA CHARGE FOR BALLING

We recommend that all varieties marked with an asterisk (\*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.



PRINCETON NURSERY OFFICE

#### SCHEDULE OF B & B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a *carefully dug*, solid ball of earth, *laced* with rope or wire, and handled according to the best nursery practice.

#### SHRUBS AND SMALL TREES

|                                     |       | 10 rate | 100 rate   |
|-------------------------------------|-------|---------|------------|
|                                     | Each  | 5 to 24 | 25 or more |
| 10 in. diam 18/24 in                | .30   | .25     | .20        |
| 12 in. diam. 2/3 ft                 | .40   | .35     | .30        |
| 13 in. diam. 3/4 ft                 | .70   | .60     | .50        |
| 15 in. diam. 4/5 ft                 | .95   | .85     |            |
| 16 in. diam. 5/6 ft                 | 1.20  | 1.10    | 1.00       |
| 18 in. diam. 6/8 ft                 | 1.80  | 1.65    |            |
| 21 in. diam. 8/10 ft,               | 3.00  | 2.75    | 2.50       |
| TDDDG                               |       |         |            |
| TREES                               |       | 10 .    | 100        |
|                                     | -     |         | 100 rate   |
|                                     | Each  |         | 25 or more |
| 15 in. diam. 1 in. cal              | 1.20  | 1.10    | 1.00       |
| 18 in. diam. 1¼ in. cal             | 1.65  | 1.40    |            |
| 20 in. diam. 1½ in. cal             | 2.25  | 2.00    |            |
| 22 in. diam. 13/4 in. cal           | 2.75  | 2.50    |            |
| 24 in. diam. 2 in. cal              | 3.75  | 3.35    |            |
| 28 in. diam. 2½ in. cal.            | 5.00  | 4.50    | 4.00       |
| 32 in. diam. 3 in. cal              | 6.50  | 6.00    | 5.50       |
| 36 in. diam. $3\frac{1}{2}$ in. cal | 9.00  | 8.25    |            |
| 40 in. diam. 4 in. cal              | 11.50 | 10.75   |            |
| 44 in. diam. 4½ in. cal             | 15.00 | 14.00   | 13.00      |

For plants that do not require the same care in digging and balling or which are easily moved and can be dug by lifting out a ball of earth and tying up, in burlap, the charges for such balling can be reduced to the following schedule:

17.00

22.00

30.00

18.50

24.00

32.00

5 in. cal. ..... 20.00

54 in. diam. 26.00

48 in. diam.

60 in. diam

| 10 in. diam. 18/24 in. shrubs | .20  | .15  | .10  |
|-------------------------------|------|------|------|
| 12 in diam. 2/3 ft. shrubs    | .25  | .20  | .15  |
| 13 in. diam. 3/4 ft. shrubs   | .35  | .30  | .25  |
| 15 in. diam. 4/5 ft. shrubs   | .60  | .50  | .49  |
| 16 in. diam. 5/6 ft. shrubs   | .95  | .85  | .75  |
| 18 in. diam. 6/8 ft. shrubs   | 1.65 | 1.40 | 1.25 |

Platforms are in addition to above prices, the cost of platforms to be rebated, providing customers return them at their own expense.

#### SCHEDULE OF TRUCK DELIVERY CHARGES

| VALUE GF ORDER   | zone 1<br>1 to<br>25 mi. | zone 2<br>25 to<br>50 mi. | 50 to | 75 to     | zone 5<br>100 to<br>125 mi.       | 125 to                             | 150 to                              |
|--|--------------------------|---------------------------|-------|-----------|-----------------------------------|------------------------------------|-------------------------------------|
| \$1000 or more<br>\$500 to \$1000<br>\$200 to \$ 500<br>\$100 to \$ 200<br>Less than \$100 | 3%                       | 5%                        | 9%    | 8%<br>13% | 7%<br>9%<br>10%<br>17%<br>\$25.00 | 9%<br>11%<br>12%<br>20%<br>\$30.00 | 11%<br>13%<br>14%<br>24%<br>\$35.00 |

## Boxing Charges

|        | The state of the s |        |        |        |        |        |        |
|--------|--|--------|--------|--------|--------|--------|--------|
| Length | 12x15"   | 15x16" | 17x20" | 19x24" | 23x28" | 27x32" | 31x36" |
| 4'     | .75  | 1.00   | 1.25   | 1.50   | 1.75   | 2.00   | 2.50   |
| 6'     | 1.00   | 1.25   | 1.50   | 1.75   | 2.00   | 2.50   | 2.75   |
| 8'     | 1.25   | 1.50   | 1.75   | 2.00   | 2.50   | 2.75   | 3.25   |
| 10'    | 1.70   | 2.50   | 2.75   | 3.25   | 3.50   | 4.00   | 4.50   |
| 12'    | 2.25   | 3.00   | 3.25   | 3.50   | 4.00   | 5.00   | 5.50   |
| 14'    | 2.75   | 3.50   | 3.75   | 4.00   | 4.25   | 5.50   | 6.00   |

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

#### CARLOADS

We have our own railroad siding and are equipped to load and forward carload lots to all points.

#### GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

#### CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

|                                  | Unit I<br>1-4 | Price in Qu<br>5-24   | antities<br>25-249 |
|----------------------------------|---------------|-----------------------|--------------------|
| ABELIA grandiflora, 3'-4'        |               | Glossy                | Abelia             |
| 15 to 18 in., 6 in. pots         | .52           | .45                   | .35                |
| 18 to 24 in., 6 and 7 in. pots   | .60           | .50                   | .40                |
| 2 to 3 ft., 6 and 7 in. pots     | .75           | .60                   |                    |
| ABIES concolor, 70'-80'          |               | Wh                    | ite Fir            |
| 18 to 24 in., B. & B             | .75           | .60                   | .50                |
| 2 to 2½ ft., B. & B              | 1.10          | .95                   |                    |
| 2½ to 3 ft., B. & B              | 1.50          | 1.25                  |                    |
| 3 to 4 ft., B. & B               | 2.25          | 1.90                  |                    |
| 4 to 5 ft., B. & B               | 3.40          | 2.80                  |                    |
| 5 to 6 ft., B. & B.              | 4.50          | 3.75                  |                    |
| 6 to 8 ft., B. & B               | 1.50          | 0.75                  | 0.00               |
| Larger specimens to 14 ft. @ 1.5 | 0 per         | ft.                   |                    |
| — firma, 60'-75'                 |               | Mo                    | me Fir             |
| 2 to 2½ ft., B. & B              |               | 1.00                  | 100                |
| $2\frac{1}{2}$ to 3 ft., B. & B  |               | 1.50                  |                    |
|                                  | 2.40          | 2.00                  |                    |
| 4 to 5 ft., B. & B.              | 3.75          | 3.00                  | -                  |
| — fraseri, 50'-60'               |               | Fra                   | ser Fir            |
|                                  | .60           | .50                   |                    |
|                                  | 1.20          | 1.00                  |                    |
| 2½ to 3 ft., B. & B              |               | 1.50                  |                    |
|                                  | 2.40          | 2.00                  |                    |
| 3 to 4 ft., B. & B               | 2.40          | 2.40                  |                    |
| 7 to 3 ft., B. & B               | 2.70          | 2.40                  |                    |
| — nordmanniana, 80'-100'         |               | Nordma                |                    |
| 15 to 18 in., B. & B             | 1.25          | 1.00                  |                    |
| 18 to 24 in., B. & B             |               |                       |                    |
| 2 to 2½ ft., B. & B.             |               |                       | 1.50               |
| 2½ to 3 ft., B. & B              |               |                       | 1.90               |
| 3 to 4 ft., B. & B               | 3.75          | 3.00                  | 2.50               |
| — douglasi (See PSEUDOTSUGA      | doug          | lasi)                 |                    |
| — pectinata, 50'-60'             |               |                       | ver Fir            |
| 18 to 24 in., B. & B.            | .90           | .75                   |                    |
| 2 to 3 ft., B. & B.              | 1.25          | 1.00                  |                    |
| 3 to 4 ft., B. & B               | 1.75          |                       | -                  |
| Spruce (See PICEA)               |               |                       |                    |
| — veitchi,                       |               |                       | itch Fir           |
| 18 to 24 in., B. & B             | .90           |                       |                    |
| 2 to 3 ft., B. & B               | 1.20          | 1.00                  |                    |
| 3 to 4 ft., B. & B               | 1.75          | 1.50                  |                    |
| ACANTHOPANAX pentaphylum,        | 7'-8'         | Fiveleat              | f Aralia           |
| 18 to 24 in                      | .20           | .18                   |                    |
| 2 to 3 ft                        |               | .22                   |                    |
| 3 to 4 ft                        |               |                       |                    |
| 4 to 5 ft                        |               |                       |                    |
| ACED compostus 05/20/            |               | Hade                  | e Maple            |
| ACER campestre, 25'-30'          | 1 50          | and the second second |                    |
| 5 to 6 ft                        | 2.50          | 2.20                  | 1.75               |
| 6 to 8 ft                        | 2.60<br>3.75  | 3.00                  | 2.50               |
| 8 to 10 ft                       | 5.25          | <b>4.</b> 40          | 3.50               |
| 10 to 12 ft                      | 6.00          | 5.00                  | J.JU               |
| 12 10 14 11,                     | 0.00          | . 3.00                |                    |

| ACER—continued                           | Unit Pri | ice in Qua<br>5-24 |              |
|--|----------|--------------------|--------------|
| — dasycarpum, 60'-80'                    |          | Silver             | Maple        |
| 6 to 8 ft                                | .75      | .60                | .50          |
| 8 to 10 ft                               | 1.00     | .80                | .65          |
| 8 to 10 ft.—11/4 to 11/2 in              | 1.20     | 1.00               | .80          |
| 10 to 12 ft.—1½ to 1¾ in                 | 1.50     | 1.25               | 1.00         |
| 10 to 12 ft.—13/4 to 2 in                | 1.90     | 1.50               | 1.25         |
| 12 to 13 ft.—2 to 2½ in                  | 2.60     | 2.20               | 1.75         |
| 13 to 14 ft.—2½ to 3 in                  | 3.40     | 2.80               | 2.25         |
| 14 to 16 ft.—3 to 3½ in                  |          | 3.75               | 3.00         |
| 14 to 16 ft.—3½ to 4 in                  |          | 4.75               | 3.75         |
| —pyramidale, 75'                         | yramid   | al Silver          | Maple        |
| 12 to 14 ft.—2½ to 3 in                  | 3.30     | 2.75               |              |
| 14 to 16 ft.—3 to 3½ in                  | 4.50     | 3.75               |              |
| 14 to 16 ft.—3½ to 4 in                  | 6.00     | 5.00               |              |
| —wieri, 60'-80'                          | Wier     | Cutleaf            | Maple        |
| 8 to 10 ft.—11/4 to 11/2 in              | 1.50     | 1.20               |              |
| 10 to 12 ft.—1½ to 1¾ in                 | 1.95     | 1.60               |              |
| 11 to 12 ft.—134 to 2 in                 | 2.50     | 2.00               |              |
| 12 to 13 ft.—2 to 2½ in                  |          | 2.50               |              |
| 13 to 14 ft.—2½ to 3 in                  |          | 3.00               |              |
| 14 to 16 ft.—3 to 3½ in                  |          | 3.75               |              |
| — ginnala, 10'-12'                       |          | Amur               | Maple        |
|  | .45      | .37                | .30          |
| 3 to 4 ft                                |          | .60                | .50          |
| 4 to 5 ft                                |          | .95                | .75          |
| 5 to 6 ft                                |          | 1.25               |              |
| 6 to 8 ft<br>8 to 10 ft                  |          | 1.50               |              |
|  | 1.50     |                    |              |
| — negundo 60'                            |          |                    | xelder       |
| 8 to 10 ft                               |          | .50                |              |
| 8 to 10 ft.—1¼ to 1½ in                  | .80      | .65                |              |
| 10 to 12 ft.—1½ to 1¾ in                 |          | .90                |              |
| 10 to 12 ft.—13/4 to 2 in                |          | 1.25               |              |
| 12 to 14 ft.—2 to 2½ in                  |          | 1.75               |              |
| — palmatum atropurpurem, 6'              | '-8'     |                    |              |
|  |          | apanese            | Maple        |
| 12 to 15 in., B. & B                     | .70      | .55                | .50          |
| 15 to 18 in., B. & B                     | 4 4 0    | .95                | .75          |
| 18 to 24 in., B. & B.                    | 4 70     | 1.25               | 1.00         |
| 2 to 2½ ft., B. & B                      |          |                    | 1.50         |
| 2½ to 3 ft., B. & B                      |          |                    | 2.00         |
| 3 to 4 ft., B. & B                       | 4.50     | 3.75               | 3.00         |
| 4 to 5 ft., B. & B                       |          |                    | <b>4.5</b> 0 |
| dissectum, 4'-6' Pur                     |          | leaf Jap.          | Maple        |
| 12 to 15 in., B. & B                     | 4 00     | 1.00               |              |
| 15 to 18 in., B. & B                     |          |                    |              |
| 18 to 24 in., B. & B                     | 2.70     |                    |              |
| 2 to 2½ ft. B. &. B                      | 4.10     | 3.50               |              |
|  |          | rple Jap.          | Maple        |
| 18 to 24 in., B. & B                     |          | 1.50               |              |
| 2 to 2½ ft., B. & B                      |          | 2.20               | 1.75         |
| 2½ to 3 ft., B. &.B                      | 3.00     | 2.50               | 2.00         |
| 3 to 4 ft., B. & B.                      | 4.50     | 3.75               | 3.00         |
| 0 00 1 201, 201 00 201111111111111111111 |          |                    |              |

| ACER—Continued                                | Unit Pr  | ice in Quar  | tities                       |
|---|--|--|------------------------------|
| ACEIC—Continued                               | 1-4  | 5-24   | 25-249                       |
| — — novum, 6'-8'                              |  |  |                              |
| 12 to 15 in., B. & B                          | 1.10   | .95  | .75                          |
| 15 to 18 in., B. & B                          | 1.50   | 1.25   | 1.00                         |
| 18 to 24 in., B. & B                          | 1.90   | 1.50   | 1.25                         |
| 2 to 2½ ft., B. & B                           | 2.60   | 2.20   | 1.75                         |
| 2½ to 3 ft., B. & B                           | 3.50   | 2.75   | 2.25                         |
| 3 to 4 ft., B. & B                            | 4.50   | 3.75   | 3.00                         |
| 4 to 5 ft., B. & B                            | 6.00   | 5.00   | 4.00                         |
| 200000000000000000000000000000000000000       | ~  |  | 220020                       |
| — crispum, 6'-8'                              | Cres   | sted Jap.  | Maple                        |
| •   | 1.50   | sted Jap.<br>1.25                                      | Maple 1.00                   |
| 18 to 24 in.                                  |  |  | _                            |
| •   | 1.50   | 1.25<br>2.20   | 1.00                         |
| 18 to 24 in. 2 to 3 ft                        | 1.50<br>2.60   | 1.25<br>2.20   | 1.00<br>1.75                 |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 1.50<br>2.60<br>3.75<br>5.25                                 | 1.25<br>2.20<br>3.00<br>4.40                           | 1.00<br>1.75<br>2.50<br>3.50 |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 1.50<br>2.60<br>3.75<br>5.25                                 | 1.25<br>2.20<br>3.00<br>4.40<br>Striped                | 1.00<br>1.75<br>2.50<br>3.50 |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 1.50<br>2.60<br>3.75<br>5.25                                 | 1.25<br>2.20<br>3.00<br>4.40                           | 1.00<br>1.75<br>2.50<br>3.50 |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 1.50<br>2.60<br>3.75<br>5.25<br><b>0'-30'</b>                | 1.25<br>2.20<br>3.00<br>4.40<br>Striped<br>.75         | 1.00<br>1.75<br>2.50<br>3.50 |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 1.50<br>2.60<br>3.75<br>5.25<br><b>0'-30'</b><br>.95<br>1.25 | 1.25<br>2.20<br>3.00<br>4.40<br>Striped<br>.75<br>1.00 | 1.00<br>1.75<br>2.50<br>3.50 |



| ACER—continued  | Unit P         | rice in Qua          | ntities      |
|---|----------------|----------------------|--------------|
|   | 1-4            | _                    | 25-249       |
| — platanoides, 50'-75'  |                | Norway               | Maple        |
| 8 to 10 ft  | 1.90           | 1.50                 | 1.25         |
| 8 to 10 ft., 1½ to ½ in   | 2.25           | 1.90                 | 1.50         |
| 10 to 11 ft., 1½ to 1¾ in   | 2.60           | 2.20                 | 1.75         |
| 10 to 12 ft., 134 to 2 in   | 3.00           | 2.50                 | 2.00         |
| 12 to 14 ft., 2 to 2¼ in  | 3.75           | 3.00                 | 2.50         |
| 12 to 14 ft., 2½ to 2½ in   | 4.50           | 3. <b>75</b><br>4.40 | 3.00         |
| 13 to 15 ft., 2½ to 3 in  | 5.25<br>6.00   |                      | 3.50<br>4.00 |
| 16 to 18 ft., 3½ to 4 in  |                |                      | 4.50         |
|   |                |                      |              |
| —— schwedleri, 40'-60'  |                | chwedler             |              |
| 8 to 10 ft  | 2.25           | 1.90                 | 1.50         |
| 8 to 10 ft.—1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in | 3.00           |                      | 2.00<br>2.50 |
| 10 to 11 ft.—1½ to 1¾ in  | 3.75           |                      |              |
| 10 to 12 ft.—13/4 to 2 in   | 4.50<br>5.25   |                      |              |
| 12 to 14 ft.—2 to 2½ in<br>14 to 16 ft.—2½ to 3 in                            | 5.25<br>6.75   |                      |              |
| 14 to 10 it.—272 to 3 iii   |                |                      |              |
| — rubrum, 50'-75'   |                | or Scarlet           |              |
| 6 to 8 ft   |                | 1.25                 | 1.00         |
| 8 to 10 ft  | 2.25           |                      | 1.50         |
| 10 to 12 ft., 1½ to 1¾ in   | 3.40           |                      | 2.25         |
| 10 to 12 ft., 13/4 to 2 in  | 4.75           |                      | <del></del>  |
| 12 to 14 ft., 2 to 2½ in  | <b>5.</b> 50   |                      |              |
| 12 to 14 ft., 2½ to 2½ in   | 7.00<br>8.00   |                      |              |
| 14 to 16 ft., 2½ to 3 in  | 0.00           |                      |              |
| — saccharum, 50'-75'  | 4 = 0          | _                    | Maple        |
| 6 to 8 ft   |                | _                    | 1.00         |
| 8 to 10 ft  | 1.90           |                      |              |
| 10 to 11 ft., 1½ to 1½ in   |                | 2.00                 |              |
| 11 to 12 ft., 1½ to 1¾ in   | 3.00           | 2.50<br>3.00         | _            |
| 12 to 14 ft., 13/4 to 2 in  | 3.75<br>4.50   |                      |              |
| 12 to 14 ft., 2 to 2½ in  |                |                      | 3.50         |
| 14 to 16 ft., 2½ to 3 in  |                |                      |              |
|   |                |                      |              |
| — spicatum, 20'-30' 2 to 3 ft   |                | Mountain<br>.50      |              |
| 3 to 4 ft   |                | .75                  |              |
| 4 to 5 ft.  |                |                      |              |
|   |                |                      |              |
| ACTINIDA arguta, 20'-30'  |                | Bower Ac             |              |
| 2 year  | - <del>-</del> | .25<br>.30           |              |
| 3 year  |                |                      |              |
| AESCULUS hippocastanum, 60'-8   | .75            | Horsech              |              |
| 3 to 4 ft   |                |                      |              |
| 5 to 6 ft   |                |                      | 1.00         |
| 6 to 8 ft.  |                |                      |              |
| 8 to 10 ft  |                |                      |              |
| AILANTHUS glandulosa, 50'60'  |                | Tree of H            | Jeaven       |
| 5 to 6 ft   |                | .75                  |              |
| 6 to 8 ft   | 1.25           |                      |              |
| 8 to 10 ft  | 1.23           | 1.25                 |              |
|   |                |                      | A 11:        |
| AKEBIA quinata, 15'-20'   |                | Fiveleaf A           |              |
| 2 yr  | .22            | .20                  | .15          |

|                                    | Unit<br>1-4 | Price in Quar<br>5-24 | ntities<br>25-249 |
|------------------------------------|-------------|-----------------------|-------------------|
| ALNUS glutinosa, 70'-80'           |             | European              | Alder             |
| 2 to 3 ft                          | .40         | .30                   |                   |
| 3 to 4 ft                          | .50         | _                     |                   |
| 4 to 5 ft                          | .65         |                       |                   |
| — rugosa, 10'                      |             |                       | Alder             |
| 2 to 3 ft                          | .42         |                       |                   |
| 3 to 4 ft                          | .52         |                       |                   |
| 4 to 5 ft                          | .75         | .60                   |                   |
| AMELANCHIER canadensis             |             |                       |                   |
| (botryapium), 20'-30'              | Ι           | Downy Sha             | dblow             |
| 18 to 24 in                        | .37         | .30                   | .25               |
| 2 to 3 ft                          | .60         |                       | .40               |
| 3 to 4 ft                          | .75         | .60                   | .50               |
| AMORPHA fruticosa, 8'-10'          |             |                       | obush             |
| 2 to 3 ft                          | .20         | .18                   |                   |
| 3 to 4 ft                          | .20         | .18                   | .14               |
| 4 to 5 ft                          | .37         | .30                   | .18               |
| 5 to 6 ft                          | .45         | .37                   | .25               |
| 6 to 8 ft                          | .60         | .50                   | .30               |
|                                    |             | .50                   | .40               |
| AMPELOPSIS heterophylla 25'-3      |             | loin Amma             | 1                 |
| 2 year                             | .37         | lain Ampe             | 25.               |
| — humulifolia, 25'-30'             |             | Hop Ampe              | longia            |
| 2 year                             | .37         | .30                   |                   |
| 3 year                             | .45         | .37                   | .30               |
| — quinquefolia, 30'-50'            |             | Virginia Cı           |                   |
| 1 year                             | .09         | .07                   | .06               |
| 2 year                             | .15         | • • •                 | .10               |
| 3 year                             | .25         | .20                   | .15               |
| — quinquefolia engelmanni, 80'-4e  | 0′          |                       |                   |
|                                    | Eng         | elmann Cr             | eeper             |
| 1 year                             | .09         | .07                   | .06               |
| 2 year                             | .15         |                       | .10               |
| 3 year                             | .25         |                       | .15               |
| — tricuspidata (veitchi), 40'-50'  |             | Bosto                 | on Ivy            |
| 1 year, 12 to 18 in                | .25         | .20                   | .15               |
| 2 year, 18 to 24 in                | .37         | · ·                   | .25               |
|                                    | .52         | .45                   | .35               |
| AMYGDALUS nana (See Prunus         | glan        | dulosa)               |                   |
| — persica alba           Double Wh | ite F       | lowering              | Peach             |
| —— rosea Double Pi                 | nk F        | lowering 1            | Peach             |
| — — Clara Meyer Double Pi          | nk F        | lowering 1            | Peach             |
| — rubra Double R                   | ed F        | lowering :            | Peach             |
| 2 to 3 ft                          |             |                       |                   |
| 3 to 4 ft                          | .37         | .30                   | .25               |
| 4 to 6 ft                          | .52         |                       | .35               |
| ANDROMEDA arborea (See OXYI        | ENI         | RUM)                  |                   |
| catesbaei (See LEUCOTHOE)          |             |                       |                   |

japonica (See PIERIS)

|   | Unit P       | rice in Qua         | ntities            |
|---|--------------|---------------------|--------------------|
|   | 1-4          | 5-24                | 25-249             |
| ARALIA pentaphyllum (See ACA                | NTHO         | PANAX               | )                  |
| ARALIA spinosa, 18'-20'                     |              | Hercul              |                    |
| 2 to 3 ft                                   |              |                     | .20                |
| 3 to 4 ft                                   | .45<br>.60   |                     | _                  |
|   | .00          |                     |                    |
| ARCTOSTAPHYLOS uva-ursi                     | 20           |                     | rber <b>ry</b>     |
| 2 year pots                                 |              | .25                 | .20                |
| ARONIA arbutifolia, 6'-8'                   |              | Red Chok            | •                  |
| 12 to 18 in                                 | .15          | .12<br>.21          |                    |
| 2 to 3 ft                                   | -            | .30                 |                    |
| — brilliantissima, 6'-8' Bril               | liant R      | ed Chok             | eberry             |
| 12 to 18 in                                 |              | .12                 | .10                |
| 18 to 24 in                                 |              | .21                 |                    |
| 2 to 3 ft                                   | .37          |                     |                    |
| — atropurpurea, 6'-8'                       |              | ple Chok            | •                  |
| 12 to 18 in                                 | .15<br>.60   | .12<br>.50          | .10<br>.40         |
| 4 to 5 ft                                   | .75          | .60                 | .50                |
| 5 to 6 ft                                   | 1.00         | .80                 | 65                 |
| — melanocarpa (nigra), 8'-10'               |              | ick Chok            | -                  |
| 12 to 18 in                                 |              | .12<br>.21          |                    |
| 2 to 3 ft                                   | .37          | .30                 |                    |
| 3 to 4 ft                                   | .52          | .45                 | .35                |
| AZALEAS                                     |              |                     |                    |
| AZALEA amoena, 3'-4'                        |              | Amoena              | Azalea             |
| 9 to 12 in., B. & B                         | .60          | .50                 | .40                |
| 12 to 15 in., B. & B                        | .80<br>1.10  | .65<br>.95          | .50<br>. <b>75</b> |
| 18 to 24 in., B. & B                        | 1.50         |                     |                    |
| 2 to 2½ ft., B. & B                         | 1.90         |                     | 1.25               |
| 2½ to 3 ft., B. &. B                        | 2.60         |                     |                    |
| — arborescens 10'-12' 15 to 18 in., B. & B  | 1.50         |                     | Azalea             |
| 18 to 24 in., B. & B                        |              |                     |                    |
| 2 to 2½ ft., B. & B                         |              |                     |                    |
| — calendulacea, 4'-5'                       |              | Flame               | Azalea             |
| 15 to 18 in., B. & B                        | 1.50         | 1.25                |                    |
| 18 to 24 in., B. & B<br>2 to 2½ ft., B. & B | 2.25<br>3.00 | 1.90<br>2.50        | 2.00               |
| 2½ to 3 ft., B. & B                         | 3.75         | 3.00                | 2.50               |
| 3 to 4 ft., B. & B                          | 5.25         | 4.40                |                    |
| — Hinodegiri, 3'-4'                         |              | odegiri             | _                  |
| 8 to 10 in., B. & B<br>10 to 12 in., B. & B | .60<br>.90   | . <b>5</b> 0<br>.75 |                    |
| 12 to 15 in., B. & B                        |              | 1.10                |                    |
| 15 to 18 in., B. & B                        | 1.90         |                     | 1.25               |
| 18 to 24 in., B. & B                        | 2.25         |                     |                    |
| — kaempferi, 4'-5'                          | .90          | <b>Torch</b> .75    |                    |
| 12 to 15 in., B. & B                        | .90<br>1.25  | 1.00                | .80                |
| 18 to 24 in., B. & B                        | 1.90         | 1.50                | 1.25               |
| 2 to 2½ ft., B. & B                         | 2.25         | 1.90                | 1.50               |

| 10 PRINCETON NURSE  | ERIES  |  |  |
|---|--|--|--|
| ,   | Unit Pri<br>1-4                              | ce in Qua  |  |
| AZALEA KAEMPFERI  | HYBI   | RIDS   |  |
| Carmen—Rose-pink flowers.                                     |  |  |  |
| Cleopatra—Lilac-rose flowers.                                 |  |  |  |
| Fedora—Salmon-rose flowers.                                   |  |  |  |
| Louise—Light-rose flowers.                                    |  |  |  |
| Othello—Brick-red flowers.                                    |  |  |  |
| 15 to 18 in., B. & B  | 1.35   | 1.10   | .90  |
| 18 to 24 in., B. & B  | 2.25   | 1.90   | 1.50   |
| 2 to $2\frac{1}{2}$ ft., B. & B                               | 2.60   | 2.20   | 1.75   |
| - ledifolia alba, 4'-6', large sing                           | le whi                                       | te flowe   | ers,   |
| 12 to 15 in., B. & B  |  | .95  | .75  |
| 15 to 18 in., B. & B  |  | 1.50<br>2.20   | 1.25<br>1.75   |
| 2 to 2½ ft., B. & B   |  | 2.80   | 2.25   |
| ——————————————————————————————————————                        |  |  |  |
| 12 to 15 in., B. & B  | 1.20   | 1.00   |  |
| 15 to 18 in., B. & B  |  | 1.25   |  |
| 18 to 24 in., B. & B  |  | 1.50   |  |
| — macrantha, 2½'-3'.  |  | Salmon   |  |
| 12 to 15 in., B. & B  |  | 1.25<br>1.90   | 1.00<br>1.50   |
| KURUME AZALI  | EAS  |  |  |
| Benigeri—Brick-red flowers, 9 to                              |  |  |  |
| Flame—Brilliant red flowers,                                  | to 18 ir                                     | n.; 18 to  | 24 in.   |
| 15 to 18 in.; 18 to 24 in.; 2 t                               | o 2½ f                                       | t.; 2½   | to 3 ft.   |
| Hatsugiri—Bright purple flowers,                              |  | . 15 4.  | 10 :   |
| 9 to 12 in.; 12 to Pink Beauty—Single soft-pink flow          |  | ., 15 0  | 18 111.  |
| 9 to 12 in.; 12 t   | o 15 in                                      | .; 15 to   | 18 in.   |
| Pink Pearl—Salmon-rose flowers, 9 to 12 in.; 12 to 15 in.; 15 | -0 18 ir                                     | 18 to  | 24 in  |
| Salmon Beauty—Large salmon-pi                                 |  |  | , 24 111.  |
| <b>9</b> to   | o 12 in                                      | .; 12 to   | 15 in.   |
| 9 to 12 in., B. & B   | .60<br>.90                                   | .50<br>.75   |  |
| 12 to 15 in., B. & B  | 1.60   |  |  |
| 18 to 24 in., B. & B  | 2.00   | 1.60   |  |
| 2 to 2½ ft., B. & B   | 2.40   | 2.00   |  |
| 2½ to 3 ft., B. & B   | 3.20   |  |  |
| 9 to 12 in., B. & B   | .90  | 75   |  |
| 12 to 15 in., B. & B  | 1.25   | 1.00   |  |
| 15 to 18 in., B. & B  | 1.50   | 1.25   |  |
| 12 to 15 in., B. & B  | •  |  | Azalea   |
|   |  |  | Azalea .75   |
| 15 to 18 in., B. & B  | 1.10<br>1.50                                 | .95<br>1.25  | .75<br>1.00  |
| 15 to 18 in., B. & B  | 1.10   | .95<br>1.25<br>1.90  | .75<br>1.00<br>1.50  |
| 15 to 18 in., B. & B  | 1.10<br>1.50<br>2.25                         | .95<br>1.25<br>1.90<br><b>Pinx</b> te                        | .75<br>1.00<br>1.50<br><b>rbloom</b>                         |
| 15 to 18 in., B. & B  | 1.10<br>1.50<br>2.25                         | .95<br>1.25<br>1.90<br><b>Pinxte</b><br>1.25                 | .75<br>1.00<br>1.50<br><b>rbloom</b><br>1.00                 |
| 15 to 18 in., B. & B  | 1.10<br>1.50<br>2.25<br>1.50<br>1.90<br>2.60 | .95<br>1.25<br>1.90<br><b>Pinxte</b><br>1.25<br>1.50<br>2.20 | .75<br>1.00<br>1.50<br><b>rbloom</b><br>1.00<br>1.25<br>1.75 |
| 15 to 18 in., B. & B  | 1.10<br>1.50<br>2.25<br>1.50<br>1.90         | .95<br>1.25<br>1.90<br><b>Pinxte</b><br>1.25<br>1.50         | .75<br>1.00<br>1.50<br><b>rbloom</b><br>1.00<br>1.25         |

| A TTAT TEA continued                                   | Unit Pri     | ce in Qua        | ntities         |
|--|--------------|------------------|-----------------|
| AZALEA—continued                                       | 1-4          | 5-24             | 25-249          |
| — poukhanensis, 1'-3'                                  |              | Korean           | Azalea          |
| 12 to 15 in., B. & B                                   | 1.50         | 1.25             |                 |
| 15 to 18 in., B. & B                                   | 1.90         | 1.50             |                 |
| 18 to 24 in., B. & B                                   | 2.60         | 2.20<br>3.00     |                 |
| 2 to 2½ in., B. & B                                    | 3.75         | Pinxte           |                 |
| - 10000, 0   | 1.50         | 1.20             |                 |
| 15 to 18 in., B. & B                                   | 2.00         | 1.70             |                 |
| 2 to 2½ ft., B. & B                                    | 2.70         | 2.25             | . —             |
| — schlippenbachi, 6'-8'                                |              | Royal            | Azalea          |
| 12 to 15 in., B. & B                                   | 1.90         |                  |                 |
| 15 to 18 in., B. & B                                   | 2.50         | 2.05             |                 |
| 18 to 24 in., B. & B                                   | 0.00         | 2.50<br>inkshell | 2.00            |
| — vaseyi, 5'-6'  |              | 1.80             | Azaica          |
| 18 to 24 in., B. & B                                   | 2.20<br>2.80 |                  |                 |
| 2 to 2½ ft., B. & B<br>2½ to 3 ft., B. & B             | 3.30         | 2.75             |                 |
| 3 to 3½ ft., B. & B                                    |              | 3.50             |                 |
| — viscosa, 4'-5'                                       |              | Swamp            | Azalea          |
| 2 to 2½ ft., B. & B                                    | 2.10         | 1.75             |                 |
| 2½ to 3 ft., B. & B                                    | 2.40         | 2.00             |                 |
| — yodogawa 3'-4'                                       |              |                  | a Azalea        |
| 12 to 15 in., B. & B                                   |              | .95              | .75             |
| 15 to 18 in., B. & B                                   |              |                  |                 |
| 18 to 24 in., B. & B                                   |              | 1.90             | 1.50            |
| 2 to 2½ ft., B. & B<br>2½ to 3 ft., B. & B             |              | 2.20             | 1.75            |
| <b>ર્ક્</b> { <b>B</b> }≉                              |              |                  |                 |
| BACCHARIS halimifolia, 9'-10'                          |              | Ground           | iselbush        |
| 18 to 24 in  |              |                  |                 |
| 2 to 3 ft  | 4            | .30              |                 |
| 3 to 4 ft  |              | .37<br>.50       |                 |
| 4 to 5 ft  |              |                  |                 |
| BENZOIN aestivale (LINDERA                             | A benz       | oin), 1          | 0'-12'          |
| 10 . 24 .  | 22           | .20              | picebush<br>.15 |
| 18 to 24 in  |              | .25              |                 |
| 3 to 4 ft  |              | .37              |                 |
| 4 to 5 ft  | <b>6</b> 0   | .50              |                 |
| 5 to 6 ft  |              | .60              |                 |
| 6 to 8 ft  | 1.10         | .95              | .75             |
| BERBERIS—HARDY EVE                                     | RGRE         | EN TY            | PES             |
| — gagnepaini   |              |                  |                 |
| 9 to 12 in., B. & B                                    |              | .45              |                 |
| 12 to 15 in., B. & B                                   |              | .60              |                 |
| 15 to 18 in., B. & B                                   | 1.00         | .80              | ,               |
| — julianae   |              |                  |                 |
| 9 to 12 in., B. & B                                    |              | .30              |                 |
| 12 to 15 in., B. & B                                   |              | .60<br>.93       |                 |
| 15 to 18 in., B. & B                                   |              | 1.2              |                 |
| 18 to 24 in., B. & B                                   | 1.50         | 1.2.             | 2.00            |
| — triacanthophora                                      | 27           | 2                | 0 .25           |
| 9 to 12 in., B. & B                                    | 37           |                  |                 |
| 12 to 15 in., B. & B<br>15 to 18 in., B. & B           |              | _                |                 |
| 18 to 24 in., B. & B                                   |              |                  |                 |
| 20 10 = 1 111, 20 00 = 1111111111111111111111111111111 |              |                  |                 |

| BERBERIS—continued   |                | Price in Qu  |             |
|--|----------------|--------------|-------------|
| — verruculosa  | 1-4            | ,            | _, _,,      |
|  |                | Warty B      | arberry     |
| 6 to 9 in  | 50             |              |             |
| 9 to 12 in   | 75             | • 0          |             |
| 12 to 15 in.   |                |              |             |
| BERBERIS—DECIDU  | ous 1          | TYPES        |             |
| BERBERIS thunbergii, 4'-5'   | Ja             | panese B     | arberry     |
| 9 to 12 in   | $\cap r$       | .04          | .03         |
| 12 to 15 m   | ΩQ             | .06          |             |
| 15 to 18 in  | 11             | .09          | .07         |
| 18 to 24 in  | 13             | .11          | .09         |
| 2 to 2½ ft   | 18             | .15          |             |
| of management of the second of | 30             | .25          | .20         |
| — atropurpurea 4'-5' 9 to 12 in  | Red Ja         |              |             |
| 12 to 15 in.   | 09             | .07          | .06         |
| 15 to 18 in.   | 15             | .12          | .10         |
| 18 to 24 in.   | 22             | .20          |             |
| 2 to $2\frac{1}{2}$ ft   | 37             | .25<br>.30   | .20<br>.25  |
| $2\frac{1}{2}$ to 3 ft   | 45             | .37          | .30         |
| — minor, 2'-3'   |                |              | arberry     |
| 9 to 12 in   | 22             |              |             |
| 12 to 15 in  | 30             | .20<br>.25   | .15         |
| 15 to 18 in  | 37             | .30          | .25         |
| *DIMITTA II  |                |              |             |
| 6 to 8 ft  | Europe<br>1 50 | an White     |             |
| 8 to 10 ft   | 1.50           | 1.25         | 1.00        |
| 8 to 10 ft.—11/4 to 11/2 in  | 2.25           | 1.90         |             |
| 10 to 12 ft.—1½ to 1¾ in   | 2.50           | 2.00         | 1.50        |
| 10 to 12 ft.—13/4 to 2 in  | 3.00           | 2.50         |             |
| *— alba fastigiata, 25'-40'  |                |              | Rirch       |
| 4 to 5 ft  | 1 25           | 1.00         | Direit      |
| 5 to 6 ft  | 1.00           | 1.50         |             |
| 6 to 8 tt  | 2.50           |              |             |
| 8 to 10 ft   | 3.25           |              |             |
| *—————————————————————————————————————   | Cutleaf        | Weeping      | g Birch     |
| 5 to 6 ft  | 1.50           | 1.25         | 1.00        |
| 6 to 8 ft  |                | 1.90         | 1.50        |
| 8 to 10 ft., 1½ to 1½ in   | 3.00           | 2.50         |             |
| 10 to 12 f.t, 1½ to 1¾ in<br>10 to 12 ft., 1¾ to 2 in  | 3.75           | 3.00         | <del></del> |
| *— lenta, 40'-50'  | 4.20           | 3.50         | Birch       |
| 5 to 6 ft  | 1.00           | .85          | Diffi       |
| 6 to 8 ft  | 1.25           | 1.00         |             |
| 8 to 10 ft.—1½ to 1½ in  | 1.90           | 1.50         |             |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in  | 2.50           |              |             |
| 10 to 12 ft.—13/4 to 2 in  | 3.00           |              |             |
| *— lutea, 50'-70'  |                | Yellow       | Birch       |
| 5 to 6 ft  | .95            | .75          |             |
| 6 to 8 ft.   | 1.25           | 1.00         |             |
| 8 to 10 ft., 1½ to 1½ in   | 2.00           | 1.50         |             |
| 10 to 12 ft., 1½ to 1 ¾ in   | <b>2.5</b> 0   |              |             |
| *— nigra, 50'-60'  |                |              | Birch       |
| 6 to 8 ft  | 1.25           | 1.00         |             |
| 8 to 10 ft.—1½ to 1½ in.  10 to 12 ft.—1½ to 1¾ in.  | 1.90<br>2.35   | 1.50         |             |
| 10 to 12 ft.—134 to 2 in   | 3.00           | 1.90<br>2.50 |             |
| 12 to 14 ft.—2 to 2½ in  | 3.50           | 2.50         |             |
| , =  | 3.30           |              |             |

| BETULA—continued  | Unit P<br>1-4  | rice in Quar<br>5-24 | ntities<br>25-249 |
|---|----------------|----------------------|-------------------|
| *— papyrifera, 40'-50'  | Paper          | or Canoe             | Birch             |
| 6 to 8 ft   | 1.50           | 1.25                 | 1.00              |
| 8 to 10 ft.—1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in |                | 1.90                 |                   |
| 10 to 12 ft.—1½ to 1¾ in  | 3.00           | 2.50                 | 2.00              |
| 10 to 12 ft.—13/4 to 2 in   | 3.75           |                      |                   |
| 12 to 14 ft.—2 to 2½ in   | 4.75           |                      |                   |
| *— populifolia, 30'-40'   |                | Gray                 | Birch             |
| 6 to 8 ft   | 1.50           | 1.25                 | 1.00              |
| 8 to 10 ft.—1½ to 1½ in   | 1.90           | 1.50                 | 1.25              |
| 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in                             | 2.25           | 1.90                 | 1.50              |
| 10 to 12 ft.—13/4 to 2 in   |                | 2.50                 | 2.00              |
| 12 to 14 ft.—2 to 2½ in   |                | 3.00                 | 2.50              |
| BIGNONIA grandfliora, 25'-40' Cl<br>2 year, grafts                            | ninese'<br>.45 | Trumpeto<br>.37      |                   |
| — Mad. Gallen, 25'-40'  |                |                      |                   |
| 2 year, grafts  | .45            | .37                  | .30               |
| 3 year, grafts  | .60            | .50                  | .40               |
| — radicans, 25'-40'   |                | Trumpeto             | reeper            |
|   | 4.0            | _                    |                   |
| 2 year, heavy3 year, heavy  |                | .15                  | _                 |
| BUDDLEIA alternifolia, 5' Spring flo  | owerin         | ng Butter:           | flybush           |
| 18 to 24 in   |                | .20                  |                   |
| 2to 3 ft  |                |                      | .20               |
| 3 to 4 ft   |                |                      | .25               |
|   |                | ar Butter            |                   |
| 18 to 24 in   |                | .12                  |                   |
| 2 to 3 ft   |                |                      |                   |
| 3 to 4 ft   |                | .25                  | .20               |
|   |                | g Butter             | flybush           |
| 0 /   |                | .20                  |                   |
| 18 to 24 in   | • •            |                      |                   |
| 2 to 3 ft   | 30             | Butterfly            |                   |
| — Ile de France, 4'   | 4 14           |                      |                   |
| 12 to 18 in., 1 yr  | 15             | .12                  |                   |
| 18 to 24 in., 2 yr  |                |                      |                   |
| — magnifica, 4'   | _              | e Butter             |                   |
| 18 to 24 in   | 15             | .12                  | .10               |
| 2 to 3 ft   | 22             | .20                  | .15               |
| — veitchiana, 5'-6'   | Veit           | ch Butter            | flybush           |
| 1½ to 2 ft., 1 yr   | 15             | .12                  | .10               |
| 2 to 3 ft., 2 yr  |                | .20                  |                   |
| BUXUS sempervirens (bush form   | m) 19/         | ′-15′ R              | hoowxo            |
| 12 to 15 in. B. & B   |                | .50                  |                   |
| 15 to 18 in., B. & B  | - 0            |                      |                   |
| 18 to 24 in., B. & B  |                |                      |                   |
| 10 to 24 III., D. & D   |                | arf Box              |                   |
| andimitionan Ol Al  | υw             |                      | _                 |
| — suffruticosa, 3'-4'   | 1 1            |                      |                   |
| 4 to 6 in   | •              | .12                  | 20                |
|   | 30             | .25                  | .20               |

B. & B. SEE B. & B. SCHEDULE, PAGE 2.

|                                | Unit Pric  | e in Qua      | ntities     |
|--------------------------------|------------|---------------|-------------|
|                                | 1-4        | 5-24          | 25-249      |
|                                | _          |               |             |
| CALLICARPA japonica, 3'-4'     | Japanese   |               |             |
| 18 to 24 in                    | .20        | .18           |             |
| 2 to 3 ft                      | .27        | .22           |             |
| 3 to 4 ft                      | .33        | .27           | .22         |
| — purpurea, 3'-4'              | Chinese    | Beaut         | vberrv      |
| 18 to 24 in                    | .15        | .12           | .10         |
| 2 to 3 ft                      | .22        | .20           | .15         |
| 3 to 4 ft                      | .30        | .25           | .20         |
|                                |            |               | · ·         |
| CALLUNA vulgaris, 1'-2'        |            | H             | eather      |
| 2 year                         | .30        | .25           |             |
| 3 year                         | .37        | .30           |             |
| — alba, white flowers.         |            |               |             |
|                                |            |               |             |
| —— alporti, bright green folia | ge, redd   | lish-pu       | rple        |
|                                | ge white   | o flowe       | ra          |
|                                | BC, WHILE  | e nowe        | 13.         |
| —— pilosa, white flowers.      |            |               |             |
| rosea, bright green foliage,   | rose-col   | ored fl       | OWAre       |
|                                |            |               |             |
| ——rubra, spreading habit, pu   | irplish-re | ed flow       | ers.        |
| CAT VOA MINISTER A             |            |               |             |
| CALYCANTHUS floridus, 4'-5'    |            | Sweet         | tshrub      |
| 18 to 24 in                    | .15        | .12           | .10         |
| 2 to 3 ft                      | .22        | .20           |             |
| 3 to 4 ft                      | .30        | .25           | .20         |
| 4 to 5 ft                      | .37        | .30           | .25         |
|                                | ~          |               |             |
| CARAGANA arborescens, 10'-12'  |            | rian Pe       | ea-tree     |
| 18 to 24 in                    | .18        | .15           | .12         |
| 2 to 3 ft                      | .22        | .20           | .14         |
| 3 to 4 ft                      | .27        | .22           | .18         |
| 4 to 5 ft                      |            | .30           | .25         |
| 5 to 6 ft                      | .45        | .37           | .30         |
| *CARPINUS betulus, 60'-70'     | Furance    | n Hon         | nhoom       |
|                                | Europea    |               | ubeam       |
| 5 to 6 ft                      | 4.75       | 4.00          |             |
| 6 to 8 ft                      | 6.00       | 5.00          |             |
| *— caroliniana, 30'-40'        | America    | n Hori        | nbeam       |
| 3 to 4 ft                      | 1.10       | .95           | .75         |
| 4 to 5 ft.                     | 1.50       | 1.25          |             |
| 5 to 6 ft                      |            |               | 1.50        |
| 6 to 8 ft                      | 3.00       |               | 2.00        |
| 8 to 10 ft                     | 4.10       |               | 2.75        |
| 10 to 12 ft                    | 5.25       | 4.40          |             |
| 12 to 14 ft                    | 6.75       | 5.50          |             |
| CARVOPTEDIS income (maste con- | 41 \ 0/ 0  | / <b>T</b> D1 | O           |
| CARYOPTERIS incana (mastacana  |            |               |             |
| 12 to 15 in                    | .22        |               |             |
| 15 to 18 in.                   | .30        |               |             |
| 18 to 24 in                    | .35        | .30           | .25         |
|                                |            |               |             |
| CATALPA (bignonioides nana)    | Umb        | rella Ca      | atalpa      |
| Heads, 1 yr., 5 to 6 ft. stem  |            |               |             |
|                                |            |               |             |
| — speciosa, 30'-35'            |            |               | atalpa      |
| 6 to 8 ft                      | .45        | .37           | <b>.3</b> 0 |
| 8 to 10 ft                     | .75        | .60           | .50         |
| 10 to 12 ft                    | 1.10       | .95           | .75         |
| 2 to $2\frac{1}{2}$ in         | 1.90       | 1.50          | 1.25        |
| $2\frac{1}{2}$ to 3 in         | 3.00       | 2.50          | 2.00        |

|                                      | Unit Pric            | -                 | ntities<br>25-249 |
|--------------------------------------|----------------------|-------------------|-------------------|
| CEDRUS atlantica glauca, 35'-50      | o' Blu               | e Atlas           | Cedar             |
| 6 to 8 ft., B. & B                   | 10.00                | 8.00              |                   |
| 8 to 10 ft., B. & B.                 |                      |                   |                   |
| 10 to 12 ft., B. & B                 |                      |                   |                   |
| — libani, 35'-50'                    |                      | ar of Le          | ebanon            |
| 6 to 8 ft., B. & B                   |                      |                   |                   |
| 8 to 10 ft., B. & B                  |                      |                   |                   |
| 10 to 12 ft., B. & B                 | 15.00                | 12.50             |                   |
| CELASTRUS orbiculatus, 15'-20'       | Orient               | al Bitte          | rsweet            |
| 2 year, 18 to 24 in                  | .15                  | .12               |                   |
| 2 year, 2 to 3 ft                    |                      | .20               |                   |
| 3 year, 3 to 4 ft                    | .30                  | .25               |                   |
|                                      |                      |                   |                   |
| ·                                    | America              |                   |                   |
| 2 year, 18 to 24 in                  |                      | .12               | _                 |
| 3 year, 2 to 3 ft                    |                      | .20<br>.25        |                   |
| 3 year, 3 to 4 ft                    | .30                  | .25               | .20               |
| CELTIS occidentalis, 50'-60'         |                      | Hac               | kberry            |
| 3 to 4 ft                            | .37                  | .30               | .25               |
| 4 to 5 ft                            | .75                  | .60               |                   |
| 5 to 6 ft                            | 1.10                 |                   | .75               |
| 6 to 8 ft                            | 1.50                 | 1.25              | 1.00              |
| 8 to 10 ft.                          | 1.90                 | 1.50              | 1. 5              |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 2.50                 | 2.00              |                   |
| CEPHALANTHUS occidentalis, 5         | <b>'-6</b> '         | Butt              | onbush            |
| 18 to 24 in                          | .20                  | .18               | .14               |
| 2 to 3 ft                            |                      | .20               | .18               |
| 3 to 4 ft.                           | .35                  | .30               | .25               |
| 4 to 5 ft                            |                      | .37               | .30               |
| CERASUS, (See Prunus, page 47        | 7)                   |                   |                   |
| *CERCIDIPHYLLUM japonicum            | , 20′-30             | ' Katsu           | ra-tree           |
| 4 to 5 ft                            |                      | 1.25              | 1.00              |
| 5 to 6 ft                            |                      |                   | 1.50              |
| 6 to 8 ft                            |                      |                   | 2.00              |
| 8 to 10 ft                           |                      |                   |                   |
| 10 to 12 ft                          |                      | 4.75              |                   |
| 12 to 14 ft                          | 7.50                 | 6.00              |                   |
| CERCIS canadensis, 12'-15'           | Am                   | erican l          | Redbud            |
| 2 to 3 ft                            | _                    | .30               | .25               |
| 3 to 4 ft                            |                      |                   | .40               |
| 4 to 5 ft                            |                      | .70               | .55               |
| 5 to 6 ft                            |                      | .95               | .75               |
| 6 to 8 ft                            |                      | 1.25<br>1.50      |                   |
| 8 to 10 ft<br>10 to 12 ft            |                      |                   |                   |
|                                      | . 4.10               |                   |                   |
|                                      |                      | hinara            |                   |
| chinensis, 10'-12'                   |                      | hinese 3          |                   |
| 12 to 18 in                          | 30                   | .25               | .20               |
| 12 to 18 in                          | 30                   | .25<br>.37        | .20<br>.30        |
| 12 to 18 in. 18 to 24 in. 2 to 3 ft. | 30<br>45<br>60       | .25<br>.37<br>.50 | .20<br>.30<br>.40 |
| 12 to 18 in                          | 30<br>45<br>60<br>75 | .25<br>.37        | .20<br>.30        |

Unit Price in Quantities
1-4 5-24 25-249

## CHAMAECYPARIS—THE RETINOSPORAS

| CHAMAECYPARIS obtusa, 25'-  | <b>35</b> ′          | Hinoki                               | Cypress                              |
|---|----------------------|--------------------------------------|--------------------------------------|
| 5 to 6 ft., B. & B6 to 7 ft., B. & B  | . 2.00<br>. 2.40     |                                      |                                      |
| — — compacta, 4'-6'   | I                    | Football                             | Cypress                              |
| 15 to 18 in., B. & B  | 90<br>. 1.20         | .50<br>.75<br>1.00                   | .40<br>.60<br>.80                    |
| 2½ to 3 ft., B. & B   | . 1.65               | 1.35<br>1.75<br>2.20                 | <b>1.10</b> 1.40                     |
| 4 to 5 ft., B. & B.   | 4.00                 |                                      | 2.75                                 |
| — — crippsi, 10'-15'  | Cripps               | Golden                               | Cypress                              |
| 2 to 2½ ft., B. & B   | 2.60<br>3.40         | 2.80                                 |                                      |
| ——gracilis, 12'-15'   | lender               | Hinoki                               | Cypress                              |
| 2½ to 3 ft., B. & B   | 3.30<br>5.25         | 2.75                                 |                                      |
| — nana, 2½'-4'  | Dwarf                | Hinoki                               | Cypress                              |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B. | 2.25<br>3.00<br>3.75 | 1.25<br>1.90<br>2.50<br>3.00<br>4.40 | 1.00<br>1.50<br>2.00<br>2.50<br>3.50 |
| — youngi, 15'-20'   | Young                | Golden                               | Cypres <b>s</b>                      |
| 3 to 4 ft., B. & B  | 2.40                 | 2.00                                 |                                      |



Mass production of Retinosporas at Princeton insures a selection of uniform specimens that have been frequently sheared and transplanted.

| CHAMAECYPARIS—continued                      | Unit Price in Quantities<br>1-4 5-24 25-249 |                |                                |
|--|---|----------------|--------------------------------|
| — pisifera, 25'-35'                          | Sawara                                      |                |                                |
|  |   |                |                                |
|  | .60   | .50            | .40                            |
| 2 to 2½ ft., B. & B                          | .75   | .60            | .50                            |
| 2½ to 3 ft., B. & B                          | 1.10  | .90            | .70                            |
| 3 to 4 ft., B. & B.                          | 1.35  | 1.10           | .90                            |
| ,  | 2.25  | 1.90           | 1.50                           |
| 5 to 6 ft., B. & B6 to 7 ft., B. & B         | 3.75<br>5.25                                | 3.00<br>4.40   | 2. <b>5</b> 0<br>3. <b>5</b> 0 |
|  | Sawara                                      |                |                                |
| 18 to 24 in., B. & B                         | .75   | .55            | .45                            |
| 2 to 2½ ft., B. & B                          | .90   | .75            | .60                            |
| 2½ to 3 ft., B. & B                          | 1.10  | .95            | .75                            |
| 3 to 4 ft., B. & B                           | 1.50  | 1.25           | 1.00                           |
| 4 to 5 ft., B. & B                           | 2.60  | 2.20           | 1.75                           |
| 5 to 6 ft., B. & B                           | 4.00  | 3.50           | 2.75                           |
| 6 to 7 ft., B. & B                           | 5.60  | 4.75           | 3.75                           |
| — filifera, 15'-20'                          | Thread                                      | Retin          | <del></del>                    |
| 15 to 18 in., B. & B                         | .60   | .50            | .40                            |
| 18 to 24 in., B. & B                         | .75   | .60            | .50                            |
| 2 to 2½ ft., B. & B                          | 1.00  | .80            | .65                            |
| 2½ to 3 ft., B. & B                          | 1.50  | 1.25           | 1.00                           |
| 3 to 4 ft., B. & B                           | 2.25  | 1.90           | 1.50                           |
| 4 to 5 ft., B. & B                           | 3.75  | 3.00           | 2.50                           |
| 5 to 6 ft., B. & B                           | 5.25  | 4.40           | 3.50                           |
| — aurea, 10'-12' Golden                      |   | Retin          | ospora                         |
| 12 to 15 in., B. & B                         |   |                | .50                            |
| 12 to 13 m., D. & D                          |   | 1.00           | .80                            |
| 15 to 18 in., B. & B                         | 1.20  | 1.50           |                                |
| 18 to 24 in., B. & B                         | 2.25  | 1.90           | 1.50                           |
| 2 to 2½ ft., B. & B                          |   |                |                                |
| — wariegata, 10'-12' Variegate               |   |                |                                |
| 15 to 18 in., B. & B                         | 1.25  | 1.00           | .80                            |
| 18 to 24 in., B. & B                         | 1.80  | 1.50           | 1.25                           |
| 2 to 2½ ft., B. &. B                         |   | 1.90           |                                |
| — plumosa 25'-35'                            | Plume                                       | e Retin<br>.37 | ospora .30                     |
| 12 to 15 in B. & B                           |   | .50            | .40                            |
| 15 to 18 in., B. & B                         |   | .60            | .50                            |
| 18 to 24 in., B. & B                         | • •   | .75            | .60                            |
| 2 to 2½ ft., B. & B                          | 4 4 6                                       | .95            | .75                            |
| 2½ to 3 ft., B. & B                          | 4 = 0                                       | 1.25           | 1.00                           |
| 3 to 4 ft., B. & B                           |   | 2.20           | 1.75                           |
| 4 to 5 ft., B. & B                           | 4.10  |                |                                |
| 5 to 6 ft., B. & B                           | = <0  | 4.75           |                                |
| 6 to 7 ft., B. & B                           |   |                |                                |
|  | 4   | .37            | .30                            |
| 12 to 15 in., B. & B<br>15 to 18 in., B. & B | .60   | .50            | .45                            |
| 18 to 24 in., B. & B.                        |   | .75            | .60                            |
|  | 4 4 0                                       | .95            | .75                            |
| 2 to 2½ ft B. & B                            | 4 50  | 1.25           |                                |
| 3 to 4 ft., B. & B                           |   | 1.90           |                                |
|  | • • •                                       | 2.50           |                                |
| 4 to 5 ft., B. & B                           | 4 50  | 3.75           |                                |
| 5 to 6 ft., B. & B                           |   | 5.00           |                                |
| — plumosa lutescens, 2½'-3' Yell             |   |                |                                |
| 15 to 18 in., B. & B                         | .90   | .75            | .60                            |
| 18 to 24 in., B. & B                         | 4 00  | 1.00           | .80                            |
| •  | 4 7 0                                       | 1.25           | 1.00                           |
| 2 to 2½ ft., B. & B                          | 0.07  | 1.80           | 1.50                           |
| 2½ to 3 ft., B. & B                          | 4,43  | 1.00           | 1.50                           |

| CHAMAECYPARIS—continued         | Unit Pr      | ice in Qua         |             |
|---------------------------------|--------------|--------------------|-------------|
| – squarrosa nana, 2½'-3'        |              | Moss (             |             |
| 9 to 12 in., B. & B             |              | .50                |             |
| 12 to 15 in., B. & B            | .80          | .65                |             |
| — — sulphurea, 20'-25' Sulph    |              | sa Retir           | nanara      |
| 12 to 15 in., B. & B            |              | .40                |             |
| 15 to 18 in., B. & B            | .75          | .60                |             |
| 18 to 24 in., B. & B            | 1.00         | .80                |             |
| 2 to 2½ ft., B. & B             | 1.25         | _                  |             |
| 2½ to 3 ft., B. & B             | 1.60         |                    |             |
| 3 to 3½ ft., B. & B             |              | 1.50               |             |
| — veitchi, 25'-30'              |              | ss Retin           | ospora      |
| 12 to 15 in., B. & B.           | .45          | .37                | .30         |
| 15 to 18 in., B. & B            | .60          | .50                | .40         |
| 2 to 2½ ft., B. & B             | .75<br>1.10  | .60<br>.9 <b>5</b> | .50         |
| 2½ to 3 ft., B. & B             | 1.50         | 1.25               | 1.00        |
| 3 to 4 ft., B. & B.             | 2.25         | 1.90               | 1.50        |
| 4 to 5 ft., B. & B              | 3.00         | 2.50               | 2.00        |
| 5 to 6 ft., B. & B              | 4.50         | 3.75               | 3.00        |
| 6 to 7 ft., B. & B              | 6.00         | 5.00               | 4.00        |
| CHIONANTHUS virginica, 15'-18   |              | ite Frin           | ngetree     |
| 18 to 24 in                     |              | .25                | .20         |
| 2 to 3 ft                       |              | .30                | _           |
| 3 to 4 ft                       |              | .45                |             |
| 4 to 5 ft                       |              | .70                |             |
| 6 to 8 ft                       | 1.10<br>1.50 | .95<br>1.25        | .7 <b>5</b> |
|                                 | 1.00         | 1.20               | 1.00        |
| CLADRASTIS lutea (tinctoria),   | 30′-40′      | Yello              | wwood       |
| 4 to 5 ft                       |              | 1.50               | 1.25        |
| 5 to 6 ft                       |              |                    | 1.50        |
| 6 to 8 ft                       |              |                    | 2.00        |
| 8 to 10 ft                      |              | 3.00               |             |
| CLEMATIS paniculata, 20'-25' Sv |              | tumn Cl            | lematis     |
| 2 year                          |              | .15                | _           |
| 3 year                          | .25          | .20                | .16         |
| CLEMATIS HYB                    | RIDS         |                    |             |
| Henryi—Snow -white flowers.     |              |                    |             |
| Jackman—Violet-blue flowers.    |              |                    |             |
| Mme. Edouard Andre—Wine-red     | flowers      | •                  |             |
| Romona—Sky-blue flowers.        |              |                    |             |
| 2 year 6 in. pots               | .70          | .55                | .45         |
| CLETHRA alnifolia, 4'-5'        |              | Summe              | rsweet      |
| 18 to 24 in                     |              | .25                | .20         |
| 2 to 2½ ft                      | .45          | .37                |             |
| $2\frac{1}{2}$ to 3 ft          | .60          | .50                |             |
| 3 to 4 ft                       | .75          | .60                | .50         |
| COLUTEA arborescens, 8'-10' Co  | ommon        | Bladder            | -senna      |
| 2 to 3 ft                       |              |                    |             |
| 3 to 4 ft                       | .37          | .30                | .25         |
| 4 to 5 ft                       | .50          | . <b>4</b> 0       |             |
|                                 |              |                    |             |

|                                |              | Price in Qua                          |             |
|--------------------------------|--------------|---------------------------------------|-------------|
|                                | 1-4          | 5-24                                  | 25-249      |
| CORNUS alba (sibirica), 8'-10' |              |                                       |             |
| ${f Red}$                      | l Brai       | nched Dog                             | gwood       |
| 18 to 24 in                    |              | .10                                   | .08         |
| 2 to 3 ft                      | .18          | .15                                   | .12         |
| 3 to 4 ft                      |              | .20                                   |             |
| 4 to 5 ft                      |              | .27                                   |             |
| — elegantissima, 6'-8' S       | ilverb       | lotch Do                              | gwood       |
| 18 to 24 in                    | .30          | .25                                   | .20         |
| 2 to 3 ft                      | .45          |                                       |             |
| 3 to 4 ft                      |              | .50                                   |             |
| — alternifolia, 15'-18'        |              | Blue Do                               |             |
| # **                           | 15           |                                       | _           |
| 2 to 3 ft                      | .45          | .37<br>.50                            |             |
| 4 to 5 ft                      | .75          | .60                                   |             |
| 5 to 6 ft                      | .73          | .00<br>.75                            |             |
| 6 to 7 ft                      |              | .73<br>.95                            |             |
|                                | 1.10         |                                       |             |
| — amomum (sericea), 8'-9'      |              | Silky Do                              | _           |
| 2 to 3 ft                      | .18          |                                       |             |
| 3 to 4 ft                      | .25          |                                       | •           |
| 4 to 5 ft                      | .33          |                                       | .22         |
| <b>5</b> to 6 ft               | .42          | .35                                   | .28         |
|                                |              |                                       |             |
| NURSERY-GROWN D                | OGW          | OOD                                   |             |
| *— florida, 15'-25' Wh:        | iteflov      | wering Do                             | gwood       |
| 2 to 3 ft                      | _            |                                       | .30         |
| 3 to 4 ft                      |              |                                       |             |
| 4 to 5 ft                      | 1.10         | .95                                   | .75         |
| 5 to 6 ft                      | 2.25         | 1.90                                  | 1.50        |
| 6 to 8 ft                      | 3.40         | 2.80                                  | 2.25        |
|                                | 5.25         | 4.40                                  | 3.50        |
| 10 to 12 ft                    |              |                                       | 5.00        |
| Extra Heavy Bushy Specimens    |              | )% addition                           | nal         |
| *— florida rubra, 15'-20' R    |              | varing Da                             | poowa       |
|                                |              |                                       | .75         |
| 2 to 3 ft                      | 1.10<br>1.90 |                                       | 1.25        |
| 3 to 4 ft                      | 3.00         | · · · · · · · · · · · · · · · · · · · | 2.00        |
| 4 to 5 ft                      | 4.50         |                                       | 3.00        |
| 5 to 6 ft                      | 6.00         |                                       | 4.00        |
| 8 to 10 ft                     |              | 7.00                                  | 5.50        |
| 10 to 12 ft.                   | 11.00        | 9.50                                  | 7.50        |
| Extra Heavy Bushy Specimens.   |              |                                       |             |
| *— kousa, 16'-18'              |              | Kousa Do                              |             |
|                                |              |                                       | 8 11 00 0   |
| 18 to 24 in                    | .45          | .35                                   |             |
| 2 to 3 ft                      | .60          | .50<br>.75                            |             |
| 3 to 4 ft                      | .95<br>1.25  | 1.00                                  |             |
| 4 to 5 ft                      |              | 1.50                                  |             |
| 5 to 6 ft                      |              |                                       |             |
| 7 to 8 ft                      |              | 2.50                                  |             |
|                                |              | 2.50<br>Cornelian-                    | charry      |
| — mas, 20'-25'                 |              |                                       | •           |
| 18 to 24 in                    |              | .30                                   | .25         |
| 2 to 3 ft                      | .50          | .45                                   | .35         |
| 3 to 4 ft                      |              | .60                                   | .50         |
| 4 to 5 ft                      |              | .95<br>1.25                           | .75<br>1.00 |
| 5 to 6 ft                      | 1.50         | 1.45                                  | 1.00        |
| <b>*</b>                       |              |                                       |             |
| EXTRA CHARGE FOR DIGGING       | DOG          | WOODS                                 | B. & B.     |

EXTRA CHARGE FOR DIGGING DOGWOODS B. & B. SEE B. & B. SCHEDULE, PAGE 2.

| CODNIC                   | Unit P | rice in Qu | antities                |
|--------------------------|--------|------------|-------------------------|
| CORNUS—continued         | 1-4    | 5-24       |                         |
| — paniculata, 10'-12'    |        | Gray D     | o <b>gwo</b> o <b>d</b> |
| 18 to 24 in              | .25    | .20        | .15                     |
| 2 to 3 ft                | .30    | .25        | .20                     |
| 3 to 4 ft                | .45    | .37        | .30                     |
| 4 to 5 ft                |        | .50        | .40                     |
| — sanguinea, 8'-10'      | Blood  | ltwig D    | ogwood                  |
| 18 to 24 in              | .15    | .12        | .10                     |
| 2 to 3 ft                |        | .20        | .15                     |
| 3 to 4 ft                | .30    | .25        | .20                     |
| — stolonifera, 7'-8'     | Red-   | osier D    | o <b>gwo</b> od         |
| 18 to 24 in              | .12    | .10        | .08                     |
| 2 to 3 ft                | .18    | .15        | .12                     |
| 3 to 4 ft                |        | .20        | .16                     |
| 4 to 5 ft                | .33    | .27        | .22                     |
| — — lutea, 6'-7'         | Golder | twig D     | o <b>gwood</b>          |
| 18 to 24 in              | .18    | .15        | .12                     |
| 2 to 3 ft                | .26    | .21        | .17                     |
| 3 to 4 ft                | .37    | .30        | .25                     |
| CORYLUS americana, 8'-9' | Ame    | rican H    | azelnut                 |
| 2 to 3 ft                | .35    | .30        | .25                     |
| 3 to 4 ft                |        | .37        | .30                     |
| 4 to 5 ft                | .60    | .50        | .40                     |
| 5 to 6 ft                | -85    | .70        | .55                     |
|                          |        |            | -05                     |

#### POT GROWN COTONEASTER

This beautiful group of attractive berry beering shrubs is so difficult to transplant either bare root or B.&B. that we are growing all our stock in pots, thereby eliminating transplanting hazard.

#### COTONEASTER

| COTONEASTER                           |                          |                          |                   |
|---------------------------------------|--------------------------|--------------------------|-------------------|
| — acutifolia, 10'-12'                 | Pekir                    | ng Coton                 | easter            |
| 12 to 15 in., pots                    | .60<br>.75               | .50<br>.60               | .40<br>.50        |
| — apiculata, 5'                       |                          |                          |                   |
| 6 to 9 in., pots                      | .35<br>.50<br>.75<br>.85 | .30<br>.40<br>.60<br>.70 | .25<br>.35<br>.50 |
| — congesta, 2'-3'                     |                          |                          |                   |
| 9 to 12 in., pots                     | .50                      | .40                      | .35               |
| — dammeri (chumifusa) 1'-2'           |                          |                          |                   |
| 6 to 9 in., pots<br>9 to 12 in., pots | .50<br>.75               | .40<br>.60               | .35<br>.50        |
| — dielsiana, 6'-8'                    | Die                      | ls Coton                 | easter            |
| 12 to 15 in., pots                    | .60<br>.75<br>.90        | .60                      | .40<br>.50<br>.60 |
| — divaricata, 5-6'                    | readin                   | g Cotone                 | easter            |
| 9 to 12 in., pots                     | .45<br>.60               | .37<br>.50               | .30<br>.40        |
| — foveolata, 6'-10'                   |                          |                          |                   |
| 9 to 12 in., pots                     | .60                      | .37<br>.50<br>.60        | .30<br>.40<br>.50 |

| COTONEASTER—continued             | Unit P<br>1-4 | rice in Quar<br>5-24 | ntities<br>25-249 |
|-----------------------------------|---------------|----------------------|-------------------|
| — francheti, 5'-6'                | Franch        | et Coton             | easter            |
| 9 to 12 in., pots                 | .40           | .30                  | .25               |
| 12 to 15 in., pots                |               | .40                  | .35               |
| 15 to 18 in., pots                |               | .55                  | .45               |
| frigida, 10'-15'                  | limalay       | an Coton             | easter            |
| 6 to 9 in., pots                  | .50           | .40                  | .35               |
| 9 to 12 in., pots                 | .75           | .60                  |                   |
| — horizontalis (davidiana), 2'-3' | Ro            | ck Cotone            | easter            |
| 6 to 9 in., pots                  | .60           | .50                  | .40               |
| 9 to 12 in., pots                 | .75           | .60                  | .50               |
| 12 to 15 in., pots                | 1.00          | .80                  | .65               |
| — — perpusilla, 2'-3'             |               |                      |                   |
| 6 to 9 in., pots                  | .60           | .50                  | .40               |
| 9 to 12 in., pots                 | .85           | .70                  | .55               |
| 12 to 15 in., pots                | 1.05          | .90                  | .70               |
| 12 to 15 in., pots                | 1.35          | 1.10                 | .90               |
| — prostrata, 5'-6'                |               |                      |                   |
| 9 to 12 in., pots                 |               | .60                  | .50               |
| 12 to 15 in., pots                |               | .75                  |                   |
| 15 to 18 in., pots                | 1.05          | .90                  |                   |
| — lindleyi, 6'-8'                 |               | ey Coton             | easter            |
| 6 to 9 in., pots                  |               | .40                  |                   |
| 9 to 12 in., pots                 | .75           | .60                  |                   |
| — microphylla, '2'-3'             |               | Rock                 | spray             |
| 6 to 9 in., pots                  |               | .37                  | .30               |
| 9 to 12 in., pots                 |               | .50                  | .40               |
| 12 to 15 in., pots                |               | .60                  | .50               |
| 15 to 18 in., pots                | .90           | .75                  | -                 |
| — thymifolia, 2'-3'               | 10            |                      | 4.0               |
| 9 to 12 in., pots                 |               | .50                  | .40               |
| 12 to 15 in., pots                |               | .60                  |                   |
| 15 to 18 in., pots                |               | .75                  |                   |
|                                   |               | eaf Coton            |                   |
| 6 to 9 in., pots                  |               | .40<br>.50           | .35               |
| 9 to 12 in., pots                 | .00           | .50                  |                   |
| 9 to 12 in., pots                 | .60           | .50                  | .40               |
| 12 to 15 in., pots                |               | .60                  | .+0               |
| — rotundifolia (buxifolia), 7'-8' |               |                      | easter            |
| 6 to 9 in., pots                  |               | .30                  | .25               |
| 9 to 12 in., pots                 |               | .45                  | .35               |
| 12 to 15 in., pots                |               | .55                  |                   |
| — salicifolia, 10'-12'            | Villowle      | af Coton             | easter            |
| 9 to 12 in., pots                 | .60           | .50                  | .40               |
| 12 to 15 in., pots                |               | .60                  | .50               |
| 15 to 18 in., pots                | 90            | .75                  | .60               |
| 18 to 24 in., pots                |               | .95                  | .75               |
| — simonsi, 5'-6'                  |               | ns Coton             |                   |
| 9 to 12 in., pots                 | 52            | .45                  | .35               |
| 12 to 15 in., pots                |               | .60                  | .50               |
| 15 to 18 in., pots                |               | .75                  | .60               |
| 18 to 24 in., pots                | 1.10          | .95                  | .75               |
| — tenuipes, 5'-6'                 | .60           | .50                  | .40               |
| 9 to 12 in., pots                 | 00<br>75      | .60                  | .50               |
| 12 to 13 m., pots                 | / 3           | •00                  | .50               |

| ·                                       | Unit             | Price in Qua | ntities       |
|---|------------------|--------------|---------------|
|   | 1-4              | 5-24         | 25-249        |
|   |                  |              |               |
| *CRATAEGUS arkansana, 15'-20'           | Arka             | ınsas Hav    | vthorn        |
| 2 to 3 ft                               | 90               | .75          |               |
| 3 to 4 ft                               |                  |              |               |
| 4 to 5 ft                               |                  | 1.25         |               |
| 1 10 5 11                               | 1.50             | 1.23         |               |
| * — arnoldiana, 20'                     | Aı               | nold Hav     | vthorn        |
| 2 to 3 ft                               | .75              |              | .50           |
|   | .90              |              | .60           |
| 4 to 5 ft                               |                  | _            | .75           |
| 5 to 6 ft                               | 1.50             |              | · -           |
|   | _                |              | 1.00          |
|   | 2.25             |              | 1.50          |
| 7 to 8 ft                               |                  |              |               |
| 8 to 10 ft                              | 4.00             | . 3.50       | 2.75          |
| • — carrierei, 15'-20'                  | Car              | riere Haw    | thorn         |
|   |                  |              | onor h        |
|   | 1.25             | 1.00         |               |
| 4 to 5 ft                               | 1.50             |              |               |
| 5 to 6 ft                               |                  |              |               |
| 6 to 7 ft                               |                  |              |               |
| 7 to 8 ft                               | 3.00             | 2.50         |               |
| • — coccinea, 15'-20'                   | Thi              | lcket Haw    | thorn         |
|   |                  |              |               |
| 3 to 4 ft                               | 1.20             | 1.00         | .80           |
| 4 to 5 ft                               | 1.50             | 1.25         |               |
| 5 to 6 ft                               | 2.10             | 1.75         | 1.40          |
| 6 to 7 ft                               |                  | 2.50         | 2.00          |
| 7 to 8 ft                               | 4.10             |              | 2.75          |
| 8 to 10 ft                              | 5.25             | 4.40         | 3. <b>5</b> 0 |
| t consininidas 15/ 90/                  |                  |              |               |
| * — coccinioides, 15'-20'               | 4 70             | 1 25         |               |
| 5 to 6 ft                               |                  |              |               |
| • | 2.25             |              |               |
| 7 to 8 ft                               | 2.70             | 2.25         |               |
| * — cordata, 12'-15' W                  | aghin            | gton Hav     | ythorn        |
| ·                                       |                  |              |               |
| 4 to 5 ft                               |                  | - • • •      |               |
| 5 to 6 ft                               |                  |              |               |
| 6 to 8 ft                               | 3.00             | 2.50         |               |
| * — crusgalli, 15'                      | (                | Cockspur     | Thorn         |
| <u> </u>                                |                  | .95          | .75           |
| 2 to 3 ft                               | 1.10             |              |               |
| 3 to 4 ft                               |                  |              |               |
| 4 to 5 ft                               | 2.25             |              |               |
| 5 to 6 ft                               | 3.00             |              |               |
| 6 to 7 ft                               | 4.00             | 3.75         | 3.00          |
| * — mollis, 15'                         | $\mathbf{D}_{0}$ | owny Hav     | vthorn        |
| 2 to 3 ft                               | .75              | .60          | .50           |
| 3 to 4 ft                               | .90              | .75          | .60           |
| 4 to 5 ft                               | 1.10             | .95          | .75           |
| 5 to 6 ft                               | 1.50             | 1.25         |               |
| 6 to 7 ft                               | 2.25             |              | 1.50          |
| 7 to 8 ft                               | 3.00             |              |               |
| 8 to 9 ft                               | 4.00             |              | 2.75          |
|   |                  |              |               |
| • — oxycantha, 12'-15'                  | Eng              | lish Haw     | thorne        |
| 2 to 3 ft                               | .75              | .60          | .50           |
| 3 to 4 ft                               | .90              |              |               |
| 4 to 5 ft                               | 1.10             | .95          | .75           |
| 5 to 6 ft                               | 1.50             | 1.25         | 1.00          |
| 6 to 7 ft                               | 1.90             | 1.50         | 1.25          |
| 7 to 8 ft                               | 2.25             | 1.90         | 1.50          |
| 8 to 10 ft                              | 3.00             | 2.50         | 2.00          |
|   |                  |              |               |

|   | -                 |                  |         |
|---|-------------------|------------------|---------|
|   |                   | rice in Quai     | ntities |
| CRATAEGUS—continued                     | 1-4               | 5-24             | 25-249  |
| * — — double pink, 12'-15' Dou          | ılda Di           | inle blanet      | houne   |
|   |                   |                  | norne   |
| 3 to 4 ft                               |                   |                  |         |
| 4 to 5 ft                               |                   |                  |         |
| 5 to 6 ft                               | 1.90              | 1.50             |         |
|   |                   | ta mm            |         |
| * — — double white, 12'15' Doub         |                   |                  | horne   |
| 5 to 6 ft                               |                   |                  |         |
| 6 to 8 ft                               | 2.25              | <del></del>      |         |
|   |                   | •                |         |
| * — pauli, 12'-15' Pau                  | il Eng            | lish Haw         | thorn   |
| 3 to 4 ft                               |                   |                  |         |
| 4 to 5 ft                               |                   |                  | 1.00    |
| 5 to 6 ft                               | 1.00              | 1.50             | 1.00    |
| 5 to 0 1t                               | 1.90              | 1.50             | . !     |
| * —pedicellata, 15'-20'                 |                   |                  |         |
| - · · · · · · · · · · · · · · · · · · · | 1.00              | 0.0              | ~ P     |
| 3 to 4 ft                               |                   |                  | .65     |
| 4 to 5 ft                               | 1.20              |                  | .80     |
|   |                   | 1.50             |         |
| 6 to 7 ft                               |                   |                  |         |
| 7 to 8 ft                               | 3.00              | 2.50             | 2.00    |
|   |                   |                  |         |
| * — punctata, 25'-80'                   | $\mathbf{Do}_{1}$ | tted Haw         | thorn   |
| 3 to 4 ft                               | 1 10              | 05               | .75     |
|   |                   |                  |         |
| 4 to 5 ft                               | 2.10              | 1.23             | 1.00    |
| 5 to 6 ft                               | 2.10              | 1.75             |         |
| +                                       | 0,,,              | ohoo <b>Uo</b> w | thorn   |
| * — submollis, 12'-15'                  | •                 | ebec Haw         |         |
| 2 to 3 ft                               | .75               | .60              | .50     |
| 3 to 4 ft                               | 1.00              | .80              | .65     |
| 4 to 5 ft                               | 1.35              | 1.10             | .90     |
| 5 to 6 ft                               | 1.90              | 1.50             | 1.25    |
| 6 to 8 ft                               | 2.25              | 1.90             | 1.50    |
|   |                   |                  |         |
| - pyracantha lalandi (See PYRA          | ACAN!             | THA)             |         |
|   |                   |                  |         |
| CDVD#CMEDIA imamica labbi               | E/ 00/            |                  |         |
| CRYPTOMERIA japonica lobbi, 1           |                   |                  |         |
|   | Lob               | b Crypto         | meria   |
| 5 to 6 ft., B. & B                      | 4.20              | 3.50             | 2.80    |
| 6 to 7 ft., B. & B                      | 5.25              | 4.40             | 3.50    |
|   | 7.15              |                  |         |
| 8 to 10 ft., B. & B                     |                   |                  |         |
| 0 to 10 ft., D. & D                     | 2.00              | ,.00             | 0.00    |
|   |                   |                  |         |
| CYDONIA japonica, 4'-5'                 | Fic               | wering C         | luince  |
| 12 to 18 in                             | .15               | .12              | .10     |
| 18 to 24 in.                            | .22               |                  | .14     |
| 2 to 3 ft                               | .30               |                  | .20     |
| 2 to 3 it                               | .50               | .25              | .20     |
|   |                   |                  |         |
| el D la                                 |                   |                  |         |
| <del></del>                             |                   |                  |         |
| DADINE 40" 40"                          |                   | Daga D           | anhna   |
| DAPHNE cneorum, 12"-18"                 | r <sub>o</sub>    | Rose D           | _       |
| 6 to 9 in., pots or B. & B              |                   | .45              |         |
| 9 to 12 in., pots or B. & B             |                   |                  | .55     |
| 12 to 15 in., pots or B. & B            | 1.35              | 1.10             | .90     |
| A.                                      | 13                | . h              | onhea   |
| — mezereum, 4'                          |                   | ebruary D        |         |
| 9 to 12 in., pots                       | .52               | .45              | .35     |
| 12 to 15 in., pots                      | .70               | .55              | .45     |
| 15 to 18 in., pots                      | .90               | .75              | .60     |
|   |                   |                  |         |
|   |                   |                  |         |

|                                 | Unit Pr<br>1-4 |            | uantities<br>25-249 |
|---------------------------------|----------------|------------|---------------------|
| DEUTZIA gracilis, 3'            |                |            | Deutzia             |
|                                 |                |            |                     |
| 9 to 12 in                      |                | .12        | .10                 |
| 12 to 15 in                     | .22            | .20        | .13                 |
| 15 to 18 in                     |                | .22        | .16                 |
| 18 to 24 in                     |                | .25        | -                   |
|                                 |                | .30        | .25                 |
| 2 to 2½ ft                      | .55            | .30        | .23                 |
| ·                               |                | anicle     | Deutzia             |
| 12 to 15 in                     | .15            | .12        | .10                 |
| 15 to 18 in                     | .25            | .20        | .15                 |
| 18 to 24 in                     |                | .25        |                     |
|                                 |                |            |                     |
| 2 to 3 ft                       | .35            | .30        | .25                 |
| — lemoine <sup>1</sup> , 4'-5'  | Ler            | noine      | Deutzia             |
| 15 to 18 in                     | .15            | .12        | .10                 |
| 18 to 24 in                     |                | .20        | _                   |
|                                 | .30            | .25        |                     |
| 2 to 3 ft                       |                |            |                     |
| 3 to 4 ft                       | .35            | .30        | .25                 |
| — magnifica, 9'-10'             | Giant          | Flwd.      | Deutzia             |
| 18 to 24 in                     | .15            | .12        | .10                 |
| 2 to 3 ft                       | .18            | .15        |                     |
|                                 |                | .22        |                     |
| 3 to 4 ft                       | .25            |            |                     |
| 4 to 5 ft                       | <b>.3</b> 0    | .25        |                     |
| 5 to 6 ft                       | .45            | .37        | .30                 |
| - Mont Rose, 4'-5'              |                |            |                     |
| 18 to 24 in                     | .25            | .20        | .15                 |
| 2 to 2½ ft                      | .30            |            |                     |
| 2½ to 3 ft                      | .35            |            |                     |
|                                 | Cnov           | vfoko      | Deutzia             |
| — scabra candidissima, 9'-10'   | -              |            |                     |
| 18 to 24 in.                    | .15            | .12        | .10                 |
| 2 to 3 ft                       | .18            | .15        | .12                 |
| 3 to 4 ft                       | .25            |            | .16                 |
| 4 to 5 ft                       | .30            | .25        |                     |
|                                 |                |            |                     |
| 5 to 6 ft                       | .45            | .37        | .30                 |
| — scabra crenata fl. pl., 6'-8' | Double         | Pink       | Deutzia             |
| 18 to 24 in                     | .18            | .15        | .12                 |
| 2 to 3 ft                       |                | .20        |                     |
| 3 to 4 ft.                      |                |            |                     |
| 4 to 5 ft.                      |                |            | .25                 |
| 7 10 3 11                       | .07            | .00        | 20                  |
| — Pride of Rochester, 9'-10'    | Large          | Flwd.      | Deutzia             |
| 18 to 24 in                     | .15            | .12        |                     |
| 2 to 3 ft                       | .18            | .15        | .12                 |
| 3 to 4 ft                       | .25            | 20         | .16                 |
|                                 |                | .25        |                     |
| 4 to 5 ft                       | .30<br>.45     | .25<br>.37 |                     |
|                                 |                |            |                     |
| DIERVILLA sessilifolia (lutea), |                |            |                     |
|                                 |                |            | eysuckle            |
| 18 to 24 in                     | .18            | .15        | .12                 |
| 2 to 3 ft                       | .27            | .22        | .18                 |
| 3 to 4 ft                       | .35            | .30        | .25                 |
|                                 | .00            | .50        | .23                 |

| €{ E }*                        | Unit Pric<br>1-4 | -            | antities<br>25-249 |
|--------------------------------|------------------|--------------|--------------------|
| ELAEAGNUS angustifolia, 15'-18 | B' I             | Russia       | n-ol <b>ive</b>    |
| 18 to 24 in                    | .22              | .20          | .15                |
| 2 to 3 ft                      | .30              | .25          | .20                |
| 3 to 4 ft                      | .35              | .30          |                    |
| 4 to 5 ft                      | .45              | .37          | .30                |
| 5 to 6 ft                      | .60              | .50          | .40                |
| — longipes, 6'-8'              |                  |              | eagnus             |
| 18 to 24 in                    | .37              | .30          | .25                |
| 2 to 3 ft                      | .52              | .45          | .35                |
| 3 to 4 ft                      | .70              | .55          | .45                |
| 4 to 5 ft                      | .90              | .75          | .55                |
| — pungens reflexa, 10'-12'     | Bron             | ze Ela       | eagnus             |
| 12 to 18 in., pots             | .30              | .25          | .20                |
| 18 to 24 in., pots             | .45              | .37          | .30                |
| — umbellata, 8'-10'            | Autun            | ın Ela       | eagnus             |
| 2 to 3 ft                      | .37              | .30          | .25                |
| 3 to 4 ft                      | <b>.5</b> 0      | .45          | .35                |
| 4 to 5 ft                      | .70              | .55          |                    |
| 5 to 6 ft                      | .85              | .70          | .55                |
| ELSHOLTZIA stauntoni, 4'-5'    |                  |              |                    |
| 12 to 15 in                    | .25              | .20          | .15                |
| 15 to 18 in                    | .30              | .25          | .20                |
| 18 to 24 in                    | .35              | .30          | .25                |
| ENKIANTHUS campanulatus, 20    | <b>'-25'</b>     |              |                    |
| R                              | ed Veir          | n Enk        | ianthus            |
| 12 to 15 in., B. & B           | .95              | .75          |                    |
| 15 to 18 in., B. & B           | 1.25             | 1.00         |                    |
| 18 to 24 in., B. & B           | 1.50             | 1.25         |                    |
| 2 to 3 ft., B. & B             | <b>1.9</b> 0     | <b>1.5</b> 0 |                    |
| EUONYMUS alatus, 9'-10'        | Wing             | ed Eu        | onymus             |
| 18 to 24 in                    | .37              | .30          | .25                |
| 2 to 3 ft                      | .50              | .45          |                    |
| 3 to 4 ft                      | .75              | .60          |                    |
| 4 to 5 ft                      | 1.10             | .95          | .75                |
|                                |                  |              |                    |



Elaeagnus umbellata and Ligustrum ibota (true form) as grown at Princeton.

| EUONYMUS—continued               |               | rice in Qu |         |
|----------------------------------|---------------|------------|---------|
| comments Al Wi                   | 1-4           | 5-24       | 25-249  |
| — — compacta, 4'-5'              |               |            |         |
| 12 to 18 in                      | .45           | .37        | .30     |
| 18 to 24 in                      | .70           | .55        | .45     |
| 2 to 3 ft                        | .90           | .75        | .60     |
| 3 to 4 ft                        | 1.10          | .95        | .75     |
| — americanus, 7'-8'              | $\mathbf{Br}$ | ok Eu      | onymus  |
| 18 to 24 in                      | .25           | .20        | .15     |
| 2 to 3 ft                        | .30           | .25        | .20     |
| 3 to 4 ft                        | .45           | .37        | .30     |
| 4 to 5 ft                        | .60           | .50        | .40     |
| bungeanus, 12'-14' Wi            | nterbe        | rry Euc    | onymus  |
| 2 to 3 ft                        | .30           | .25        | .20     |
| 3 to 4 ft                        | .45           | .37        | .30     |
| 4 to 5 ft                        | .60           | .50        | .40     |
| 5 to 6 ft                        | .75           | .60        | .50     |
| — europaeus, 12'-14' Eu          | ropean        | Burni      | ngbush  |
| 2 to 3 ft                        | .30           | .25        | .20     |
| 3 to 4 ft                        | .35           | .30        | .25     |
| 4 to 5 ft                        | .50           | .40        | .35     |
| 5 to 6 ft                        | .60           | .50        |         |
| 6 to 7 ft.                       | .80           | .65        |         |
| * — patens (sieboldianus), 6'-8' | Spreadi       | ng Euc     | nymus   |
| 12 to 15 in                      | .20           | .16        |         |
| 15 to 18 in                      | .25           | .20        |         |
| — radicans, climbing to 15'      | 7             | Winter     | creeper |
| 6 to 9 in., 1 year               | .25           | .20        | .15     |
| 9 to 12 in., 2 year              | .30           | .25        | .20     |
| 12 to 15 in., 2 year             | .37           | .30        | .25     |




EURONYMUS ALATUS

A beautiful shrub worthy of more attention. Makes a fine specimen and may also be used for screen and hedge planting.

| EUONYMUS—continued  |  | rice in Qua  |   |
|---|--|--|---|
|   | 1-4  | <b>7</b> – .   | <b>25-249</b>   |
| — — carrieri, 3'-4'   |  | Winter   | creeper   |
| 6 to 9 in., 1 year<br>9 to 12 in., 2 year   | 25   | .20<br>.25   | .15<br>.20  |
| ——————————————————————————————————————  |  |  | reeper  |
| 6 to 9 in., 1 year  |  |  | .12   |
| 9 to 12 in., 2 year   | 25   |  | .15   |
| 12 to 15 in., 2 year  | .30  | .25  | .20   |
| — minimum (kewensis), 6"-1  | 2" Baby  | Winter   | creeper   |
| 3 in. pots  | .50  | .40  |   |
| — — variegatus,12"-15" Variega  | tedleaf  | Winter   | creeper   |
| 6 to 9 in., 1 year  |  |  | .12   |
| 6 to 9 in., 1 year  | .25  | .20  | .15   |
| — vegetus, 3'-4'  | Bigleaf  | Winter   | reeper  |
| 6 to 9 in., 2 year  |  | .25  | .20   |
| 9 to 12 in., 2 year   |  | .30  | .25   |
| 12 to 15 in., 3 year  | .45  | .37  | .30   |
| EXOCHORDA grandiflora, 6'-9'  | Com  | mon Pea  | rlbush  |
| 18 to 24 in   |  |  | .12   |
| 2 to 3 ft   |  | • -  |   |
| 3 to 4 ft   |  | .30  | .25   |
| 4 to 5 ft   |  | .40  | .35   |
|   |  |  |   |
|   |  |  |   |
| FAGUS americana, 75'-100'   | A  | merican  | Beech   |
| FAGUS americana, 75'-100'   |  | merican<br>1.25  | Beech   |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B   | 1.50   |  | Beech   |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  | 1.50<br>1.90<br>2.80   | 1.25<br>1.50<br>2.25   | 1.25<br>1.80  |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75   | 1.25<br>1.50<br>2.25<br>3.00   | 1.25<br>1.80<br>2.50  |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.  | 1.50<br>1.90<br>2.80<br>3.75<br>5.00   | 1.25<br>1.50<br>2.25<br>3.00<br>4.00   | 1.25<br>1.80<br>2.50<br>3.50  |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.  8 to 10 ft., B. & B.  | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50   | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25   | 1.25<br>1.80<br>2.50<br>3.50<br>5.00  |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.  sylvatica, 75'-100'  | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50   | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25   | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech   |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.  8 to 10 ft., B. & B.  sylvatica, 75'-100'  2 to 3 ft., B. & B.  | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50   | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean   | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech   |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.  - sylvatica, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>E  | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25   | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech   |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.  - sylvatica, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>E<br>.75<br>1.10<br>2.25<br>3.40   | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean<br>.60<br>.95   | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br><b>Beech</b><br>.50<br>.75                                  |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.  sylvatica, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>E<br>75<br>1.10<br>2.25<br>3.40<br>4.90                                      | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean<br>.60<br>.95<br>1.90<br>2.80<br>4.00   | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech<br>.50<br>.75<br>1.50<br>2.25<br>3.25                 |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>F<br>75<br>1.10<br>2.25<br>3.40<br>4.90<br>6.75                              | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean<br>.60<br>.95<br>1.90<br>2.80<br>4.00<br>5.50   | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech<br>.50<br>.75<br>1.50<br>2.25<br>3.25<br>4.50         |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>1.10<br>2.25<br>3.40<br>4.90<br>6.75<br>9.00                                 | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean<br>.60<br>.95<br>1.90<br>2.80<br>4.00<br>5.50<br>7.50                                     | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech<br>.50<br>.75<br>1.50<br>2.25<br>3.25<br>4.50<br>6.00 |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>F<br>.75<br>1.10<br>2.25<br>3.40<br>4.90<br>6.75<br>9.00                     | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean<br>.60<br>.95<br>1.90<br>2.80<br>4.00<br>5.50<br>7.50<br>Fernleaf                         | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech<br>.50<br>.75<br>1.50<br>2.25<br>3.25<br>4.50<br>6.00 |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>1.10<br>2.25<br>3.40<br>4.90<br>6.75<br>9.00                                 | 1.25 1.50 2.25 3.00 4.00 6.25 Suropean .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25  | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech<br>.50<br>.75<br>1.50<br>2.25<br>3.25<br>4.50<br>6.00 |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 6 ft., B. & B. 8 to 10 ft., B. & B. 9 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br><b>E</b><br>.75<br>1.10<br>2.25<br>3.40<br>4.90<br>6.75<br>9.00              | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean<br>.60<br>.95<br>1.90<br>2.80<br>4.00<br>5.50<br>7.50<br>Fernlean<br>2.25<br>3.25         | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech<br>.50<br>.75<br>1.50<br>2.25<br>3.25<br>4.50<br>6.00 |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>1.10<br>2.25<br>3.40<br>4.90<br>6.75<br>9.00<br>2.75<br>4.00<br>5.50         | 1.25 1.50 2.25 3.00 4.00 6.25 Suropean .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25  | 1.25<br>1.80<br>2.50<br>3.50<br>5.00<br>Beech<br>.50<br>.75<br>1.50<br>2.25<br>3.25<br>4.50<br>6.00 |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 6 ft., B. & B. 8 to 10 ft., B. & B. 9 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B.   | 1.50<br>1.90<br>2.80<br>3.75<br>5.00<br>7.50<br>1.10<br>2.25<br>3.40<br>4.90<br>6.75<br>9.00<br>2.75<br>4.00<br>5.50<br>8.00 | 1.25<br>1.50<br>2.25<br>3.00<br>4.00<br>6.25<br>Suropean<br>.60<br>.95<br>1.90<br>2.80<br>4.00<br>5.50<br>7.50<br>Fernlean<br>2.25<br>3.25<br>4.75 | 1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech                               |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 10 ft., B. & B. 8 to 10 ft., B. & B. 9 to 12 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 6 ft., B. & B. 8 to 5 ft., B. & B. 9 to 6 ft., B. & B. 9 to 8 ft., B. & B.      | 1.50 1.90 2.80 3.75 5.00 7.50  F .75 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50 8.00                                       | 1.25 1.50 2.25 3.00 4.00 6.25 2uropean .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50   | 1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech                               |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 6 to 8 ft., B. & B. 7 - asplenifolia, 20'-30' 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 asplenifolia, 20'-30' 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 pendula, 25'-40' 3 to 4 ft., B. & B. 6 to 5 ft., B. & B. 7 pendula, 25'-40' 8 to 5 ft., B. & B. 8 B.   | 1.50 1.90 2.80 3.75 5.00 7.50  E .75 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50 8.00 3.25 4.50                             | 1.25 1.50 2.25 3.00 4.00 6.25 2uropean .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50   | 1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech                               |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.   | 1.50 1.90 2.80 3.75 5.00 7.50  F .75 1.10 2.25 3.40 4.90 6.75 9.00 2.75 4.00 5.50 8.00 3.25 4.50 6.00                        | 1.25 1.50 2.25 3.00 4.00 6.25 2uropean .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50 Weeping                                       | 1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech                               |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.  - sylvatica, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. | 1.50 1.90 2.80 3.75 5.00 7.50  E .75 1.10 2.25 3.40 4.90 6.75 9.00  2.75 4.00 5.50 8.00  3.25 4.50 6.00 7.50                 | 1.25 1.50 2.25 3.00 4.00 6.25 2uropean .60 .95 1.90 2.80 4.00 5.50 7.50 Fernlean 2.25 3.25 4.75 6.50 Weeping ————————————————————————————————————  | 1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech                               |
| FAGUS americana, 75'-100'  2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B.   | 1.50 1.90 2.80 3.75 5.00 7.50  E .75 1.10 2.25 3.40 4.90 6.75 9.00  2.75 4.00 5.50 8.00  3.25 4.50 6.00 7.50                 | 1.25 1.50 2.25 3.00 4.00 6.25 2uropean .60 .95 1.90 2.80 4.00 5.50 7.50 Fernleaf 2.25 3.25 4.75 6.50 Weeping                                       | 1.25 1.80 2.50 3.50 5.00 Beech .50 .75 1.50 2.25 3.25 4.50 6.00 Beech                               |

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

| FAGUS—continued                    |        | Unit Price in Quantities 1-4 5-24 25-249 |               |  |
|------------------------------------|--------|--|---------------|--|
|                                    | 1-4    | 5-24                                     | <b>25-249</b> |  |
| —— riversi, 40'-60' Ri             | vers E | uropean                                  | Beech         |  |
| 2 to 3 ft., B. & B                 |        |  |               |  |
| 3 to 4 ft., B. & B.                | 3.50   |  |               |  |
| 4 to 5 ft., B. & B                 | 4.50   |  |               |  |
| 5 to 6 ft., B. & B                 |        |  |               |  |
| FORSYTHIA intermedia, 6'-8'        | Во     | order Fo                                 | rsythia       |  |
| 18 to 24 in                        | .12    | .10                                      | .08           |  |
| 2 to 3 ft                          |        | .15                                      | .12           |  |
| 3 to 4 ft                          |        | .22                                      | .16           |  |
| 4 to 5 ft                          |        | .27                                      | .22           |  |
| 5 to 6 ft                          |        | .37                                      | .30           |  |
| — intermedia spectabilis, 6'-8' Sh |        |  |               |  |
| 18 to 24 in                        |        | .12                                      | .10           |  |
| 2 to 3 ft                          |        | .18                                      | .14           |  |
| 3 to 4 ft                          |        | .16                                      | .18           |  |
| 4 to 5 ft                          | •—     | .30                                      | .10           |  |
| 5 to 6 ft                          |        | .30<br>.45                               | .25           |  |
|                                    |        |  |               |  |
| ovata, 6'-8'                       |        | rean For                                 | rsythia       |  |
| 18 to 24 in                        | .30    | .25                                      | .20           |  |
| 2 to 3 ft                          | .40    | .30                                      | .25           |  |
| 3 to 4 ft                          | .52    | .45                                      | .35           |  |
| — suspensa, 4'-6'                  | Wee    | ping Fo                                  | rsythia       |  |
| 18 to 24 in                        | .15    | .12                                      | .10           |  |
| 2 to 3 ft                          |        | .20                                      | .15           |  |
| 3 to 4 ft                          |        | .25                                      | .20           |  |
| 4 to 5 ft                          |        | .37                                      | .30           |  |
| 5 to 6 ft                          |        | .50                                      | .40           |  |
| — — fortunei, 7'-8'                | For    | tune Fo                                  | rsythia       |  |
| 18 to 24 in                        | .12    | .10                                      | .08           |  |
| 2 to 3 ft                          |        | .15                                      | .12           |  |
| 3 to 4 ft                          |        | .20                                      | .16           |  |
| 4 to 5 ft                          |        | .27                                      | .22           |  |
| 5 to 6 ft                          |        | .37                                      | .30           |  |



Forsythic spectabilis and suspensa with Hydrangea Peegee in background.

| FORSYTHIA—continued                  | Unit Pri        | ice in Quan<br>5-24 | tities<br>25-249 |
|--------------------------------------|-----------------|---------------------|------------------|
| — viridissima, 7'-8'                 | Greens          | tem For             | sythia           |
|                                      | .12             | .10                 | .08              |
| 18 to 24 in                          | .18             | .15                 |                  |
| 2 to 3 ft                            | .25             | .20                 |                  |
| 3 to 4 ft                            | .33             | .27                 | .22              |
| 4 to 5 ft                            | .50             | .2,                 | •                |
| FRAXINUS americana, 70'-80'          |                 |                     | e Ash            |
| 6 to 8 ft                            | .75             | .60                 | .50              |
| 8 to 10 ft                           | 1.10            | .95                 | .75              |
| 8 to 10 ft., 11/4 to 11/2 in         | 1.50            | 1.25                | 1.00             |
| 10 to 12 ft., 1½ to 1¾ in            | 1.90            | 1.50                | 1.25             |
| 12 to 14 ft., 13/4 to 2 in           | 2.50            | 2.00                |                  |
| 13 to 15 ft., 2 to 2½ in             | 3.00            | 2.50                |                  |
|                                      |                 | Gree                | n Ash            |
| — lanceolata, (viridis) 50'60'       | 75              | .60                 | .50              |
| 6 to 8 ft                            | .75             | .95                 |                  |
| 8 to 10 ft                           | 1.10            |                     |                  |
| 8 to 10 ft., 1½ to 1½ in             | 1.50            | 1.50                |                  |
| 10 to 12 ft., 1½ to 1¾ in            | 1.90            | 1.50                | 1.25             |
| 12 to 14 ft., 13/4 to 2 in           | 2.50            | 2.00                |                  |
| 13 to 15 ft., 2 to 2½ in             | 3.00            | 2.50                |                  |
|                                      |                 |                     |                  |
| GENISTA, tinctoria, 3'               |                 | Wood                | waxen            |
| 12 to 18 in                          | .22             | .18                 | .15              |
| 12 to 10 Million                     |                 |                     |                  |
| GINKGO biloba (Salisburia), 50'      | - <b>75</b> ′ M | laidenha            | ir-tr <b>e</b> e |
| 6 to 8 ft                            | 2.25            | 1.90                | 1.50             |
| 8 to 10 ft                           | • • •           | 2.50                | 2.00             |
| 8 to 10 ft., 1½ to 1½ in             |                 | 3.00                | 2.50             |
| 10 to 12 ft., 1½ to 1¾ in            |                 |                     | 3.25             |
| 10 to 12 ft., 1½ to 1½ in            |                 | 5.25                |                  |
| 12 to 14 ft., 2 to 2½ in             |                 |                     | 5.50             |
| 12 to 14 ft., 2½ to 2½ in            |                 |                     |                  |
| 14 to 16 ft 21/ to 2 in              | 13.50           | 10.50               | 9.00             |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | 15.50           | 10.50               | 7.00             |
| GLEDITSIA triacanthos, 60'-70'       | Commo           | n Honey             | locust           |
| 4 to 6 ft                            |                 |                     | .50              |
| 6 to 8 ft                            | 1.10            | .95                 |                  |
| 8 to 10 ft                           |                 | 1.50                | 1.25             |
| 10 to 12 ft                          |                 |                     | 1.75             |
| GYMNOCLADUS dioica, 40'-50'          |                 | ucky Coff           |                  |
| 4 to 5 ft                            |                 | .95                 |                  |
| 5 to 6 ft                            |                 | 1.50                |                  |
| 6 to 7 ft                            |                 |                     | 1.60             |
| 7 to 8 ft                            | . 3.00          |                     | 2.00             |
| 8 to 10 ft                           | . 4.50          | 3.75                | 3.00             |
| — <b>{</b> H }*                      |                 |                     |                  |
| HALESIA tetraptera, 12'-15'          | (               | Great Sil           | verbell          |
| 3 to 4 ft                            |                 | .37                 | 30               |
| 4 to 5 ft                            |                 | .55                 |                  |
| 5 to 6 ft                            |                 | .75                 | .60              |
| 6 to 8 ft                            |                 | 1.00                | .80              |
| 8 to 10 ft                           |                 | 1.25                | 1.00             |
| 0 10 10 11                           | 1.50            | 1.20                | 1.00             |

|   | Unit P      | rice in Quan | tities     |
|---|-------------|--------------|------------|
|   | 1-4         | 5-24         | 25-249     |
| HAMAMELIS virginiana, 10'-12' (                                   | Commo       | on Witch-    | hazel      |
| 2 to 3 ft   | .52         | .45          | .35        |
| 3 to 4 ft 4 to 5 ft   | .70<br>1.00 |              | .45<br>.70 |
| 5 to 6 ft   | 1.35        | _            | .90        |
| 6 to 8 ft   | 1.90        |              |            |
| HEDERA colchica dentata, 20'-50                                   | ' Gia       | nt Englis    | h Ivy      |
| 9 to 12 in., 3 in. pots   | .25         | .20          |            |
| — helix, 20'-50'  |             | Englis       |            |
| 12 to 18 in., 3 in. pots  |             | .20          |            |
| 12 to 18 in., 3 in. pots  | .30         | dy Englisi   | •          |
| — pedata  |             | .25          | .20        |
| 12 to 18 in., 3 in. pots  |             | .25          | .20        |
| HIBISCUS syriacus (Althea), 10                                    | '-12'       | Shrub-a      | lthea      |
| anemonaeflorus, double pink.                                      |             |              |            |
| ardens, double rose violet  |             | is, single   | blue.      |
| Boule de Feu, double bright re                                    |             |              |            |
| Elegiantissimus, double, bluish-<br>Comte de Haimont, double pinl | white-      | red cente    | r.         |
| Jeanne d'Arc, double white.                                       | c, whi      | te mottle    | 1.         |
| Lucy, double lavender violet.                                     |             |              |            |
| Puniceus Plenus, semi-double r                                    | ose.        |              |            |
| purpureus plenus, double purp                                     | le.         |              |            |
| rubis, single red.  |             |              |            |
| Totus Albus, single white.  | 20          | 1.0          | - 4        |
| 2 to 3 ft   | .20<br>.27  | .18<br>.22   | .14<br>.18 |
| 4 to 5 ft   | .37         | .30          | .25        |
| 5 to 6 ft   | .60         | .50          |            |
| 6 to 7 ft   | .80<br>1.00 | .65<br>80    |            |
| - Variegata, 6'-8' Variegated le                                  |             |              | laron      |
| 2 to 3 ft   |             | .20          | .15        |
| 3 to 4 ft   | .37         | .30          | .13        |
| 4 to 5 ft   | .52         | .45          | .35        |
| HYDRANGEA arborescens, 6'   | Smo         | oth Hydra    | ngea       |
| 18 to 24 in   | .22         | .20          | .15        |
| 2 to 3 ft   | .30<br>.37  | .25          | .20        |
| — grandiflora alba (sterilis), 4'-5'                              |             | .30          | .25        |
| gamenta trate (sections), 1 -6                                    |             | hill Hydra   | ıngea      |
| 12 to 18 in   | .12         | .10          | .08        |
| 18 to 24 in   | .18         | .15          | .12        |
| 3 to 4 ft.  | .25<br>.33  | .20<br>.27   | .16<br>.22 |
| — paniculata (type), 8'-9'  |             | cle Hydra    | _          |
| 18 to 24 in   | .18         | .15          | .12        |
| 2 to 3 ft   | .22         | .20          | .15        |
| 3 to 4 ft   | .37         | .30          | .25        |
| 4 to 5 ft   | .52         | .45          | .35        |
| 12 to 18 in   |             | gee Hydra    |            |
| 18 to 24 in.  | .12<br>.18  | .10<br>.15   | .08<br>.12 |
| 2 to 3 ft   | .27         | .22          |            |
| 3 to 4 ft   | .33         | .27          | .22        |
| 4 to 5 ft   | .45         | .37          | .30        |

| ANGELA   | Unit   | Price in Qua  | ntities  |
|--|--|---|--|
| HYDRANGEA—continued  |  | 5-24  |  |
| — — standards  |  | Tree Hydr   | angea  |
| 2 to 3 ft., medium   |  | .50   | • • •  |
| 3 to 4 ft., first class  |  | · · ·   |  |
| 4 to 5 ft., first class  | 1.05   | -   | .70  |
| 5 to 6 ft., first class  |  |   | .90  |
| — quercifolia, 3'-4'   |  | leaf Hydr   | angea  |
| 18 to 24 in  |  | .30   |  |
| 2 to 3 ft  |  | -   |  |
| 3 to 4 ft  |  | .50   |  |
| HYPERICUM aureum, 3'-4'  |  |   |  |
| 18 to 24 in  |  | .25   | .20  |
| 3 to 4 ft.   |  |   | .25  |
| — densiflorum, 4'-5'   |  | .37   | .50  |
| · ·  | 20   | 25  | 20   |
| 18 to 24 in  |  | .25   | .20  |
| 2 to 2½ ft   |  | .30<br>.37  | .25  |
| 2½ to 3 ft.  |  | .37<br>.45  | .35  |
| - kalmianum, 3'-5'   |  | alm Hype  |  |
| 18 to 24 in  |  |   | .20  |
| 2 to 3 ft.   |  | .25<br>.30  |  |
| 3 to 4 ft.   |  | .37   | .30  |
| 4 to 5 ft  |  | .55   | .45  |
| — moserianum, 2'   | , 0  |   | lflower  |
| 9 to 12 in., 3½ in. pots   | 30   | .25   | .20  |
| 12 to 15 in., 4 in. pots   |  | .30   | .25  |
| 15 to 18 in., 5 in. pots   |  |   |  |
| ,  |  |   |  |
| €{ I }}  |  |   |  |
| ILEX crenata, 8'-10'   |  | Japanese  | Holly  |
|  |  | .60   | .50  |
| 12 to 15 in., B. & B   | . 1.10   | .60<br>.95  | .50<br>.75   |
| 12 to 15 in., B. & B   | . 1.10<br>. 1.50   | .60<br>.95<br>1.25  | .50<br>.75<br>1.00   |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  | . 1.10<br>. 1.50<br>. 2.25   | .60<br>.95<br>1.25<br>1.90  | .50<br>.75<br>1.00<br>1.50   |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  | . 1.10<br>. 1.50<br>. 2.25<br>. 2.60   | .60<br>.95<br>1.25<br>1.90<br>2.20  | .50<br>.75<br>1.00<br>1.50<br>1.75   |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40   | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25   |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4'-5'  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40   | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved   | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4'-5'  12 to 15 in., B. & B.   | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv   | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00   | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4'-5'  12 to 15 in., B. & B.  15 to 18 in., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20   | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50   | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25   |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.   | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60   | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20   | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75   |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4'-5'  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6'-8'  Litt   | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60   | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese   | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6′-8′  Litter 12 to 15 in., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf                                  | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75   |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  18 to 24 in., B. & B.  15 to 18 in., B. & B.  — microphylla, 6′-8′  Litter 12 to 15 in., B. & B.  15 to 18 in., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf                                  | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6′-8′  Litter 12 to 15 in., B. & B.  18 to 24 in., B. & B.  15 to 18 in., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf<br>1.10<br>2.25                  | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>1.50  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  15 to 15 in., B. & B.  Litter  12 to 15 in., B. & B.  18 to 24 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.   | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf<br>1.10<br>2.25<br>3.00          | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>1.50  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6′-8′  Litter 12 to 15 in., B. & B.  18 to 24 in., B. & B.  15 to 18 in., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf<br>1.10<br>2.25<br>3.00          | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>1.50<br>2.00  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6′-8′  Litter 12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.   | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf<br>1.10<br>2.25<br>3.00<br>3.75  | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>1.50<br>2.00<br>2.50  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  — microphylla, 6′-8′ Litt  12 to 15 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf<br>1.10<br>2.25<br>3.00<br>3.75  | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In  | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>1.50<br>2.00<br>2.50  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6′-8′  Litter 12 to 15 in., B. & B.  15 to 18 in., B. & B.  2 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.   | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf<br>1.10<br>2.25<br>3.00<br>3.75  | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In<br>1.75<br>2.00<br>2.50                                    | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>2.00<br>2.50<br>kberry  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  15 to 15 in., B. & B.  — microphylla, 6′-8′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  — glabra, 5′-6′  18 to 24 in., B. & B.  | 1.10<br>1.50<br>2.25<br>2.60<br>3.40<br>Conv<br>1.20<br>1.75<br>2.60<br>tleleaf<br>1.10<br>2.25<br>3.00<br>3.75  | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In<br>1.75<br>2.00<br>2.50<br>American                        | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>2.50<br>2.50<br>kberry<br>Holly                               |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  ——convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  ——microphylla, 6′-8′  Litter  12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  ——glabra, 5′-6′  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  ——glabra, 5′-6′  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 2½ ft., B. & B.  ——placa, 45′-50′  18 to 24 in., B. & B.   | 1.10 1.50 2.25 2.60 3.40 Conv 1.20 1.75 2.60 tleleaf 1.10 2.25 3.00 3.75 2.00 2.50 3.00 1.10                     | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In<br>1.75<br>2.00<br>2.50<br>American                        | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>2.50<br>2.50<br>kberry<br>——————————————————————————————————— |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6′-8′ Litt  12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  2 to 2½ ft., B. & B.  2 to 3 ft., B. & B.  — opaca, 45′-50′  18 to 24 in., B. & B.  2 to 3 ft., B. & B.  2 to 3 ft., B. & B.                             | 1.10 1.50 2.25 2.60 3.40 Conv 1.20 1.75 2.60 tleleaf 1.10 2.25 3.00 3.75 2.00 2.50 3.00 1.10 2.25                | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In<br>1.75<br>2.00<br>2.50<br>American<br>.95<br>1.90         | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>2.00<br>2.50<br>kberry<br>——————————————————————————————————— |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  — microphylla, 6′-8′ Litt  12 to 15 in., B. & B.  15 to 18 in., B. & B.  16 to 24 in., B. & B.  2½ to 3 ft., B. & B.  2 to 2½ ft., B. & B.  3 to 4 ft. B. & B. | 1.10 1.50 2.25 2.60 3.40 Conv 1.20 1.75 2.60 tleleaf 1.10 1.50 2.25 3.00 3.75 2.00 2.50 3.00 1.10 2.25 3.40      | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In<br>1.75<br>2.00<br>2.50<br>American<br>.95<br>1.90<br>2.80 | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>2.50<br>2.50<br>kberry<br>——————————————————————————————————— |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  18 to 24 in., B. & B.  — microphylla, 6′-8′  Litted 12 to 15 in., B. & B.  18 to 24 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2 to 3 ft., B. & B.  2 to 3 ft., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.   | 1.10 1.50 2.25 2.60 3.40 Conv 1.20 1.75 2.60 tleleaf 1.10 2.25 3.00 3.75 2.00 2.50 3.00 1.10 2.25 3.40 4.50      | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In<br>1.75<br>2.00<br>2.50<br>American<br>.95<br>1.90<br>2.80 | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>2.00<br>2.50<br>kberry<br>——————————————————————————————————— |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 3½ ft., B. & B.  — convexa (bullata), 4′-5′  12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  15 to 18 in., B. & B.  — microphylla, 6′-8′  Litter 12 to 15 in., B. & B.  15 to 18 in., B. & B.  15 to 18 in., B. & B.  2 to 2½ ft., B. & B.  2 to 3 ft., B. & B.  2 to 3 ft., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  3 to 4 ft. B. & B.   | 1.10 1.50 2.25 2.60 3.40 Conv 1.20 1.75 2.60 tleleaf 1.10 2.25 3.00 3.75 2.00 2.50 3.00 1.10 2.25 3.40 4.50 5.50 | .60<br>.95<br>1.25<br>1.90<br>2.20<br>2.80<br>ex leaved<br>1.00<br>1.50<br>2.20<br>Japanese<br>.95<br>1.25<br>1.90<br>2.50<br>3.00<br>In<br>1.75<br>2.00<br>2.50<br>American<br>.95<br>1.90<br>2.80 | .50<br>.75<br>1.00<br>1.50<br>1.75<br>2.25<br>Holly<br>.85<br>1.25<br>1.75<br>Holly<br>.75<br>.1.00<br>2.50<br>2.50<br>kberry<br>——————————————————————————————————— |

| ILEX—continued                  |              | Price in Qu           |              |
|---------------------------------|--------------|-----------------------|--------------|
| — serrata (sieboldi) 8'-10'     | 1-4          |                       | 25-249       |
| 2 to 3 ft                       | .75          | Finetoot              | •            |
| 3 to 4 ft                       | 1.10         |                       | .50<br>.75   |
| — verticillata (prinos), 6'-8'  | 1110         |                       | erberry      |
| 2 to 3 ft                       | .37          | .30                   | .25          |
| 3 to 4 ft                       | .52          | .45                   | .35          |
| 4 to 5 ft                       | .70          | .55                   | .45          |
| 5 to 6 ft                       | .85          | .70                   | .55          |
| 6 to 7 ft                       | 1.00         | .80                   | .65          |
| INDIGOFERA kirilowi, 6'         |              | Kirilow               | Indigo       |
| 18 to 24 in                     | .50          | .40                   | -            |
| 2 to 3 ft                       | .70          | .55                   |              |
| 18 to 24 in                     | .30          |                       | etspire      |
| 2 to 3 ft                       | .45          | .25<br>.37            | .20<br>.30   |
| 3 to 4 ft                       | .60          | .50                   | .40          |
| .cf <b>T</b> )a.                |              |                       |              |
|                                 |              | <b>YYY</b> 4          | . •.         |
| JASMINUM nudiflorum, 3'         |              | Winter Ja             |              |
| 12 to 18 in                     | .22          | .20<br>.30            | .15<br>.25   |
| 2 to 3 ft                       | .52          | .45                   | .25          |
| — stephanensis, 3'              | .02          |                       | .00          |
| 18 to 24 in                     | .37          | .30                   | .25          |
| 2 to 3 ft                       | .45          | .37                   | .30          |
| JUGLANS cinerea, 80'-100'       |              | But                   | ternut       |
|                                 | .75          |                       |              |
| 4 to 5 ft                       |              |                       | <del></del>  |
| — nigra, 80'-100'               |              | Black V               | Valnut       |
| 4 to 5 ft                       | .60          | .50                   |              |
| 5 to 6 ft                       | .90<br>1.20  | .75<br>1.00           |              |
| 6 to 8 ft                       |              |                       | uninan       |
| JUNIPERUS chinensis, 15'-20'    |              | Chinese J<br>.95      | .75          |
| 2 to 2½ ft B. & B               |              |                       | 1.00         |
| 3 to 4 ft., B. & B              |              |                       |              |
| 4 to 5 ft., B. & B              | 3.40         | 2.80                  |              |
| 5 to 6 ft., B. & B              | 4.10         | 3.50                  | 2.75         |
| — albovariegata (Argentea), 6   |              |                       |              |
|                                 |              | Chinese J             | .40          |
| 12 to 15 in., B. & B            | .60<br>.75   | .50<br>.60            | .50          |
| 15 to 18 in., B. & B            | 4 0 0        |                       | .65          |
| 2 to 2½ ft., B. & B             |              |                       | .80          |
| 2½ to 3 ft., B. & B             | 1.50         | 1.25                  |              |
| 3 to 4 ft., B. & B              |              |                       | 1.50         |
| — — columnaris (pyramidalis), 1 | [5'-2(       | )'<br>Chimaga         | (uninor      |
| Blue Colum                      |              |                       | .60          |
| 18 to 24 in., B. & B            | .90<br>1.45  | .75<br>1.20           |              |
| 2 to 3 ft., B. & B              | 2.25         |                       | 1.50         |
| 4 to 5 ft., B. & B              | 3.30         | 2.75                  | 2.20         |
| 5 to 6 ft., B. & B              | 4.20         | 3.50                  |              |
| 6 to 7 ft., B. & B              | 5.60         |                       | 3.75<br>5.00 |
| 7 to 8 ft., B. & B              | 7.50<br>9.00 | 6.00<br>7. <b>5</b> 0 | 6.00         |
| 8 to 10 ft., B. & B             | ,            | ,                     |              |

| JUNIPERUS—continued                    |                | Price in Quai |                     |
|--|----------------|---------------|---------------------|
|  | 1-4            | 5-24          | 25-2 <del>4</del> 9 |
| — chinensis columnaris viridis, 15     |                |               |                     |
| Green Colu                             | ımn C          | Chinese Ju    | ıniper              |
| 18 to 24 in., B. & B.                  | .75            |               | .50                 |
| 2 to 3 ft., B. & B                     | 1.10           |               | .75                 |
| 3 to 4 ft., B. & B                     | 1.90           |               | 1.25                |
| 4 to 5 ft., B. & B                     | 2.60           | <del>-</del>  | 1.75                |
| 5 to 6 ft., B. & B                     | 3.40           |               |                     |
|  | 4.50           |               | 3.00                |
| 7 to 8 ft., B. & B                     |                |               |                     |
| — keteleeri, 15'-18'                   | Ket            | teleer Red    | lcedar              |
| 18 to 24 in., B. & B                   | .90            | .75           | .60                 |
| ·                                      | 1.45           |               | .95                 |
| 3 to 4 ft., B. & B                     |                |               |                     |
| 4 to 5 ft., B. & B                     |                |               |                     |
| 5 to 6 ft., B. & B.                    |                |               | 2.80                |
| 6 to 7 ft., B. & B                     | 5.60           | 4.75          | 3.75                |
| — — neaboriensis, 7'-8' Cor            | ical (         | Chinese Ju    | uniper              |
| 2 to 2½ ft., B. & B                    | 1.00           | .80           |                     |
| 2½ to 3 ft., B. & B                    |                |               |                     |
| 3 to 4 ft., B. & B                     |                |               |                     |
| — — pfitzeriana, 5'-6'                 |                | Pfitzer J     | niner               |
| 12 to 15 in., B. & B                   | 1.10           |               | .75                 |
|  | 1.50           |               |                     |
|  | 2.25           |               |                     |
| 2 to 2½ ft., B. & B                    | 3.00           | 2.50          | <b>2.0</b> 0        |
| 2½ to 3 ft B. & B                      | 3.75           | 3.00          | 2.50                |
| 3 to 4 ft., B. & B                     | 4.50           |               | 3.00                |
| 4 to 5 ft., B. & B                     | 6.00           |               | 4.00                |
| 5 to 6 ft., B. & B                     | <b>7.5</b> 0   | 6.00          |                     |
| sargenti (green), 11/2'                | S              | Sargent Ju    | ıniper              |
| 9 to 12 in., B. & B.                   | .75            | .60           |                     |
| 12 to 15 in., B. & B.                  | 1.25           | _             |                     |
|  | 1.90           |               |                     |
| 18 to 24 in., B. & B                   | 2.40           | 2.00          |                     |
| —————————————————————————————————————— | nit <b>h (</b> | Chinese Ju    | uniper              |
| 18 to 24 in., B. & B                   | .90            | .75           |                     |
|  | 1.20           | 1.00          |                     |
| 2½ to 3 ft., B. & B                    | 1.80           | 1.50          |                     |
| — — sylvestris (oblonga) 8'-10'        |                |               |                     |
| 18 to 24 in., B. & B                   | .60            | .50           |                     |
| 2 to 3 ft., B. & B.                    | .90            |               |                     |
|  | 1.50           | 1.25          |                     |
| 4 to 5 ft., B. & B                     | 2.10           | 1.75          |                     |
| — communis, 15'-25'                    | Co             | ommon Ju      | ıniper              |
| 18 to 24 in., B. & B                   | 1.00           | .80           |                     |
| 2 to 3 it., B. & B                     |                | 1.50          |                     |
| 3 to 4 ft., B. & B                     | 2.70           | 2.25          |                     |
| — communis aurea, 6'-10'               |                | Golden Ju     | uniper              |
| 15 to 18 in., B. & B                   | .90            | .75           | .60                 |
| 18 to 24 in., B. & B.                  | 1.20           |               | .80                 |
| 2 to 2½ ft., B. & B                    |                |               | 1.00                |
| 2½ to 3 ft., B. & B                    |                | 1.90          | 1.50                |
| — — canadensis, 5'-6'                  |                | Canada J      | uniper              |
| 18 to 24 in., B. & B.                  | 1.00           | .80           |                     |
| 2 to 2½ ft., B. & B                    | 1.60           | 1.20          |                     |
|  | 2.00           | 1.60          |                     |
| 3 to 4 ft., B. & B                     | 2.75           | 2.25          |                     |
|  |                |               |                     |

| JUNIPERUS—continued                         |              | Price in Qu<br>5-24 |              |
|---|--------------|---------------------|--------------|
| — — cracovica, 20'-30'                      |              | Polish J            | uniper       |
| 2 to 2½ ft., B. & B                         | 1.50         |                     | _            |
| 3 to 4 ft., B. & B                          |              |                     |              |
| 4 to 5 ft., B. & B                          |              |                     |              |
| 5 to 6 ft., B. & B                          | 3.40         | 2.80                | 2.25         |
| — hibernica, 20'-30'                        | 4            |                     | Juniper      |
| 15 to 18 in., B. & B                        | .45          | .37                 | .30          |
| 18 to 24 in., B. & B<br>2 to 2½ ft., B. & B | .70<br>.90   | .55<br>.75          |              |
|   | 1.10         | .95                 | _            |
| 3 to 4 it., B. & B.                         | 1.50         |                     | 1.00         |
|   | 2.25         | 1.90                | 1.50         |
| 5 to 6 it., B. & B                          |              |                     |              |
| 6 to 7 ft., B. & B                          | 4.50         | 3.75                | 3.00         |
| — suecica, 20'-30'                          |              | Swedish J           | Juniper      |
| 18 to 24 in., B. & B                        | ./5          | .60                 |              |
| 2 to 2½ ft., B. & B                         | .80          | .75<br>1.00         |              |
|   |              | 1.50                |              |
| 4 to 5 ft., B. & B                          |              |                     |              |
| ——— nana, 5'-6' Dw                          | arf S        | wedish J            | uniper       |
| 18 to 24 in., B. & B                        |              |                     |              |
| 2 to 2½ ft., B. & B                         | 1.00         | .80                 |              |
| 2½ to 3 ft., B. & B                         | 2.00         | 1.10<br>1.75        |              |
| — excelsa stricta, 10'12'                   | Spiny        | Greek J             | Tuniper      |
|   | .75          |                     | .50          |
| 15 to 18 in., B. & B                        | 1.10         |                     |              |
| 18 to 24 in., B. & B                        | 1.50         |                     | 1.00         |
| 2 to 2½ ft., B. & B                         | 1.90         |                     |              |
| _/_ =                                       | 2.25<br>2.60 |                     | 1.50<br>1.75 |
| 3 to 4 ft., B. & B                          |              | 2.75                |              |
| 5 to 6 ft., B. & B                          |              |                     |              |
| — horizontalis (sabina prostrata            | .), 1'-      | 11/2'               |              |
|   |              | Creeping            | Savin        |
| 12 to 15 in., B. & B.                       | .50          |                     |              |
| 15 to 18 in., B. & B                        | .60          | .50                 |              |
| 18 to 24 in., B. & B                        | 1.00         | .80                 |              |
| 2 to 2½ ft., B. & B                         | 1.35         | 1.00                |              |
| — — depressa plumosa Plum                   | ed Sp        | reading.            | Juniper      |
| 12 to 15 in., B. & B                        |              | .55                 |              |
| 15 to 18 in., B. & B                        |              |                     |              |
| 18 to 24 in., B. & B                        | 1.20         |                     |              |
| 2 to 2½ ft., B. & B                         | 2.50         |                     | 1.00<br>1.50 |
| 2½ to 3 ft., B. & B                         | 2.85         | 2.35                |              |
| — douglasi, 1'-1½'                          |              | ukegan .            | Juniper      |
| 12 to 15 in., B. & B                        | .60          |                     |              |
| 15 to 18 in., B. & B                        | .90          | .75                 | .60          |
| 18 to 24 in., B. & B                        | 1.25         | 1.00                | .80          |
| 2 to 2½ ft., B. & B                         | 1.50         | 1.25                |              |
|   |              |                     |              |

| JUNIPERUS—continued  | Unit<br>1-4                                  | Price in Qua<br>5-24                                      | ntities<br>25-249          |
|--|--|---|----------------------------|
| — — glauca, 1'-1½'   |  | Creeping  |                            |
| 15 to 18 in., B. & B   |  | -   |                            |
| 18 to 24 in., B. & B   | 1.25   | 1.00  |                            |
| 2 to 2½ ft., B. & B.   | 1 50   | 1.25  |                            |
| 2½ to 3 ft., B. & B.   | 2.10   | 1.75  |                            |
| — — hudsonica, 1'-11/2'  |  | Hudson J  | uniper                     |
| 15 to 18 in., B. & B   | 90   | .70   |                            |
| 18 to 24 in., B. & B.  |  | 1.00  |                            |
| 2 to 2½ ft., B. & B  | 4 0 0  | 1.50  |                            |
| 2½ to 3 ft., B. & B  | 2.40   |   | -                          |
| — japonica, 6'-8'  | Ja   | apanese J   | uniper                     |
| / 12 to 15 in., B. & B   | 75   |   | .50                        |
| 15 to 18 in., B. & B   | 1.10   |   | .75                        |
| 18 to 24 in., B. & B.  |  |   |                            |
| 2 to 2½ ft., B. & B.   | 1.90   |   |                            |
| 2½ to 3 ft., B. & B  | 2.00   | 2.20  | 1.75<br>2.50               |
| 3 to 3½ ft., B. & B.   |  |   |                            |
| — aurea variegata, 5'-6'   |  |   | uniper                     |
| 18 to 24 in., B. & B.  |  |   |                            |
| 2 to 2½ ft., B. & B  | 2.00   | 1.75<br>2.30  |                            |
| 2½ to 3 ft., B. & B  | 2./5   | Savin J   | uniner                     |
|  | 75   |   |                            |
| 12 to 15 in., B. & B   |  |   |                            |
| 18 to 24 in., B. & B.  |  |   | 1.00                       |
| 2 to 2½ ft., B. & B  |  |   |                            |
| 2½ to 3 ft., B. & B  |  |   |                            |
| 3 to 3½ ft., B. & B  | - 00   |   | 2.00                       |
| 3½ to 4 ft., B. & B.   |  | 3.75  | 3.00                       |
| — squamata meyeri, 3'-4'   |  | Meyer J   | uniper                     |
| 12 to 15 in., B. & B   | 90   |   | .60                        |
| / 15 to 18 in., B. & B   | 1.50   |   | 1.00                       |
| 18 to 24 in., B. & B.  |  |   | 1.50                       |
| 2 to 2½ ft., B. & B  |  |   | 2.00                       |
| 2½ to 3 ft., B. & B  |  |   | 2.50                       |
| 3 to 3½ ft., B. & B  | 4.50   |   |                            |
| — virginiana, 35'-50'  | 0.50   |   | dceda                      |
| 5 to 6 ft., B. & B.  |  |   |                            |
| 6 to 7 ft., B. & B.  |  |   |                            |
| 7 to 8 ft., B. & B   | 0.00   |   |                            |
| 8 to 10 ft., B. & B  |  |   |                            |
| — burki, 10'-12'   |  | Burks J   | Juniper                    |
|  | 90   |   |                            |
| 2 to 2½ ft., B. & B  |  |   |                            |
| 3 to 4 ft., B. & B   |  |   |                            |
| 4 to 5 ft., B. & B   |  |   | -                          |
|  |  |   |                            |
| 5 to 6 st., B. & B.  |  | 1 100   |                            |
| 6 to 7 ft., B. & B   | 5.00   |   |                            |
| 6 to 7 ft., B. & B   | 5.00   | 5.50  |                            |
| 6 to 7 ft., B. & B   | 5.00<br>7.00<br>9.00                         | 5.50<br>7.50  |                            |
| 6 to 7 ft., B. & B.  7 to 8 it., B. & B.  8 to 10 ft., B. & B.  — cannarti, 12'-15'  | 5.00<br>7.00<br>9.00                         | 5.50<br>7.50<br>annart Re                                 | edceda                     |
| 6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  8 to 10 ft., B. & B.   | 5.00<br>7.00<br>9.00<br>C                    | 5.50<br>7.50<br>annart Re                                 | edceda<br>.7               |
| 6 to 7 ft., B. & B.  7 to 8 it., B. & B.  8 to 10 ft., B. & B.  — cannarti, 12'-15'  18 to 24 in., B. & B.  2 to 2½ ft., B. & B. | 5.00<br>7.00<br>9.00<br>C<br>1.10            | 5.50<br>7.50<br>annart Re<br>95<br>1.25                   | edceda<br>.7<br>1.0        |
| 6 to 7 ft., B. & B.  7 to 8 it., B. & B.  8 to 10 ft B. & B.   | 5.00<br>7.00<br>9.00<br>1.10<br>1.50<br>2.25 | 5.50<br>7.50<br>annart Re<br>1.25<br>1.25<br>1.90         | edceda<br>.7<br>1.0<br>1.5 |
| 6 to 7 ft., B. & B.  7 to 8 it., B. & B.  8 to 10 ft B. & B.   | 5.00<br>7.00<br>9.00<br>1.10<br>1.50<br>2.25 | 5.50<br>7.50<br>annart Re<br>1.25<br>1.25<br>1.90<br>2.50 | .7<br>1.0                  |

| JUNIPERUS—continued                      | Unit P      | rice in Qua<br>5-24 |              |
|--|-------------|---------------------|--------------|
| — — elegantissima, 12'-15'               | Go          | ldtip Re            | dcedar       |
| 18 to 24 in., B. & B                     |             | .95                 | .75          |
| 2 to 2½ ft., B. & B                      |             | 1.25<br>1.90        | 1.00<br>1.50 |
| 3 to 4 ft., B. & B                       |             |                     |              |
| 4 to 5 ft., B. & B                       |             |                     |              |
| — — glauca, 15'-20'                      |             | ilver Re            | dcedar       |
| 18 to 24 in., B. & B                     |             | .75                 | .60          |
| 2 to 2½ ft., B. &B                       |             | $\frac{1.00}{1.50}$ | .80<br>1.20  |
| 3 to 4 ft., B. & B.                      |             | 1.90                | 1.50         |
| 4 to 5 ft., B. & B                       | 3.40        |                     | 2.25         |
| 5 to 6 ft., B. & B<br>6 to 7 ft., B. & B |             |                     |              |
| Specimens up to 17 ft                    |             |                     |              |
| — — globosa, 3'-4'                       | G           | lobe Red            | lcedar       |
| 2 to 2½ ft., B. & B                      | 3.00        | 2.50<br>3.00        |              |
| — pyramidalis, 35'-50'                   |             | idal Red            |              |
| 18 to 24 in., B. & B.                    |             | 1.00                | .80          |
| 2 to 2½ ft., B. & B                      | 1.80        | 1 50                | 1.20         |
| $2\frac{1}{2}$ to 3 ft., B. & B.         | 2.40        | 2.00                |              |
| 3 to 4 ft., B. & B.                      |             |                     |              |
| —— schotti, 12'-15'                      |             | hott Red            |              |
| 18 to 24 in., B. & B                     | 1.50        | 1.25<br>1.50        | 1.00<br>1.25 |
| 2½ to 3 ft., B. & B.                     |             | 2.20                | 1.75         |
| 3 to 4 ft., B. & B                       | 3.75        | 3.00                | 2.50         |
| 4 to 5 ft., B. & B                       | 5.25        | 4.40                | 3.50         |
| <b>₹ K</b> }*                            |             |                     |              |
| KALMIA angustifolia, 7'-8'               |             | Lar                 | nbkill       |
| 18 to 24 in., B. & B.                    | 1.90        | 1.50                |              |
| 2 to 2½ ft., B. & B                      |             |                     |              |
| 15 to 18 in., B & B                      |             | ountain-            |              |
| 18 to 24 in., B. & B.                    |             | .95<br>1.25         |              |
| 2 to 2½ ft., B. & B                      | 2.25        | 1.90                | 1.50         |
| 2½ to 3 ft., B. & B                      | 3.40        | 2.80                |              |
| 3 to 3½ ft., B. & B                      | 4.50        | 3.75                | 3.00         |
| KERRIA japonica, 4'-5'                   |             |                     | Kerria       |
| 12 to 18 in                              |             | .30                 |              |
|  |             | .45                 | .35          |
| KOELREUTERIA paniculata, 25              |             | Varnis              | shtree       |
| 2 to 3 ft                                |             |                     | .35          |
| 3 to 4 ft                                | ./5<br>1.10 | .60<br>.95          | .50<br>.75   |
| 5 to 6 ft                                | 1.50        | 1.25                |              |
| KOLKWITZIA amabilis, 6'-8'               |             | Beaut               | ybush        |
| 18 to 24 in                              |             | .20                 |              |
| 2 to 3 ft                                | .37         | .30                 |              |
| 4 to 5 ft                                | .50<br>.75  | .40<br>.60          | .35<br>.45   |
|  |             |                     |              |

|   |  |  | •••   |
|---|--|--|---|
|   | Unit Pr  | ice in Quant<br>5-24     2                     | ities<br>5-249  |
|   | •  |  |   |
| LABURNUM vulgare, 25'-30'   |  | Goldeno  | chain   |
| 18 to 24 in   | .45  | .37  |   |
| 2 to 3 ft   | .60  | .50  |   |
| 3 to 4 ft   | .90  | .75  |   |
| 4 to 5 ft   | 1.25   | 1.00   |   |
| LARIX europaea (decidua), 50'-6   | 80' E  | uropean I                                      | Larch   |
| 2 to 3 ft., B. & B  | 1.10   | .95  | .75   |
| 3 to 4 ft., B. & B  | 1.90   | 1.50   | 1.25  |
| 4 to 5 ft., B. & B  | 2.60   | 2.20   | 1.75  |
| 5 to 6 ft., B. & B  | 4.00   | 3.50   | 2.50  |
| 6 to 8 ft., B. & B.   | 5.25   | 4.40   | 3.50  |
| 8 to 10 ft., B. & B   | 7.50   | 6.25   | 5.00<br>7 <b>.5</b> 0                                   |
| 10 to 12 ft., B. & B  | 15.00  | 8.25<br>12.50                                  | 10.00   |
| 12 to 14 ft., B. & B  |  |  |   |
| - leptolepis (kaempferi), 50'-60'   | J  | apanese l                                      |   |
| 6 to 8 ft., B. & B  | 5.25   | 4.40   |   |
| 8 to 10 ft., B. & B   | 7.50   | 6.25   |   |
| 10 15 16, 5, 4 5,   | 10.50  | 8.25   |   |
| 12 to 14 ft., B. & B  | 15.00  | 12.50  | 10.00   |
| LESPEDEZA bicolor, 8'-10'   | Shi  | rub Bush                                       | clover  |
| 1 year  | .22  | .20  | .15   |
| 2 year  | .30  | .25  | .20   |
| 3 year  | .37  | .30  | .25   |
|   | lorum'   | ) .  |   |
| — formosa (Desmodium pendulif<br>8'-10'   | Pur  | ple Bush                                       | clover  |
|   | .22  |  |   |
| 1 year  | .30  |  |   |
| 2 year 3 year   | 27   |  |   |
|   |  | ping Leu                                       | cothoe  |
| LEUCOTHOE catesbaei, 3'-4'  |  |  |   |
| 12 to 15 in., B. & B  | .75  | .95  |   |
| 15 to 18 in., B. & B  |  | 1.25   | 1.00  |
| 18 to 24 in, B. & B<br>2 to 2½ ft., B. & B  |  |  |   |
|   |  | Incense  | Codar   |
| LIBOCEDRUS decurrens, 60'-75'   |  | Incense  | Cedai   |
| 3 to 4 ft., B. & B  | 4.05   |  |   |
|   | T . (-/*)  | _  |   |
| 4 to 5 ft., B. & B  |  |  |   |
| 5 to 6 ft B. & B  | 5.50   |  |   |
|   | 5.50   |  |   |
| 5 to 6 ft., B. & B  | 5.50   | Bigberry                                       |   |
| 5 to 6 ft., B. & B  | 5.50<br>7.00   | .12  | .09   |
| 5 to 6 ft., B. & B  | 5.50<br>7.00   | .12<br>.15                                     | .09<br>.12  |
| 5 to 6 ft., B. & B  | 5.50<br>7.00<br>15<br>18<br>27                                 | .12<br>.15<br>.22                              | .09<br>.12<br>.18                                       |
| 5 to 6 ft., B. & B  | 5.50<br>7.00<br>15<br>18<br>27                                 | .12<br>.15<br>.22                              | .09<br>.12<br>.18                                       |
| 5 to 6 ft., B. & B  | 5.50<br>7.00<br>15<br>18<br>27                                 | .12<br>.15<br>.22<br>.30                       | .09<br>.12<br>.18                                       |
| 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.  LIGUSTRUM acuminata  18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — amurense, 14'-15'              | 5.50<br>7.00<br>15<br>18<br>27<br>35                           | .12<br>.15<br>.22<br>.30                       | .09<br>.12<br>.18<br>.25<br>Privet                      |
| 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.  LIGUSTRUM acuminata  18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — amurense, 14'-15' 18 to 24 in. | 5.50<br>7.00<br>15<br>18<br>27<br>35                           | .12<br>.15<br>.22<br>.30<br>Amur<br>.05<br>.07 | .09<br>.12<br>.18<br>.25<br>Privet<br>.04<br>.06        |
| 5 to 6 ft., B. & B  | 15<br>18<br>27<br>35<br>06<br>09<br>15                         | .12<br>.15<br>.22<br>.30<br>Amur<br>.05<br>.07 | .09<br>.12<br>.18<br>.25<br>Privet<br>.04<br>.06<br>.10 |
| 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.  LIGUSTRUM acuminata  18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — amurense, 14'-15' 18 to 24 in. | 5.50<br>7.00<br>7.00<br>15<br>18<br>27<br>35<br>06<br>09<br>15 | .12<br>.15<br>.22<br>.30<br>Amur<br>.05<br>.07 | .09<br>.12<br>.18<br>.25<br>Privet<br>.04<br>.06        |

|                                 | Unit F | rice in Qua      | ntities |
|---------------------------------|--------|------------------|---------|
|                                 | 1-4    | 5-24             | 25-249  |
| — ibolium, 8'-10'               |        | Ibolium          | Privet  |
| 12 to 18 in                     | .05    | .04              | .03     |
| 18 to 24 in                     | .08    | .06              | .05     |
| 2 to 3 ft                       | .11    | .09              | .07     |
| 3 to 4 ft                       | .15    | .12              | .09     |
| 4 to 5 ft                       | .18    | .15              | .12     |
| — ibota, 9'-10'                 |        | Ibota            | Privet  |
| 12 to 18 in                     | .08    | .06              | .05     |
| 18 to 24 in.                    | .12    | .10              | .08     |
| 2 to 3 ft                       | .18    | .15              | .12     |
| 3 to 4 ft                       | .22    | .20              | .16     |
| 4 to 5 ft                       | .37    | .30              | .25     |
| —— regelianum (cuttings), 5'-   | 6′     | Regal            | Privet  |
| 12 to 15 in                     | .15    | .12              | .10     |
| 15 to 18 in                     | .22    | .20              | .15     |
| 18 to 24 in                     | .30    | .25              | .20     |
| 2 to 2½ ft                      | .45    | .37              | .30     |
| $2\frac{1}{2}$ to 3 ft          | .70    | .55              | .45     |
| — vicary, 8'-10'                | Golde  | n Ibota          |         |
| 18 to 24 in                     | .25    | .20              | .15     |
| 2 to 3 ft                       | .30    | .25              | .20     |
| 3 to 4 ft                       | .40    | .35              | .30     |
| — lucidum (macrophyllum), 20'-  | .25′   | Glossy           |         |
| 15 to 18 in., B. & B.           | .37    | .30              | .25     |
| 18 to 24 in., B. & B            | .52    | .45              | .35     |
| 2 to 3 ft., B. & B              | .75    | .60              | .50     |
| — ovalifolium, 12'-15'          | Ca     | llifornia        |         |
| Heavy 2 and 3 yr. cut back stoc | k.     |                  |         |
| 12 to 18 in                     | .04    | $.02\frac{1}{2}$ | .02     |
| 18 to 24 in                     | .05    | .04              | .03     |
| 2 to 3 ft                       | .06    | .05              | .04     |
| 3 to 4 ft.                      | .09    | .07              | .06     |
| 4 to 5 ft                       | .18    | .15              | .12     |
| — ovalifolium aureum, 8'-9'     |        | Golden           | Privet  |
| 12 to 18 in                     | .18    | .15              | .12     |
| 18 to 24 in.                    | .22    | .20              | .16     |
| 2 to 3 ft                       | .30    | .25              | .20     |



Ligustrum ovalifolium (California Privet) is uniformly heavy, having been cut back after the first year.

| LIGUSTRUM—continued                               |              | Price in Qua |           |
|---|--------------|--------------|-----------|
| wulgana 10/ 19/                                   | 1-4          | • - •        | 25-249    |
| — vulgare, 10'-12'                                |              | European     | Privet    |
| 2 to 3 ft   | .22          | .20          | .15       |
| 3 to 4 ft   | .30          | .25          | .20       |
| 4 to 5 ft   | .37          | .30          | .25       |
| 5 to 6 ft   | .45          | .35          |           |
| *LIQUIDAMABAR styraciflua, 50                     | <b>'-60'</b> | Swe          | etgum     |
| 4 to 6 ft   | 1.50         | 1.25         | 1.00      |
| 6 to 8 ft   | 2.25         | 1.90         | 1.50      |
| 8 to 10 ft  | 3.00         | 2.50         | 2.00      |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in               | 3.75         | 3.00         | 2.50      |
| 10 to 12 ft., 2 to 2½ in                          | 4.50         | <del></del>  |           |
| 10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in | 5.25         |              |           |
| *LIRIODENDRON tulipifera, 60'                     | ·80′         | Tu           | liptree   |
| 4 to 6 ft   | 1.10         | .95          | .75       |
| 6 to 8 ft   | 1.50         | 1.25         | 1.00      |
| 7 8 to 10 ft                                      | 1.90         | 1.50         | 1.25      |
| 8 to 10 ft., 1½ to 1½ in                          | 2.25         | 1.90         | 1.50      |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.60         | 2.20         | · · · · - |
| 12 to 14 ft., 13/4 to 2 in                        | 3.40         | 2.80         |           |
| 12 to 14 ft., 2 to 2½ in                          | 4.10         | 3.50         | 2.75      |



Liquidamabar styraciflua—Note exceptionally fine fibrous root system and well formed head.

| 70                              |                  |       |                    |
|---------------------------------|------------------|-------|--------------------|
|                                 | Unit Prid<br>1-4 | -     | antities<br>25-249 |
| LONICERA bella albida, 8'-9'    | 4 D-11           | TT    | 1 1 .              |
|                                 | te Belle         |       |                    |
| 2 to 3 ft                       |                  | .15   |                    |
| 3 to 4 ft                       |                  | .20   |                    |
| 4 to 5 ft                       |                  | .30   |                    |
| 5 to 6 ft                       |                  | .45   |                    |
| 6 to 7 ft                       | .70              | .55   | .45                |
| — fragrantissima, 6'-8'         | Winter           | Honey | ysuckle            |
| 18 to 24 in                     | .15              | .12   | .10                |
| 2 to 3 ft                       |                  | .20   | .15                |
| 3 to 4 ft                       |                  | .25   | .20                |
| 4 to 5 ft                       |                  | .37   |                    |
| 5 to 6 ft                       |                  | .55   | .45                |
|                                 | apanese          |       |                    |
|                                 |                  | .12   |                    |
| 2 year                          |                  |       |                    |
| 3 year                          | • •              | .20   |                    |
| 4 year                          | .30              | .25   | .20                |
| — — halliana, 15'-25' Hall J    |                  |       |                    |
| 1 year, $2\frac{1}{2}$ in. pots |                  | .07   |                    |
| 2 year                          | .18              | .15   |                    |
| 3 year                          | .22              | .20   | .14                |
| — maacki, 8'-9'                 |                  |       | ysuckle            |
| 2 to 3 ft                       |                  |       | .20                |
| 3 to 4 ft                       |                  | .37   |                    |
| 4 to 5 ft                       |                  | .50   | .40                |
| 5 to 6 ft                       | .75              | .60   | <b>.5</b> 0        |
| — — podocarpa, 8'-9'            | Late             | Hone  | ysuckle            |
| 18 to 24 in                     | .30              | .25   | .20                |
| 2 to 3 ft                       | .37              | .30   | .25                |
| 3 to 4 ft                       |                  | .45   | .35                |
| 4 to 5 ft                       |                  | .55   | .45                |
| — morrowi, 7'-8'                | Morrow           | Hone  | ysuckle            |
| 18 to 24 in                     | .15              | .12   | .10                |
| 2 to 3 ft                       |                  | .20   | .15                |
| 3 to 4 ft                       |                  | .25   |                    |
| — nitida, 3'                    | Shiny            | Hone  | ysuckle            |
| 6 to 9 in., 3 in. pots          | 25               | .20   |                    |
| 9 to 12 in., 4 in. pots         |                  | .30   |                    |
| 12 to 15 in., 5 in. pots        |                  | .40   |                    |
| 15 to 18 in., 6 in. pots        |                  | .50   |                    |
| — pileata, $1\frac{1}{2}$ '-2'  | Privet           | Hone  | ysuckle            |
| 6 to 9 in., 3 in. pots          | 30               | .25   |                    |
| 9 to 12 in., 4 in. pots         |                  | .35   |                    |
| ruprechtiana, 8'-9' Man         | nchurian         | Hone  | ysuckle            |
| 2 to 3 ft                       |                  | .15   | .12                |
| 3 to 4 ft                       |                  | .20   |                    |
| 4 to 5 ft                       |                  | .30   |                    |
| 5 to 6 ft                       | 45               | .37   | .30                |
| — sempervirens punicea Ora      |                  |       |                    |
| 3 year                          |                  |       |                    |
| 4 year                          |                  | .37   |                    |
| 5 year                          | 52               | .45   | .35                |
|                                 | •                |       |                    |

| LONICERA—continued                       |              | Price in Qu   |                       |
|--|--------------|---------------|-----------------------|
| - tatarica, Pink and White, 9'-10'       |              | 5-24          | 25-249                |
|  |              | an Honey      | suckle                |
| 18 to 24 in                              | .15          | .12           | .10                   |
| 2 to 3 ft                                | .20          | • •           | .14                   |
| 3 to 4 ft                                | .27<br>.37   |               | .18                   |
| 5 to 6 ft                                | .45          | .30<br>.37    | .25                   |
|  |              | .07           |                       |
| — pulcherrima, 9'-10'                    |              |               |                       |
| Bright Red To                            | _            |               |                       |
| 18 to 24 in                              | .25          | _             | .15<br>.20            |
| 3 to 4 ft                                | .37          |               | · -                   |
|  | .52          | .45           |                       |
| xylosteum, 9'-10' Europe                 | an F         | Fly Honey     | ysuckle               |
| 2 to 3 ft                                |              |               |                       |
| 3 to 4 ft                                | .30          | .25           | .20                   |
| 4 to 5 ft                                | .37          | .30           | .25                   |
| LYCIUM chinense, 10'-12' Chin            | iese         | Matrimo       | n <b>y-vine</b>       |
| 18 to 24 in                              |              |               | .06                   |
| 2 to 3 ft                                | .15          |               | .10                   |
| 3 to 4 ft                                | .22          | .20           | .15                   |
|  |              |               |                       |
|  |              |               |                       |
| MAGNOLIA conspicua, 40'-50'              | -            | Yulan Ma      | agnolia               |
| 2 to 3 ft., B. & B                       |              |               |                       |
| 3 to 4 ft., B. & B                       | 3.00         | 2.50          |                       |
| 4 to 5 ft., B. & B                       | 4.50         | 3.75          |                       |
| — glauca, 15'-20'                        |              | Sv            | veetbay               |
| 18 to 24 in., B. & B                     | .75          | .60           | .50                   |
| 2 to 3 ft., B. & B                       | 1.10         | .95           | .75                   |
| ,  | 1.50         |               | 1.00                  |
| 4 to 5 ft., B. & B<br>5 to 6 ft., B. & B |              | .2.50<br>3.25 |                       |
| 6 to 8 ft., B. & B                       |              |               |                       |
| — kobus, 20'-30'                         |              | Kobus Ma      | agnolia               |
| 2 to 3 ft., B. & B                       | 1.25         |               |                       |
| 3 to 4 ft., B. & B                       | 2.00         |               |                       |
| 4 to 5 ft., B. & B                       |              | 2.00          |                       |
| 5 to 6 ft., B. & B6 to 8 ft., B. & B     | 3.50         | 2.75          |                       |
| 8 to 10 ft., B. & B                      |              |               |                       |
|  |              |               |                       |
| — macrophylla, 25'-40'                   |              | Bigleaf Ma    | agnona                |
| 5 to 6 ft., B. & B                       |              |               |                       |
| 8 to 10 ft., B. & B                      |              |               |                       |
| — soulangeana, 15'-18'                   |              | Saucer Ma     | agnolia               |
| 18 to 24 in., B. & B                     |              |               |                       |
| 2 to 3 ft., B. & B                       | 1.10         | .95           | .75                   |
| 3 to 4 ft., B. & B                       | 2.25         | 1.90          | 1.50                  |
| 4 to 5 ft., B. & B                       | 3.75<br>5.25 | 3.00<br>4.40  | 2.50<br>3.50          |
| 5 to 6 ft., B. & B                       | 6.75         |               | 3.50<br>4. <b>5</b> 0 |
| 0 to 0 tti, D. & D                       | 5.70         | 0.00          | 1.50                  |



Magnolia soulangeana and varieties. See also our heavy specimen in a complete selection.

| MAGNOLIA—continued           | Unit P  | rice in Qu   | antities    |
|------------------------------|---------|--------------|-------------|
|                              | 1-4     | 5-24         | 25-249      |
| — — alba superba, 15'-18' La | arge Sa | ucer Ma      | agnolia     |
| 2 to 3 ft., B. & B           | 2.00    | 1.60         |             |
| 3 to 4 ft., B. & B           | 2.90    | 2.40         |             |
| 4 to 5 ft., B. & B           | 4.00    | 3.35         |             |
| 5 to 6 ft., B. & B           | 5.50    | 4.75         | <del></del> |
| — — alexandrina, 15'-18'     | Alexa   | nder Ma      | agnolia     |
| 2 to 3 ft., B. & B           | 2.10    | 1.75         |             |
| 3 to 4 ft., B. & B           |         |              |             |
| 4 to 5 ft., B. & B           |         |              | ——          |
| — — lennei, 15'-18'          | Le      | enne Ma      | agnolia     |
| 2 to 3 ft., B. & B           | 2.25    | 1.90         | 1.50        |
| 3 to 4 ft., B. & B           | 3.75    | 3.00         | 2.50        |
| 4 to 5 ft., B. & B           | 5.25    | 4.40         | 3.50        |
| 5 to 6 ft., B. & B           | 6.75    | <b>5.5</b> 0 | 4.50        |
| — — rustica, 15'-18' Pu      | rple Sa | ucer Ma      | agnolia     |
| 2 to 3 ft., B. & B           | 2.40    | 2.00         |             |
| 3 to 4 ft., B. & B           |         | 3.00         |             |
| 4 to 5 ft., B. & B           | 5.25    | 4.25         | <del></del> |
| — stellata, 8'-10'           |         | Star Ma      | agnolia     |
| 18 to 24 in., B. & B         |         | 1.50         | 1.25        |
| 2 to 2½ ft., B. & B          | 2.60    | 2.20         | 1.75        |
| 2½ to 3 ft., B. & B          |         | 3.00         | 2.50        |
| 3 to 4 ft., B. & B           |         | 4.40         |             |
| 4 to 5 ft., B. & B           | 7.50    |              | 5.00        |
| 5 to 6 ft., B. & B           |         | 8.00         | 6.50        |
| — tripetala, 30'-40'         |         | rella Ma     | _           |
| 4 to 5 ft                    |         | 1.10         |             |
| 5 to 6 ft                    | 2.00    | 1.70         | 1.35        |
| 6 to 8 ft                    |         | 2.20         | _           |
| 8 to 10 ft                   | 3.75    | 3.00         | 2.50        |
| MAHONIA aquifolium, 4'-5'    | Oreg    | on Holl      | ygrape      |
| 12 to 15 in., B. & B         | .70     | .55          | .45         |
|                              | 1.10    |              |             |
| 18 to 24 in., B. & B         | 1.50    | 1.25         |             |
| 2 to 2½ ft., B. & B          | 2.25    | 1.90         | 1.50        |

|                              | Uni          | t Price in Qua   | antities     |
|------------------------------|--------------|------------------|--------------|
|                              | 1-4          | 5-24             |              |
| MALUS arnoldiana, 8'-10'     |              | Arnol            | d Crab       |
| 4 to 5 ft                    | .60          | .50              |              |
| 5 to 6 ft.,                  | 90           |                  |              |
| 6 to 8 ft.<br>8 to 10 ft.    | 1.25         | 00               |              |
|                              | 2.00         | 1.75             |              |
| — atrosanguinea, 10'-15'     |              | Carmin           | e Crab       |
| 3 to 4 ft                    | .75          | .00              | .50          |
| 5 to 6 ft.,                  | 1.10<br>1.50 | *** **           | .75          |
| 6 to 8 tt                    | 2.25         | · — •            | 1.00<br>1.50 |
| 8 to 10 ft                   | 3.00         |                  |              |
| — baccata, 20'-25'           |              | Siberia          | n Crab       |
| 3 to 4 ft                    | .75          |                  | .50          |
| 4 to 5 ft                    | 1.10         | .95              | .75          |
| 5 to 6 ft                    | 1.50         |                  | 1.00         |
| 6 to 8 ft<br>8 to 10 ft      | 2.10         |                  |              |
|                              |              | _,_,             |              |
| — mandshurica, 20-25'        |              | Ianchurian       | r Crab       |
| 3 to 4 ft.<br>4 to 5 ft.     | .70<br>1.00  |                  | -            |
| 5 to 6 ft.                   | 1.50         | ./3              |              |
| — coronaria, 15'-20'         |              | Wild Caree       | t Chah       |
| 3 to 4 ft                    |              | Wild Swee<br>.60 | .50          |
| 4 to 5 ft                    | 1.10         | .95              | .75          |
| 5 to 6 ft                    | 1.50         | 1.25             |              |
| 6 to 8 ft                    | 2.10         | - 1.75           |              |
| 8 to 10 ft                   | 3.00         | 2.50             |              |
| — eleyi, 15'-20'             |              | Eley             | Crab         |
| 3 to 4 ft                    | 1.10         |                  | .75          |
| 4 to 5 ft                    | 1.20         |                  |              |
|                              |              | 7.1              |              |
| — floribunda, 10'-15' Japa   | nese         | Flowering        | Crab         |
| 3 to 4 ft                    | .75          |                  | .50          |
| 4 to 5 ft                    | 1.10         | .95<br>1.25      | .75<br>1.00  |
| 6 to 8 ft                    | 2.25         | 1.23             |              |
| 8 to 10 ft.                  | 3.00         | 2.50             |              |
| — — purpurea, 10'-15'        |              | Purple           | Crab         |
| 4 to 5 ft                    | .75          |                  | .50          |
| 5 to 6 ft                    | 1.10         | .95              | .75          |
| 6 to 8 ft                    | 1.90         | 1.50             |              |
| 8 to 10 ft                   | 3.75         |                  |              |
| — halliana parkmani, 10'-15' | 0.70         |                  |              |
| 3 to 4 ft                    | . 1 10       | Parkman          |              |
| 4 to 5 ft.                   | 1.50         | .95<br>1.25      | 1.00         |
| 5 to 6 ft                    | <b>2.</b> 00 | 1.75             |              |
| 6 to 8 ft                    | 3.00         | 2.50             |              |
|                              |              | Flowering        | Crab         |
| 4 to 5 ft                    | .75          | .60              | .50          |
| 5 to 6 ft                    |              |                  |              |
| 6 to 8 ft<br>8 to 10 ft      | 1.90<br>3.00 | 1.50<br>2.50     | 1.25         |
| 10 to 12 ft                  | <b>3.9</b> 0 | 3.25             |              |
|                              |              |                  |              |


| MALUS—continued               |              | rice in Quar     |                     |
|-------------------------------|--------------|------------------|---------------------|
|                               | 1-4          | 5-24<br>Bechtel  | _                   |
| — ioensis plena, 10'-15'      | .75          | .60              | .50                 |
| 2 to 3 ft                     | 1.10         | .95              | .30<br>.75          |
| 4 to 5 ft                     | 1.50         | 1.25             | 1.00                |
| 5 to 6 ft                     | 2.10         | 1.75             |                     |
| 6 to 8 ft                     | 3.00         | 2.50             |                     |
| — micromalus, 15'             |              |                  |                     |
| 4 to 5 ft                     | .90          | .75              |                     |
| 5 to 6 ft                     | 120          | 1.00             |                     |
| 6 to 8 ft<br>8 to 10 ft       | 1.75<br>2.50 |                  |                     |
| 10 to 12 ft                   | 3.25         |                  |                     |
| — niedzwetzkyana, 15'-25'     |              | Redveir          | Crab                |
| 4 to 5 ft                     | .75          | .60              | .50                 |
| 5 to 6 ft                     | 1.10         | .95              | .75                 |
| 6 to 8 ft                     | 1.50         | 1.25             | 1.00                |
| 8 to 10 ft                    | 2.70         | 2.25             | 1.75                |
| 10 to 12 ft                   | 3.75         | 3.00             | 2.50                |
| - Oekonomierat Echtermeyer, 1 |              | •                |                     |
| 3 to 4 ft                     | .75          |                  |                     |
| 4 to 5 ft                     | 1.00<br>1.50 |                  |                     |
| 5 to 6 ft                     | 2.00         |                  |                     |
| 8 to 10 ft                    | 3.00         |                  |                     |
| — pumila pendula, 10'-15'     |              | Weeping          | g Crab              |
| 2 to 3 ft. stem, 2 yr. head   | 1.00         |                  |                     |
| 3 to 4 ft stem, 3 yr. head    | 1.35         |                  | <del></del>         |
| 4 to 5 ft. stem, 4 yr. head   | 1.75         |                  |                     |
|                               |              | Sargen           |                     |
| 2 to 3 ft                     | .90          | .75              |                     |
| 3 to 4 ft                     | 1.35         |                  | . <b>90</b><br>1.25 |
| 4 to 5 ft                     | 1.90<br>2.60 | 2.20             |                     |
| — scheideckeri, 10'-15'       |              | heidecke         |                     |
| 3 to 4 ft                     | .75          | .60              | .50                 |
| 4 to 5 ft                     | 1.10         |                  |                     |
| 5 to 6 ft                     |              |                  | 1.00                |
| 6 to 8 ft                     |              |                  | 1.50<br>2.25        |
| 8 to 10 ft                    | inese        | Z.00<br>Flowerin |                     |
| 3 to 4 ft                     |              |                  | .50                 |
| 4 to 5 ft                     | 1.10         | • • • • •        |                     |
| 5 to 6 ft                     |              | 1.25             | 1.00                |
| 6 to 8 ft                     |              |                  |                     |
| — theifera, 15'-20'           |              |                  | a Crab              |
| 3 to 4 ft                     | 1 05         | .75              |                     |
| 4 to 5 ft 5 to 6 ft           |              | 1.00<br>1.25     |                     |
|                               | _            |                  | Rorry               |
| MITCHELLA repens, 6"-8"       |              | Partridge        |                     |
| 2 in. pots                    | .15          | .12              |                     |
| MORUS alba, 35'-50'           |              | White Mu         |                     |
| 6 to 8 ft                     |              | .60<br>.95       |                     |
| 8 to 10 ft                    | 4 - 0        | 1.25             |                     |
| MYRICA carolinensis, 4'-5'    |              | thern Ba         |                     |
| 15 to 18 in                   |              | .37              | -                   |
| 18 to 24 in                   | .60          | .50              | .40                 |
| 2 to 2½ ft                    |              | .60              | . <b>5</b> 0        |
|                               |              |                  |                     |

|  | Jnit<br>1-4  | Price in Qu<br>5-24   |   |
|--|--|---|---|
| NANDINA domestica, 4'-6'   |  | _   | landina   |
| 12 to 15 in  | .35  |   |   |
| 15 to 18 in  | .50  |   |   |
| 18 to 24 in  | .75  |   |   |
| 2 to 3 ft., B. & B   | 1.00   |   |   |
| *NYSSA sylvatica, 40'-60'  |  | Sc  | ourgum  |
| 2 to 3 ft  | .60  | .50   |   |
| 3 to 4 ft  | .90  | .75   |   |
| 4 to 5 ft  | 1.25   | 1.00  |   |
| 5 to 6 ft  | 1.50   | 1.25  |   |
| <del></del>  |  |   |   |
| OSMANTHUS aquifolium, 3'-4'  | Н  | olly Osm  | anthus  |
| 9 to 12 in., own roots, 3 in. pots   | .60  | .50   |   |
| 15 to 18 in., own roots, 6 in. pots  | .90  | .75   |   |
| OSTRYA virginiana, 25'-30'   |  | Hophor  | rnbeam  |
| 5 to 6 ft  | 1.90   | 1.50  |   |
| 6 to 8 ft  | 3.00   | 2.50  | •   |
| , 8 to 10 ft   | 4.25   | 3.50  |   |
| OXYDENDRUM arboreum, 25'-30  | )′   | So  | urwood  |
| 2 to 3 ft., B. & B   | .75  | .60   | .50   |
| 3 to 4 ft., B. & B.  | 1.10   | .95   | .75   |
| 4 to 5 ft., B. & B.  | 1.50   | 1.25  |   |
| 5 to 6 ft., B. & B   | 2.10<br>3.00   | 1.75<br>2 50  |   |
| 6 to 7 ft., B. & B   |  | 3.25  |   |
| 7 to 6 ft., B. & B   | 0.70   | 0.20  |   |
|  |  |   |   |
| PACHYSANDRA terminalis, 6"-8"  |  | T   | C   |
|  |  |   |   |
| 2 in. pot grown  | .10  |   |   |
|  | .10<br><b>5′-30′</b>   | .08   | .06   |
| 2 in. pot grown  | .10<br><b>5'-30'</b><br>C'   | .08<br>hinese C   | .06   |
| 2 in. pot grown  | .10<br><b>5'-30'</b><br>C'<br>2.50   | .08<br>hinese C   | .06<br>orktree  |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft.  | .10<br>5'- <b>30</b> '<br>C<br>2.50<br>3.00  | .08<br>hinese C<br>2.00<br>2.50   | .06   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.   | .10<br>5'- <b>30'</b><br>C'<br>2.50<br>3.00<br>4.25  | .08 hinese C 2 00 2.50 3.50   | .06<br>orktree  |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft.  | .10<br>5'-30'<br>C<br>2.50<br>3.00<br>4.25   | .08<br>hinese C<br>2.00<br>2.50   | .06<br>orktree<br>——<br>orktree   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei   | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>L<br>1.25   | .08 hinese Co 2.00 2.50 3.50 avelle Co 1.00   | .06 orktree orktree   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft.  | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>L<br>1.25<br>1.80   | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50  | .06 orktree orktree   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  Lavallei 5 to 6 ft. 6 to 8 ft.   | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>L<br>1.25<br>1.80<br>2.40   | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50  | .06<br>orktree<br>orktree   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in.   | .10<br>5'-30'<br>C<br>2.50<br>3.00<br>4.25<br>L<br>1.25<br>1.80<br>2.40<br>Dw<br>.22   | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 earf Mock .20   | .06 orktree orktree corange   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft.  10 to 12 ft.  12 to 14 ft.  — Lavallei  5 to 6 ft.  6 to 8 ft.  8 to 10 ft.  PHILADELPHUS avalanche, 4'-5'   | .10<br>5'-30'<br>C<br>2.50<br>3.00<br>4.25<br>L<br>1.25<br>1.80<br>2.40  | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 earf Mock .20   | .06 orktree orktree corange   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft.  — banniere  | .10<br>5'-30'<br>C<br>2.50<br>3.00<br>4.25<br>1.25<br>1.80<br>2.40<br>' Dw<br>.22<br>.27   | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 earf Mock .20 .22   | .06 orktree orktree corange .14   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft.  10 to 12 ft.  12 to 14 ft.  — Lavallei  5 to 6 ft.  6 to 8 ft.  8 to 10 ft.  PHILADELPHUS avalanche, 4'-5'  18 to 24 in.  2 to 3 ft.  — banniere  2 to 3 ft.   | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>1.25<br>1.80<br>2.40<br>' Dw<br>.22<br>.27  | .08 hinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 carf Mock .20 .22   | .06 orktree orktree corange .14 .18   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft.  — banniere 2 to 3 ft. 3 to 4 ft.  | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>1.25<br>1.80<br>2.40<br>Dw<br>.22<br>.27  | .08 hinese C 2 00 2.50 3.50 Lavelle C 1.00 1.50 2.00 rarf Mock .20 .22  | .06 orktree orktree corange .14 .18   |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft.  10 to 12 ft.  12 to 14 ft.  — Lavallei  5 to 6 ft.  6 to 8 ft.  8 to 10 ft.  PHILADELPHUS avalanche, 4'-5'  18 to 24 in.  2 to 3 ft.  — banniere  2 to 3 ft.  3 to 4 ft.  — Bouquet blanc, 4'-5' White   | .10<br>5'-30'<br>C<br>2.50<br>3.00<br>4.25<br>1.25<br>1.80<br>2.40<br>' Dw<br>.22<br>.27<br>.30<br>.37<br>Bouq                       | .08 hinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 earf Mock .20 .22 .25 .30 uet Mock                            | .06 orktree orktree corange .14 .18 .20 .25 corange                                 |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft.  — banniere 2 to 3 ft. 3 to 4 ft.  — Bouquet blanc, 4'-5' White 18 to 24 in.   | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>1.25<br>1.80<br>2.40<br>' Dw<br>.22<br>.27<br>.30<br>.37<br>Bouq<br>.27               | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 rarf Mock .20 .22 .25 .30 uet Mock .22                          | .06 orktree orktree torange .14 .18 .20 .25 torange .16                             |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft.  10 to 12 ft.  12 to 14 ft.  — Lavallei  5 to 6 ft.  6 to 8 ft.  8 to 10 ft.  PHILADELPHUS avalanche, 4'-5'  18 to 24 in.  2 to 3 ft.  — banniere  2 to 3 ft.  3 to 4 ft.  — Bouquet blanc, 4'-5' White  18 to 24 in.  2 to 3 ft.  2 to 3 ft.  2 to 3 ft.  3 to 4 ft.  — Bouquet blanc, 4'-5' White | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>1.25<br>1.80<br>2.40<br>Dw<br>.22<br>.27<br>.30<br>.37<br>Bouq<br>.27                 | .08 hinese Co 2 00 2.50 3.50 avelle Co 1.00 1.50 2.00 earf Mock .20 .22 .25 .30 uet Mock .22 .27                    | .06 orktree orktree orktree torange .14 .18 .20 .25 torange .16 .22                 |
| 2 in. pot grown  PHELLODENDRON chinense, 23  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft.  — Bouquet blanc, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft.  3 to 4 ft.  3 to 4 ft.  | .10<br>5'-30'<br>C'<br>2.50<br>3.00<br>4.25<br>1.25<br>1.80<br>2.40<br>' Dw<br>.22<br>.27<br>.30<br>.37<br>Bouq<br>.27<br>.33<br>.52 | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 earf Mock .20 .22 .25 .30 uet Mock .22 .27 .45                  | .06 orktree orktree orktree torange .14 .18 .20 .25 torange .16 .22 .35             |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft 6 to 8 ft 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in 2 to 3 ft 3 to 4 ft  — Bouquet blanc, 4'-5' White 18 to 24 in 2 to 3 ft 3 to 4 ft  — coronarius, 9'-10'  | .10 5'-30' C 2.50 3.00 4.25 1.25 1.80 2.40 ' Dw .22 .27 .30 .37 Bouq .27 .33 .52 Sw  | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 rarf Mock .20 .22 .25 .30 uet Mock .22 .27 .45 reet Mock        | .06 orktree orktree corange .14 .18 .20 .25 corange .16 .22 .35 corange             |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft 6 to 8 ft 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft  — banniere 2 to 3 ft 3 to 4 ft  — Bouquet blanc, 4'-5' White 18 to 24 in 2 to 3 ft 3 to 4 ft  — coronarius, 9'-10' 2 to 3 ft  — coronarius, 9'-10'                     | .10 5'-30' C 2.50 3.00 4.25 1.25 1.80 2.40 Dw .22 .27 .30 .37 Bouq .27 .33 .52 Sw .18  | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 earf Mock .20 .22 .25 .30 uet Mock .22 .27 .45 eet Mock .15     | .06 orktree orktree orktree sorange .14 .18 .20 .25 corange .16 .22 .35 corange .12 |
| 2 in. pot grown  PHELLODENDRON chinense, 23  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft.  — Bouquet blanc, 4'-5' White 18 to 24 in. 2 to 3 ft. 3 to 4 ft.  — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft.  | .10 5'-30' C 2.50 3.00 4.25 1.25 1.80 2.40 Dw .22 .27 .30 .37 Bouq .27 .33 .52 Sw .18 .27  | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 earf Mock .20 .22 .25 .30 uet Mock .22 .27 .45 eet Mock .15 .22 | .06 orktree orktree corange .14 .18 .20 .25 corange .16 .22 .35 corange .12 .16     |
| 2 in. pot grown  PHELLODENDRON chinense, 25  8 to 10 ft. 10 to 12 ft. 12 to 14 ft.  — Lavallei 5 to 6 ft 6 to 8 ft 8 to 10 ft.  PHILADELPHUS avalanche, 4'-5'  18 to 24 in. 2 to 3 ft  — banniere 2 to 3 ft 3 to 4 ft  — Bouquet blanc, 4'-5' White  18 to 24 in 2 to 3 ft  — coronarius, 9'-10' 2 to 3 ft  — coronarius, 9'-10'                             | .10 5'-30' C 2.50 3.00 4.25 1.25 1.80 2.40 Dw .22 .27 .30 .37 Bouq .27 .33 .52 Sw .18 .27  | .08 hinese C 2 00 2.50 3.50 avelle C 1.00 1.50 2.00 earf Mock .20 .22 .25 .30 uet Mock .22 .27 .45 eet Mock .15 .22 | .06 orktree orktree corange .14 .18 .20 .25 corange .16 .22 .35 corange .12 .16     |

| PHILADELPHUS—continued                 | Unit Pric  | e in Qua<br>5-24 |            |
|--|------------|------------------|------------|
| —————————————————————————————————————— | ldenleaf   | Mocko            | range      |
| 12 to 15 in                            | .30<br>.37 | .25<br>.30       | .20<br>.25 |
| grandiflorus, 7'-8' Big S              | centless   | Mocko            | range      |
| 2 to 3 ft                              | .22        | .20              | .14        |
| 3 to 4 ft                              | .27        | .22              | .18        |
| 4 to 5 ft                              | .37        | .30              | .25<br>.35 |
| 5 to 6 ft                              | .52        | .45              |            |
|  | rooping    |                  |            |
| 2 to 3 ft                              | .22<br>.30 | .20<br>.25       | .15<br>.20 |
| 3 to 4 ft                              | .37        | .30              | .25        |
|  | Lemoine    | Mock             | orange     |
| 18 to 24 in                            | .22        | .20              | .14        |
| 2 to 3 ft                              | .27        | .22              | .18        |
| 3 to 4 ft                              | .37        | .30              | .25        |
| — lewisi                               | Lewis      | s Mock           | orange     |
| 2 to 3 ft                              | .22        | .20              |            |
| 3 to 4 ft                              | .30        | .25              | 1          |
| 4 to 5 ft                              | .37        | .30              |            |
| — maximus, 7'-8' Large Fl              | lowering   |                  |            |
| 2 to 3 ft                              | .30        | .25              | .20        |
| 3 to 4 ft                              | .37        | .30              | .25        |
| 4 to 5 ft                              | .45        | .37              | .30        |
| — nivalis, 10'                         | 10wbank    |                  |            |
| 2 to 3 ft                              | .30        |                  | .20        |
| 3 to 4 ft4 to 5 ft                     | .37<br>.45 | .30<br>.37       |            |
| — pekinensis, 6'                       |            |                  | orange     |
| 2 to 3 ft                              |            | .25              |            |
| 3 to 4 ft                              |            | .30              | .25        |
| 4 to 5 ft                              | .45        | .37              | .30        |
| pubescens, 7'-8'                       | Hoar       | y Mock           | orange     |
| 2 to 3 ft                              |            | .20              | 15         |
| 3 to 4 ft                              |            |                  | .20<br>.25 |
| 4 to 5 ft                              | .37        | .30              |            |
| — purpurascens, 7′-8′ P                |            |                  |            |
| 2 to 3 ft                              |            |                  | .15        |
| 3 to 4 ft                              |            | .25<br>.30       | .20<br>.25 |
|  | .57        | .50              | 0          |
| — verrucosus, 8'-10'                   | 20         | ۵۳               | 20         |
| 2 to 3 ft                              |            | .25<br>.30       | .20<br>.25 |
| 3 to 4 ft<br>4 to 5 ft                 |            | .37              | .30        |
|  | Virgina    | l Mack           | orange     |
| · · · · · · · · · · · · · · · · · · ·  | _          |                  | .18        |
| 18 to 24 in 2 to 3 ft                  |            | .30              |            |
| 3 to 4 ft                              |            | .45              |            |
|  | Red Bei    | rried P          | hotinia    |
| 4 to 6 ft                              |            |                  | .75        |
| 6 to 8 ft                              |            | 1.25             | 1.00       |
| 8 to 10 ft                             |            | 1.50             | 1 25       |
|  |            |                  |            |

|  | Unit<br>1-4  | Price in Qu<br>5-24   | antities<br>25-249  |
|--|--|---|---|
| PHYSOCARPUS opulifolius, 9'-10   | <b>'</b>   | Ni  | nebark  |
| 2 to 3 ft  | .18<br>.22<br>.30<br>.37   | .15<br>.20<br>.25<br>.30  | .12<br>.15<br>.20<br>.25                                    |
| ——————————————————————————————————————   | Go   | ldleaf Ni   | inebark   |
| 2 to 3 ft  | .18<br>.22<br>.30<br>.37   |   | .12<br>.15<br>.20<br>.25                                    |
| PICEA canadensis (alba), 50'-60  | ,  | White   | Spruce  |
| 18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.   | 1.90<br>3.00<br>4.00   | .95<br>1.50<br>2.50<br>3.50   | .50<br>.75<br>1.25<br>2.00<br>2.75                          |
| — canadensis glauca conica, 4'-6'  |  | Alberta   | Chrusa  |
| 12 to 15 in., B. & B   | 1.25<br>1.75<br>3.00   | 1.00<br>1.50  |   |
| engelmanni, 75'-100'   | En   | gelmann   | Spruce  |
|  |  | •   | •   |
| 18 to 24 in., B. & B.  2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.   | 1.10<br>1.90<br>2.75<br>3.50<br>4.50   | .90<br>1.50<br>2.25   | .75<br>1.25<br>————————————————————————————————————         |
| 2 to 3 ft., B. & B   | 1.10<br>1.90<br>2.75<br>3.50<br>4.50   | .90<br>1.50<br>2.25   | .75<br>1.25<br>   |
| 2 to 3 ft., B. & B   | 1.10<br>1.90<br>2.75<br>3.50<br>4.50   | .90 1.50 2.25 Norway .45 .60 .95 1.25 2.20 3.00   | .75<br>1.25<br>————————————————————————————————————         |
| 2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — excelsa, 80'-100'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 3 ft. B. & B.  3 to 4 ft B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.   | 1.10<br>1.90<br>2.75<br>3.50<br>4.50<br>5.75<br>.50<br>.75<br>1.10<br>1.50<br>2.60<br>3.75<br>6.00<br>9.00   | .90 1.50 2.25  Norway .45 .60 .95 1.25 2.20 3.00 5.00 7.50                                  | .75<br>1.25<br>————————————————————————————————————         |
| 2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — excelsa, 80'-100'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 3 ft. B. & B.  3 to 4 ft B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  5 to 6 ft., B. & B.  8 to 10 ft., B. & B.   | 1.10<br>1.90<br>2.75<br>3.50<br>4.50<br>5.75<br>.50<br>.75<br>1.10<br>1.50<br>2.60<br>3.75<br>6.00<br>9.00<br><b>idal</b><br>1.90<br>2.40<br>3.30<br>4.10          | .90 1.50 2.25 ———— Norway .45 .60 .95 1.25 2.20 3.00 5.00 7.50  Norway  1.50 2.00 2.75 3.50 | .75<br>1.25<br>————————————————————————————————————         |
| 2 to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 7 ft., B. & B.  — excelsa, 80'-100'  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 3 ft. B. & B.  3 to 4 ft B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.  8 to 10 ft., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  8 to 10 ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B. | 1.10<br>1.90<br>2.75<br>3.50<br>4.50<br>5.75<br>.50<br>.75<br>1.10<br>1.50<br>2.60<br>3.75<br>6.00<br>9.00<br><b>nidal</b><br>1.90<br>2.40<br>3.30<br>4.10<br>5.25 | .90 1.50 2.25 ———— Norway .45 .60 .95 1.25 2.20 3.00 5.00 7.50  Norway  1.50 2.00 2.75 3.50 | .75 1.25 Spruce .35 .50 .75 1.00 1.75 2.50 4.00 6.00 Spruce |

| PICEA—continued  | Unit<br>1-4   | Price in Qu<br>5-24  | 25-249  |
|--|---|--|---|
| — orientalis, 75'-100'   |   | Oriental   | Spruce  |
| 15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.   | .75<br>1.10<br>1.50<br>2.25<br>3.00<br>3.90         |  | .50<br>.75<br>1.00<br>1.50  |
| — polita, 60'-75'  | Т   | iger-tail  | Spruce  |
| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  | .60<br>.90<br>1.20<br>1.90                          | .75  |   |
| — pungens, 60'-80'   | C   | Colorado   | Spruce  |
| 15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.  8 to 10 ft., B. & B. | .90<br>1.20<br>1.50<br>1.90<br>3.00<br>4.10<br>6.00 | .50<br>.75<br>1.00<br>1.25<br>1.50<br>2.50<br>3.53<br>5.00<br>8.00 | .40<br>.60<br>.80<br>1.00<br>1.25<br>2.00<br>2.75<br>4.00<br>6.50 |
| — pungens glauca, 60'-80'  | Blue  | Colorado   | Spruce  |
| 15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  6 to 8 ft., B. & B.                     | 1.10<br>1.50<br>2.25<br>3.75<br>5.25<br>6.75        | 1.90<br>3.00<br>4.40<br>5.50                                       | 3.50<br>4.50  |



| Rosteri, 60'-80'   Roster Blue Spruce  | PICEA—continued          | Unit<br>1-4  | Price in Qua   |                                     |
|--|--------------------------|--|--|-------------------------------------|
| 12 to 15 in., B. & B.  | — — kosteri, 60'-80'     |  | =  |                                     |
| 12 to 15 in B. & B.  | 15 to 18 in., B. & B     | 1.35<br>1.80<br>2.60<br>3.40<br>4.50<br>5.60<br>6.75<br>10.00<br>13.50 | 1.10<br>1.50<br>2.20<br>2.80<br>3.75<br>4.75<br>5.50<br>8.00<br>11.00  | .90<br>1.20<br>1.75<br>2.25<br>3.00 |
| 12 to 15 in B. & B.  | PIERIS floribunda, 4'    | Mount  | ain Andr   | omeda                               |
| 15 to 18 in., B. & B.  |                          |  |  |                                     |
| 18 to 24 in., B. & B.   2.60   2.20   1.75   2 to 3 ft., B. & B.   3.40   2.80   2.25  | 15 to 18 in., B. & B     | 1.90   | 1.50   | _                                   |
| — japonica, 5'-6'  — japonica, 5'-5'  — japonica, | 18 to 24 in., B. & B     | 2.60   | 2.20   | *. <del>*</del>                     |
| 12 to 15 in., B. & B.  | 2 to 3 ft., B. & B       | 3.40   |  | 2.25                                |
| 15 to 18 in., B. & B.  |                          |  | ese Andr   | omeda                               |
| 18 to 24 in., B. & B.   2.25   1.90   1.50   2 to 2½ ft., B. & B.   3.00   2.50   2.00   2½ to 3 ft., B. & B.   3.75   3.00   2.50   2.00   2½ to 3 ft., B. & B.   3.75   3.00   2.50   2.50   2½ to 3 ft., B. & B.   3.75   3.00   2.50   2.50   2½ to 3 ft., B. & B.   3.75   3.00   2.50   2 | 12 to 15 in., B. & B     | 1.10   | .95  | .75                                 |
| 2 to 2½ ft. B. & B. 3.00 2.50 2.00 2½ to 3 ft., B. & B. 3.75 3.00 2.50  PINUS banksiana, 60'-70' Jack Pine  12 to 14 ft., B. & B. 6.50 — —  14 to 16 ft., B. & B. 8.50 — —   | 15 to 18 in., B. & B     | 1.50   | 1.25   | 1.00                                |
| 2½ to 3 ft., B. & B.       3.75       3.00       2.50         PINUS banksiana, 60′-70′       Jack Pine         12 to 14 ft., B. & B.       6.50       —       —         14 to 16 ft., B. & B.       8.50       —       —         — bungeana, 40′-50′       Lacebark Pine         6 to 9 in., 3 in. pots       .52       .45       .35         9 to 12 in., 3 in. pots       .75       .60       .50         12 to 18 in., B. & B.       1.10       .95       .75         — cembra, 35′-40′       Swiss Stone Pine         12 to 15 in., B. & B.       1.90       1.50       —         15 to 18 in., B. & B.       2.40       2.00       —         18 to 24 in., B. & B.       2.40       2.00       —         18 to 24 in., B. & B.       1.00       —         — densifiora, 60′-80′       Japanese Red Pine         2 to 3 ft., B. & B.       1.45       1.20       —         4 to 5 ft., B. & B.       1.95       1.60       —         5 to 6 ft., B. & B.       2.90       2.40       —         5 to 6 ft., B. & B.       2.50       2.00       —   | 18 to 24 in., B. & B     | 2.25   |  |                                     |
| PINUS banksiana, 60'-70'       Jack Pine         12 to 14 ft., B. & B.       6.50       —         14 to 16 ft., B. & B.       8.50       —         — bungeana, 40'-50'       Lacebark Pine         6 to 9 in., 3 in. pots.       .52       .45       .35         9 to 12 in., 3 in. pots.       .75       .60       .50         12 to 18 in., B. & B.       1.10       .95       .75         — cembra, 35'-40'       Swiss Stone Pine         12 to 15 in., B. & B.       1.90       1.50       —         15 to 18 in., B. & B.       2.40       2.00       —         18 to 24 in., B. & B.       3.00       2.50       —         5 to 6 ft.       10.00       —       —         — densiflora, 60'-80'       Japanese Red Pine       2 to 3 ft., B. & B.       1.45       1.20       —         4 to 5 ft., B. & B.       1.95       1.60       —         5 to 6 ft., B. & B.       1.95       1.60       —         5 to 6 ft., B. & B.       2.90       2.40       —         6 to 7 ft., B. & B.       1.90       1.50       —         - umbraculifera (tanyosho)       —       Japanese Umbrella Pine       2½ to 3 ft., B. & B.       2.50   | 2 to 2½ tt., B. & B      | 3.00   |  |                                     |
| 12 to 14 ft., B. & B   | 2½ to 3 ft., B. & B      | 3.75   | 3.00   | 2.50                                |
| — bungeana, 40'-50'       Lacebark Pine         6 to 9 in., 3 in. pots.       .52 .45 .35         9 to 12 in., 3 in. pots.       .75 .60 .50         12 to 18 in., B. & B.       1.10 .95 .75         — cembra, 35'-40'       Swiss Stone Pine         12 to 15 in., B. & B.       1.90 1.50         15 to 18 in., B. & B.       2.40 2.00         18 to 24 in., B. & B.       3.00 2.50         5 to 6 ft.       10.00         — densiflora, 60'-80'       Japanese Red Pine         2 to 3 ft., B. & B.       1.90         3 to 4 ft., B. & B.       1.95 1.60         5 to 6 ft., B. & B.       1.95 1.60         5 to 6 ft., B. & B.       2.90 2.40         6 to 7 ft., B. & B.       1.90 1.50         — umbraculifera (tanyosho)       Japanese Umbrella Pine         2 to 2½ ft., B. & B.       1.90 1.50         2½ to 3 ft., B. & B.       2.50 2.00         3 to 4 ft., B. & B.       3.50 2.75         — excelsa, 30'-60'       Himalayan Pine         18 to 24 in., B. & B.       90          18 to 25 ft., B. & B.       1.50 1.25 1.00         3 to 4 ft., B. & B.       2.40 2.00 1.60         4 to 5 ft., B. & B.       3.60 2.85   | PINUS banksiana, 60'-70' |  | Jac  | k Pine                              |
| — bungeana, 40'-50'       Lacebark Pine         6 to 9 in., 3 in. pots.       .52 .45 .35         9 to 12 in., 3 in. pots.       .75 .60 .50         12 to 18 in., B. & B.       1.10 .95 .75         — cembra, 35'-40'       Swiss Stone Pine         12 to 15 in., B. & B.       1.90 1.50         15 to 18 in., B. & B.       2.40 2.00         18 to 24 in., B. & B.       3.00 2.50         5 to 6 ft.       10.00         — densiflora, 60'-80'       Japanese Red Pine         2 to 3 ft., B. & B.       1.90         3 to 4 ft., B. & B.       1.95 1.60         5 to 6 ft., B. & B.       1.95 1.60         5 to 6 ft., B. & B.       2.90 2.40         6 to 7 ft., B. & B.       1.90 1.50         — umbraculifera (tanyosho)       Japanese Umbrella Pine         2 to 2½ ft., B. & B.       1.90 1.50         2½ to 3 ft., B. & B.       2.50 2.00         3 to 4 ft., B. & B.       3.50 2.75         — excelsa, 30'-60'       Himalayan Pine         18 to 24 in., B. & B.       90          18 to 25 ft., B. & B.       1.50 1.25 1.00         3 to 4 ft., B. & B.       2.40 2.00 1.60         4 to 5 ft., B. & B.       3.60 2.85   | 12 to 14 ft., B. & B     | 6.50   |  |                                     |
| 6 to 9 in., 3 in. pots   | 14 to 16 ft., B. & B     | 8.50   |  |                                     |
| 9 to 12 in., 3 in. pots  |                          |  | Lacebar  | k Pine                              |
| 12 to 18 in., B. & B   | 6 to 9 in., 3 in. pots   | .52  |  |                                     |
| — cembra, 35'-40'       Swiss Stone Pine         12 to 15 in, B. & B.       1.90       1.50       —         15 to 18 in, B. & B.       2.40       2.00       —         18 to 24 in, B. & B.       3.00       2.50       —         5 to 6 ft.       10.00       —       —         — densiflora, 60'-80'       Japanese Red Pine         2 to 3 ft., B. & B.       1.00       .80       —         3 to 4 ft., B. & B.       1.45       1.20       —         4 to 5 ft., B. & B.       1.95       1.60       —         5 to 6 ft., B. & B.       2.90       2.40       —         6 to 7 ft., B. & B.       4.20       3.50       —         — umbraculifera (tanyosho)       Japanese Umbrella Pine         2 to 2½ ft., B. & B.       1.90       1.50       —         2½ to 3 ft., B. & B.       2.50       2.00       —         3 to 4 ft., B. & B.       3.50       2.75       —         — excelsa, 30'-60'       Himalayan Pine         18 to 24 in., B. & B.       90       .75       .60         2 to 3 ft., B. & B.       1.50       1.25       1.00         3 to 4 ft., B. & B.       2.40       2.00       1.60   | 9 to 12 in., 3 in. pots  | .75  | .60  |                                     |
| 12 to 15 in., B. & B.  | 12 to 18 in., B. & B     | 1.10   | .95  | .75                                 |
| 15 to 18 in., B. & B. 2.40 2.00 —— 18 to 24 in., B. & B. 3.00 2.50 —— 5 to 6 ft. 10.00 ——  — densiflora, 60'-80'   |                          | S  | wiss Ston  | e Pine                              |
| 18 to 24 in., B. & B.       3.00       2.50         5 to 6 ft.       10.00   | 12 to 15 in., B. & B     | 1.90   |  |                                     |
| 5 to 6 ft  | 15 to 18 in., B. & B     | 2.40   | 2.00   |                                     |
| — densiflora, 60'-80'       Japanese Red Pine         2 to 3 ft., B. & B.       1.00 .80   | 18 to 24 in., B. & B     | 3.00   | 2.50   |                                     |
| 2 to 3 ft., B. & B.  |                          | 10.00  |  |                                     |
| 3 to 4 ft., B. & B   |                          |  | anese Red  | d Pine                              |
| 4 to 5 ft., B. & B.  | 2 to 3 ft., B. & B       | 1.00   |  |                                     |
| 5 to 6 ft., B. & B   | 3 to 4 it., B. & B       | 1.45   |  |                                     |
| 6 to 7 ft., B. & B   | 4 to 5 it., B. & B       | 1.95   | 1.60   |                                     |
| —— umbraculifera (tanyosho)  Japanese Umbrella Pine  2 to 2½ ft., B. & B. 1.90 1.50 —  2½ to 3 ft., B. & B. 2.50 2.00 —  3 to 4 ft., B. & B. 3.50 2.75 —  — excelsa, 30′-60′ Himalayan Pine  18 to 24 in., B. & B90 .75 .60  2 to 3 ft., B. & B90 .75 .60  2 to 3 ft., B. & B1.50 1.25 1.00  3 to 4 ft., B. & B2.40 2.00 1.60  4 to 5 ft., B. & B3.60 2.85 —   | 6 to 7 ft P & D          | 2.90<br>4.20   |  |                                     |
| Japanese Umbrella Pine         2 to 2½ ft., B. & B.       1.90       1.50       —         2½ to 3 ft., B. & B.       2.50       2.00       —         3 to 4 ft., B. & B.       3.50       2.75       —         - excelsa, 30'-60'       Himalayan Pine         18 to 24 in., B. & B.       .90       .75       .60         2 to 3 ft., B. & B.       1.50       1.25       1.00         3 to 4 ft., B. & B.       2.40       2.00       1.60         4 to 5 ft., B. & B.       3.60       2.85       —   | 0 to 7 ft., B. & B       | 4.20   | 3.50   |                                     |
| 2 to 2½ ft., B. & B.       1.90       1.50       —         2½ to 3 ft., B. & B.       2.50       2.00       —         3 to 4 ft., B. & B.       3.50       2.75       —         - excelsa, 30'-60'       Himalayan Pine         18 to 24 in., B. & B.       .90       .75       .60         2 to 3 ft., B. & B.       1.50       1.25       1.00         3 to 4 ft., B. & B.       2.40       2.00       1.60         4 to 5 ft., B. & B.       3.60       2.85       —  | · · ·                    | nanoso   | Umbuelle   | n Din a                             |
| 2½ to 3 ft., B. & B.       2.50       2.00   |                          |  |  | ı rıne                              |
| 3 to 4 ft., B. & B. 3.50 2.75 ——   | 21/2 to 3 ft D & D       | 1.90<br>2 En   |  |                                     |
| — excelsa, 30'-60'       Himalayan Pine         18 to 24 in., B. & B.       .90       .75       .60         2 to 3 ft., B. & B.       1.50       1.25       1.00         3 to 4 ft., B. & B.       2.40       2.00       1.60         4 to 5 ft., B. & B.       3.60       2.85  | 3 to 4 ft., B. & B       | 3.50   |  |                                     |
| 18 to 24 in., B. & B   |                          |  |  | Pine                                |
| 2 to 3 ft., B. & B   |                          |  | The state of the s |                                     |
| 3 to 4 ft., B. & B   | 2 to 3 ft., B. & B       | 1.50   | 1.25   |                                     |
| 4 to 5 ft., B. & B   |                          | 2.40   |  |                                     |
| 5 to 6 ft., B. & B   | 4 to 5 ft., B. & B       |  |  |                                     |
|  | 5 to 6 ft., B. & B       | 4.90   | 4.05   |                                     |

| PINUS—continued                              | Unit I      | Price in Qua          | ntities       |
|--|-------------|-----------------------|---------------|
|  | 1-4         |                       | 25-249        |
| flexilis, 30'-40'  18 to 24 in., B. & B      | 1 10        | Limbe<br>.95          | .75           |
| 2 to 3 ft., B. & B                           | 1.50        | 1.25                  | 1.00          |
|  | 2.25        | 1.90                  | 1.50          |
| ·  | 5.50        |                       |               |
| 6 to 7 ft., B. & B.                          |             |                       |               |
| 7 to 8 ft., B. & B.                          |             | 7.50                  |               |
| montana, 10'                                 | Swiss       | Mountair              | n Pine        |
| 15 to 18 in., B. & B                         | <b>.7</b> 5 | .60                   |               |
| 18 to 24 in., B. & B                         | 1.10        | .90                   |               |
| , = ,  |             |                       |               |
| 2½ to 3 ft., B. & B                          |             | 2.00                  |               |
| 3 to 3½ ft., B. & B                          |             |                       |               |
| 3½ to 4 ft., B. & B                          | 4.25        |                       |               |
| — montana mughus, 3'-4' 12 to 15 in., B. & B | 1.10        | Mugno<br>.95          | o Pine .75    |
| 15 to 18 in., B. & B                         |             | 1.25                  | 1.00          |
| 18 to 24 in., B. & B.                        |             | 1.50                  | 1.25          |
| 2 to 2½ ft., B. & B                          |             | 1.75                  |               |
| 2½ to 3 ft., B. & B                          |             |                       |               |
| 3 to 3½ ft., B. & B.                         |             |                       |               |
| 3½ to 4 ft., B. & B                          |             | 4.40                  |               |
| — nigra, 60'-70'                             |             | Austria               | n Pine        |
| 18 to 24 in., B. & B                         |             |                       | .50           |
| 2 to 3 ft., B. & B                           |             | 1.25                  | 1.00          |
| 3 to 4 ft., B. & B                           |             | 1.90                  | 1.50          |
| 4 to 5 ft., B. & B                           |             | 3.00                  | 2.50          |
| 5 to 6 ft., B. & B                           |             | 4.40                  | 3.50          |
| 6 to 7 ft., B. & B                           |             | 5. <b>5</b> 0<br>7.50 | 4.50<br>6.00  |
| 7 to 8 ft., B. & B<br>8 to 10 ft., B. & B    |             |                       | 8.00          |
| - resinosa, 60'-70'                          | 12.00       |                       | d Pine        |
| 18 to 24 in., B. & B.                        | .75         | .60                   | .50           |
| 2 to 3 ft., B. & B.                          |             | .95                   | .75           |
| 3 to 4 ft., B. & B                           | 1.90        | 1.50                  | 1.25          |
| 4 to 5 ft., B. & B                           | 3.40        | 2.80                  | 2.25          |
| 5 to 6 ft., B. & B                           | 5.25        | <b>4.</b> 40          | 3.50          |
| 6 to 7 ft., B. & B                           |             | 5.50                  | 4.50          |
| 7 to 8 ft., B. & B                           |             | 7.50                  | _             |
| 8 to 10 ft., B. & B                          | 12.00       | 10.00                 | 8.00          |
| strobus, 80'-100'                            | .75         | .60                   | e Pine<br>.50 |
| 18 to 24 in., B. & B<br>2 to 3 ft., B. & B   | 1.10        | .95                   | .75           |
| 3 to 4 ft., B. & B                           | 1.90        | 1.50                  | 1.25          |
| 4 to 5 ft., B. & B                           | 3.40        | 2.80                  | 2.25          |
| 5 to 6 ft., B. & B.                          | 5.25        | 4.40                  | 3.50          |
| 6 to 7 ft., B. & B                           |             | 5.00                  | 4.50          |
| 7 to 8 ft., B. & B.                          |             | 7.00                  | 6.00          |
| 8 to 10 ft., B. & B                          | 12.00       | 10.00                 | 8.00          |
| 10 to 12 ft., B. & B                         | 15.00       | 12.50                 | 10.00         |
| — sylvestris, 25'-30'                        |             |                       | n Pine        |
| 2 to 3 ft., B. & B                           |             | .95                   | .75           |
| 3 to 4 ft., B. & B                           |             | 1.50                  | 1.25          |
| 4 to 5 ft., B. & B.                          |             | 2.80                  | 2.25          |
| 5 to 6 ft., B. & B                           | 5.25        | 4.40                  | 3.50          |
| 6 to 7 ft., B. & B                           | 9.00        | 5.50<br>7.50          | 4.50          |
| 7 to 8 ft., B. & B<br>8 to 10 ft., B. & B    | 12.00       | 10.00                 | 6.00<br>8.00  |
| 0 to 10 tt., p. & p                          | 12.00       | 10.00                 | 0.00          |

| PINUS—continued                      |              | Price in Qu |         |
|--------------------------------------|--------------|-------------|---------|
| TINUS—continued                      | 1-4          | 5-24        | 25-249  |
| — thunbergi, 80'-100'                | Japan        | nese Bla    | ck Pine |
| 18 to 24 in                          | .95          | .75         |         |
| 2 to 3 ft                            | 1.50         | 1.25        |         |
| 3 to 4 ft                            | 2.25         | 1.75        |         |
| 4 to 5 ft                            | 3.00         | 2.50        |         |
| PLATANUS occidentalis, 75'-100'      | ,            |             |         |
| American Planetree or                | Ame          | rican Sy    | camore  |
| 8 to 10 ft                           | 1.50         | 1.25        | 1.00    |
| 8 to 10 ft., 1½ to 1½ in             | 2.25         | 1.90        | 1.50    |
| 10 to 12 ft., 1½ to 1¾ in            |              |             |         |
| orientalis, 70'-80'                  | Euro         | pean Pla    | anetree |
| 6 to 8 ft                            | 1.50         | 1.25        | 1.00    |
| 8 to 10 ft                           | 1.90         | 1.50        | . 1.25  |
| 8 to 10 ft., 1¼ to 1½ in             | <b>2.6</b> 0 | 2.20        | 1.75    |
| 10 to 12 ft., 1½ to 1¾ in            | 3.00         | 2.50        |         |
| 10 to 12 ft., 13/4 to 2 in           | 3.75         | 3.00        | 2.50    |
| 12 to 14 ft., 2 to 2½ in             | 4.50         |             |         |
| 12 to 14 ft., 2½ to 2½ in            | 5.25         | 4.40        |         |
| 13 to 15 ft., $2\frac{1}{2}$ to 3 in | 6.00         | 5.00        | 4.00    |
| 16 to 18 ft., 3 to 4 in              | 9.00         |             |         |
| 18 to 20 ft., 4 to 5 in              | 15.00        | 12.50       |         |
| POLYGONUM auberti, 25'               | Cl           | nina Fle    | ecevine |
| 2 year, medium                       | .22          | .20         | .15     |
| 2 year, strong                       | .30          | .25         | .20     |
| POPULUS bolleana, 50'-60'            | E            | Bolleana    | Poplar  |
| 6 to 8 ft                            | .75          | .60         | .50     |
|                                      | 1.10         | .95         | .75     |
|                                      | 1.50         | 1.25        | 1.00    |
| 10 to 12 ft., 1½ to 1¾ in            | 2.25         | 1.90        | 1.50    |
| 10 to 12 ft., 13/4 to 2 in           | 2.75         | 2.25        |         |
| 12 to 14 ft., 2 to 2½ in             | 3.50         | 2.75        |         |
| — eugenei, 60'-80'                   | C            | arolina     | Poplar  |
| 6 to 8 ft                            | .45          | .37         | .30     |
| 8 to 10 ft                           | .60          | .50         | 40      |
| 10 to 12 ft.                         | .85          | .70         | .55     |
| 12 to 14 ft                          | 1.45         | 1.20        | .95     |



Lombardy Poplar, Populus nigra italica as grown at Princeton

| POPULUS—continued                 | Unit Pr<br>1-4 | ice in Quan<br>5-24 2 |              |
|-----------------------------------|----------------|-----------------------|--------------|
| — maximowiczii, 60'-80'           | Jaj            | panese P              | oplar        |
| 8 to 10 ft                        |                |                       |              |
| 10 to 12 ft                       |                | 1.25                  |              |
| 12 to 14 ft                       | 2.25           | 1.90                  | 1.50         |
| — nigra italica, 60'-80'          | Lor            | nbar <b>d</b> y P     | oplar        |
| 6 to 8 ft                         | .52            | .45                   |              |
| 8 to 10 ft                        | .75            | .60                   | .50          |
| 10 to 12 ft., 1½ to 1½ in         |                | .90                   |              |
| 10 to 12 ft., 1½ to 1¾ in         |                |                       |              |
| 12 to 14 ft., 13/4 to 2 in        |                | 1.50<br>2.20          |              |
| — simoni, 50'-60'                 | 2.00           |                       |              |
|                                   | <b>60</b>      | Simon P               | _            |
| 6 to 8 ft                         | .60            | .50                   | .40          |
| 8 to 10 ft                        | .95<br>1.20    | .75<br>1.00           |              |
| 12 to 14 ft                       | 1.50           | 1.00 $1.25$           |              |
|                                   |                |                       |              |
| POTENTILLA fruticosa, 3'-4'       |                | bby Cinqu             |              |
| 12 to 18 in                       |                | .15                   |              |
| 18 to 24 in 2 to 3 ft             | .27<br>.37     | .22<br>.30            | .18          |
| 2 to 3 it                         | .37            | .30                   | .25          |
| PRUNUS americana, 10'-12'         |                | merican               | Plum         |
| 2 to 3 ft                         |                |                       |              |
| 3 to 4 ft                         | .30            | .25                   | .20          |
| 4 to 5 ft                         |                |                       | .25          |
| 5 to 6 ft                         | .52            | .45                   | .35          |
| — besseyi, 10'-12' 18 to 24 in    | .37            | Bessy C               | herry<br>.25 |
| 2 to 3 ft                         | .45            | .37                   | .30          |
| — cerasifera Othello, 12'-15' Oth | iello Pi       | ırpleleaf             | Plum         |
| 2 to 3 ft                         |                | .37                   | .30          |
| 3 to 4 ft                         | .60            | .50                   | .40          |
| 4 to 5 ft                         | .75            | .60                   | .50          |
| — — pissardi, 12'-15'             | Pur            | ple Leaf              | Plum         |
| 3 to 4 ft                         | .60            | .50                   | .40          |
| 4 to 5 ft                         | .75            | .60                   | .50          |
| 5 to 6 ft                         |                | .95                   | .75          |
| — glandulosa, 5'-6' Pink & Whi    |                | _                     |              |
| 15 to 18 in                       | .18            | .15                   | .12          |
| 18 to 24 in                       | .27<br>37      | .22<br>.30            | .18          |
| 3 to 4 ft                         |                | .30<br>.45            | .25<br>.35   |
| — maritima, 9'-10'                | .52            | Beach                 |              |
| 18 to 24 in                       | .22            | .20                   | .15          |
| 2 to 3 ft                         |                | .30                   | .15          |
| 3 to 4 ft                         |                | . <b>4</b> 5          | .35          |
| — padus, 30'-40'                  | Europe         | an Bird C             | herry        |
| 3 to 4 ft                         |                | .45                   | .35          |
| 4 to 6 ft                         |                | .60                   | .50          |
| 6 to 8 ft                         | 1.05           | .90                   | .70          |
| 8 to 10 ft                        | 1.20           | 1.00                  |              |
| 10 to 12 ft                       | 1.50           | 1.25                  |              |
| — pennsylvanica, 25'-30'          |                |                       | Cherry       |
| 4 to 6 ft                         | .75            | .60                   | .50          |
| 6 to 8 ft                         | 1.00           | .80                   | .65          |

| PRUNUS—continued                     | _            | Price in Qu  |              |
|--------------------------------------|--------------|--------------|--------------|
| — serrulata, 40'-60'                 | 1-4          | Oriental     | 25-249       |
|                                      | 2.50         | Offental     | Cherry       |
| 10 to 12 ft., 2 to 2½ in             | 3.20         | 2.70         |              |
| 12 to 14 ft., 2½ to 2½ in            | 4.00         | 3.25         |              |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | 6.00         | 5.00         |              |
| 14 to 16 ft., 3 to 4 in              | 9.00         | 7.50         |              |
| — sachalinensis (sargenti) 40'-50    | ,            | Yama         | Cherry       |
| 3 to 4 ft                            | .75          | .60          | .50          |
| 4 to 5 ft                            | .90          | .75          |              |
| 5 to 6 ft                            | 1.25<br>1.75 | 1.00<br>1.50 |              |
| — subhirtella pendula, 12'-15' W     |              |              | Cherry       |
| 5 to 6 ft. stems, 1 yr. heads        | 2.00         | 1.50         | Official     |
| 5 to 6 ft. stems, 2 yr. heads        |              |              |              |
| 5 to 6 ft. stems, 3 yr. heads        |              |              |              |
| 4 to 6 ft. stems, 5 yr. heads,       |              |              |              |
| 2 to 2½ in                           |              |              |              |
| 2½ to 3 in                           | 7.00         |              |              |
| 3 to 3½ in                           | 9.00         |              |              |
| — tomentosa, 6'-7'                   |              | Nanking      | Cherry       |
| 2 to 3 ft                            | .45          | .37          | .30          |
| 3 to 4 ft                            | .60          |              |              |
| 5 to 6 ft                            | .75<br>90    | .60<br>.75   | .50<br>.60   |
|                                      |              | eflowerin    |              |
| 18 to 24 in                          |              |              | .20          |
| 2 to 3 ft                            | .45          |              | .30          |
| 3 to 4 ft                            | .60          | .50          | .40          |
| JAPANESE CHER                        | RIE          | $\mathbf{S}$ |              |
| Amanogawa (Lann. Amanogawa           | wa),         | 20'-25'      |              |
| 3 to 4 ft                            | =            |              |              |
| 4 to 5 ft                            | 1.50         |              |              |
| 5 to 6 ft                            | 2.00         | 1.50         |              |
| Amayadori, 25'-35'                   |              |              |              |
| 6 to 8 ft., 1½ to 1½ in              | <b>3.</b> 00 |              | <del></del>  |
| 8 to 10 ft., 1½ to 1¾ in             | 4.00         |              | <del></del>  |
| Ichiyo (Serr. Hisakura), 25'-3       |              |              |              |
| 3 to 4 ft                            | .75          |              | .50          |
| 4 to 5 ft                            | 1.10<br>1.50 |              | . <b>7</b> 5 |
| 10 to 12 ft., 1½ to 2 in             | 5.00         | · -          | 1.00         |
| 12 to 14 in., 2 to 2½ in             | 6.50         |              |              |
| J. H. Veitch (Serr. Fugenzo)         | Kofu         | igen, 30'    |              |
| 3 to 4 ft                            | .80          |              |              |
| 4 to 5 ft                            |              |              |              |
| 5 to 6 ft                            | 1.20         |              | -            |
| 8 to 10 ft., 13/4 to 2 in            | 2.40<br>3.75 |              |              |
| Kanzan (Serr. Sekiyama) Kw           |              |              |              |
| 3 to 4 ft                            | .80          |              |              |
| 4 to 5 ft                            | 1.00         |              |              |
| 5 to 6 ft                            | 1.25         |              |              |
| 6 to 8 ft., 13/4 to 2 in             |              |              |              |
| 8 to 10 ft., 2 to 2½ in              |              |              |              |
| 10 to 12 ft., 2½ to 2½ in            | 5.00         |              |              |
| EXTRA CHARGE FOR DIGGING             | G CH         | ERRIES       | В. & В.      |

EXTRA CHARGE FOR DIGGING CHERRIES B. & B. SEE B. & B. SCHEDULE, PAGE 2

| PRUNUS—continued                                    | Unit<br>1-4               | Price in Qua<br>5-24 | ntities<br>25-249 |
|---|---------------------------|----------------------|-------------------|
| Rosea superba, 30'-40'                              |                           | Double               | e pink            |
| 3 to 4 ft   | .90                       | _                    |                   |
| 4 to 5 ft   | 1.10                      | .95                  |                   |
| 5 to 6 ft   | 1.50                      | 1.25                 |                   |
| 6 to 8 ft   | 2.25                      | 1.90                 |                   |
| Ojochin (Lann. Ojochin), 25'                        |                           |                      |                   |
| , , , –   | 1.50                      |                      |                   |
| 6 to 8 ft., 1½ to 1¾ in                             |                           |                      |                   |
| 8 to 10 ft., 13/4 to 2 in                           | 3.50                      |                      |                   |
| Serrulata Sekizan, 25'-30'                          |                           | Double               | Pink              |
| 3 to 4 ft   | .90                       | .75                  | .60               |
| 4 to 5 ft   | 1.10                      | .95                  | .75               |
| 5 to 6 ft   | 1.50                      | 1.25                 | 1.00              |
| 6 to 8 ft   | 1.90                      | 1.50                 | 1.25              |
| Shirofugen (Serr. Alba-Rosea),                      |                           |                      |                   |
| 3 to 4 ft   | .90                       | .75                  | .60               |
| 4 to 5 ft   | 1.10                      | .95                  | 75                |
| 5 to 6 ft   | 1.50<br>1.90              | 1.25<br>1.50         | 1.00<br>1.25      |
| 6 to 8 ft., 1¼ to 1½ in<br>8 to 10 ft., 1½ to 1¾ in | 3.50                      | 3.00                 | 1.25              |
| 10 to 12 ft., 13/4 to 2 in                          | 5.00                      | <del></del>          |                   |
|   |                           |                      |                   |
| Watereri (Lann. Wateriri), 30                       |                           |                      |                   |
| 8 to 10 ft., 2 to 2 <sup>1</sup> / <sub>4</sub> in  |                           |                      |                   |
| 10 to 12 ft., 2/2 to 3 m                            | <b>J.</b> 00              |                      |                   |
| yedoensis (Yoshino cherry), 3                       | 5'                        |                      |                   |
| 3 to 4 ft   | 1.10                      | .95                  | .75               |
| 4 to 5 ft   | 1.50                      | 1.25                 | 1.00              |
| 6 to 8 ft   | 2.25                      | 1.90                 | 1.50              |
| 8 to 10 ft., 2½ to 2½ in                            | 4.00                      |                      |                   |
| 10 to 12 ft., 2½ to 3 in                            | 5.00                      |                      |                   |
| 12 to 14 ft., 3 to $3\frac{1}{2}$ in                | <b>7.5</b> 0              |                      |                   |
| PSEUDOTSUGA douglasi, 70'-80'                       |                           | Doug                 | las-fir           |
| 18 to 24 in., B. & B                                | .52                       | .45                  | .35               |
| 2 to 2½ ft., B. & B                                 | .75                       | .60                  | .50               |
| 2½ to 3 ft., B. & B                                 | 1.10                      | .95                  | .75               |
| 3 to 4 ft., B. & B                                  | 1.50                      | 1.25                 |                   |
|   | 2.00                      | 1.75                 |                   |
|   | 4.10                      | 3.50                 | 2.75              |
|   | 6.00                      | 5.00<br>9.00         |                   |
| 8 to 10 ft., B. & B                                 | 15.00                     | 12.50                |                   |
| Extra broad specimen50%                             |                           |                      | 10.00             |
|   |                           |                      |                   |
| PTELIA trifoliata, 20'-25'                          | $\mathbf{C}_{\mathbf{c}}$ | ommon Ho             | optree            |
| 3 to 4 ft   |                           | .37                  |                   |
| 4 to 5 ft   |                           | .50                  | .40               |
| 5 to 6 ft   | .75                       | <b>.6</b> 0          | .50               |
| PYRACANTHA coccinea lalandi,                        | Ω'_19                     | 2′                   |                   |
| · · · · · · · · · · · · · · · · · · ·               |                           | anda Fire            | thorn             |
| 12 to 18 in., 4 in. pots                            |                           | .60                  |                   |
| 18 to 24 in., 6 in. pots                            | 1.50                      | 1.25                 | 1.00              |
| 2 to 3 ft., 7 in. pots                              | 2.25                      | 1.90                 | 1.50              |
| 3 to 4 ft., 8 in. pots                              | 3.00                      | 2.50                 | 2.00              |
|   |                           |                      |                   |

## 


| QUERCUS alba, 100'                                |       | Wh    | ite Oak |
|---|-------|-------|---------|
| 6 to 8 ft   | 1.10  | .95   | .75     |
| 8 to 10 ft  | 1.50  | 1.25  | 1.00    |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in  | 2.25  | 1.90  | 1.50    |
| 9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in  | 3.40  | 2.80  | 2.25    |
| 10 to 12 ft., 13/4 to 2 in                        | 4.50  | 3.75  | 3.00    |
| 11 to 13 ft., 2 to 2½ in                          | 6.00  | 5.00  | 4.00    |
| 12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in | 7.50  | 6.25  | 5.00    |
| 12 to 14 ft., 2½ to 3 in                          | 9.00  | 7.50  | 6.00    |
| 14 to 16 ft., 3 to 3½ in                          | 10.00 | 9.00  | 7.00    |
| — coccinea, 75'-90'                               |       | Scar  | let Oak |
| 6 to 8 in   | 2.25  | 1.90  | 1.50    |
| 8 to 10 ft  | 3.40  | 2.80  | 2.25    |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in  | 4.10  | 3.50  | 2.75    |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 5.25  | 4.40  | 3.50    |
| 10 to 12 ft., 13/4 to 2 in                        | 6.00  | 5.00  | 4.00    |
| 12 to 14 ft., 2 to 2½ in                          | 7.50  | 6.25  | 5.00    |
| 12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in | 10.50 | 9.00  | 7.00    |
| 14 ft., 2½ to 3 in                                | 12.00 | 10.00 |         |



These smaller grades of Red Oak were root pruned in 1939. Here is an opportunity to restock.

| NURSERY GROWN OAKS —continued  | Unit F<br>1-4  | Price in Qua<br>5-24                         | ntities<br>25- <b>24</b> 9           |
|--|--|--|--------------------------------------|
| — macrocarpa, 75'-80'  |  | Mossycu                                      |                                      |
| 6 to 8 ft  | 1.90   | 1.50   | 1.25                                 |
| 8 to 10 ft   |  | 2.50   | 2.00                                 |
| 8 to 10 ft., 1½ to 1½ in   |  | 3.00   | 2.50                                 |
|  |  | 3.75   |                                      |
| 10 to 12 ft., 1½ to 1¾ in  |  |  | 3.00                                 |
| 10 to 12 ft., 13/4 to 2 in   | 6.00   | 5.00   | 4.00                                 |
| 12 to 14 ft., 2 to 2½ in   | 7.50   | 6.25   | 5.00                                 |
| 12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in                              | 9.00   | 7.50   |                                      |
| – palustris, 75'-90'   |  | Pi   | in Oak                               |
| 4 to 6 ft  | 1.10   | .95  | .75                                  |
| 6 to 8 ft  |  | 1.25   | 1.00                                 |
| 8 to 10 ft   |  | 1.50   | 1.25                                 |
| 8 to 10 ft., 1½ to 1½ in   |  | 1.90   | 1.50                                 |
|  |  |  |                                      |
| 10 to 12 ft., 1½ to 1¾ in  |  | 2.50   | 2.00                                 |
| 10 to 12 ft., 13/4 to 2 in   |  | 3.50   | 2.75                                 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in   | 5.25   | 4.40   | 3.50                                 |
| 12 to 14 ft., 2½ to 3 in   |  | 5.50   | 4.50                                 |
| 14 to 16 ft., 3 to 3½ in   |  | 7.50   | 6.00                                 |
| 14 to 16 ft., 3½ to 4 in   |  | 8.50   |                                      |
|  | 10.00  |  |                                      |
| - phellos, 50'-60'   |  | Willo  |                                      |
| 6 to 8 ft  | <b>1.</b> 90   | 1.50   | 1.25                                 |
| 8 to 10 ft   | 3.00   | 2.50   | 2.00                                 |
| 8 to 10 ft., 1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in |  | 3.25   |                                      |
| 10 to 12 ft., 1½ to 1¾ in  |  |  |                                      |
|  |  |  |                                      |
| 10 to 12 ft., 13/4 to 2 in   | 5.00   |  |                                      |
| 12 to 14 ft., 2 to 2½ in   |  |  |                                      |
| – robur fastigiata, 35'-50'  | Pyramid  | lal Englis                                   | sh Oal                               |
| 5 to 6 ft., B. & B   | 5.25   |  |                                      |
| 6 to 8 ft., B. & B   | 6.75   |  |                                      |
| 8 to 10 ft., B. & B  |  | 7.50   |                                      |
| 10 to 12 ft., B. & B   | 12.50  |  |                                      |
| - rubra, 75'-90'   | Co   | mmon Re                                      | ed Oal                               |
| 6 to 8 ft  | 1.90   | 1.50   | 1.2.                                 |
| 8 to 10 ft   |  | 2.20   |                                      |
|  |  |  |                                      |
| 8 to 10 ft., 11/4 to 11/2 in   |  | 2.80   | 2.2                                  |
| 10 to 12 ft., 1½ to 1¾ in  | 4.50   | 3.75   | 3.0                                  |
| 10 to 12 ft., 13/4 to 2 in   | 5.25   | 4.40   | 3.5                                  |
| 12 to 14 ft., 2 to 2½ in   |  | 5.50   | 4.5                                  |
| 12 to 14 ft., 2½ to 3 in   |  |  | 5.5                                  |
| 14 to 16 ft 2 to 21/ in  | 10.00  |  |                                      |
| 14 to 16 ft., 3 to 3½ in   | 10.00  |  | ck Oa                                |
| •  | 2.25   |  | on ou                                |
| 6 to 8 ft  |  | 1.75   |                                      |
| 8 to 10 ft   | 3.00   | 2.50   |                                      |
| 8 to 10 ft., 1½ to 1½ in   | 3.75   | 3.00   |                                      |
| 1½ to 1¾ in  |  |  |                                      |
|  |  |  |                                      |
|  |  | <b>3 T</b> G \                               |                                      |
| RETINOSPORA (See CHAMAE  |  |  |                                      |
|  |  | olina Buc                                    | kthor                                |
| vinamnus caroliniana, 30'  | Car  |  |                                      |
| •  |  |  |                                      |
| 6 to 8 ft  | 1.50   |  |                                      |
| 6 to 8 ft<br>8 to 10 ft  | 1.50<br>2.00   |  | kthor                                |
| 6 to 8 ft<br>8 to 10 ft  | 1.50<br>2.00<br>Com                                    | <br>nmon Buc                                 |                                      |
| 6 to 8 ft  | 1.50<br>2.00<br>Con<br>30                              | <br>nmon Buc<br>.25                          | .2                                   |
| 6 to 8 ft<br>8 to 10 ft  | 1.50<br>2.00<br>Con<br>30<br>37                        | <br>nmon Buc<br>.25<br>.30                   | .2                                   |
| 6 to 8 ft  | 1.50<br>2.00<br>Con<br>30<br>37                        | <br>nmon Buc<br>.25<br>.30                   | .2                                   |
| 6 to 8 ft  | 1.50<br>2.00<br>Com<br>30<br>37<br>45                  |  | .2<br>.2<br>.3                       |
| 6 to 8 ft  | 1.50<br>2.00<br>Com<br>30<br>37<br>45<br>G             | .25<br>.30<br>.37<br>lossy Buc               | .2<br>.2<br>.3<br>ekthor             |
| 6 to 8 ft  | 1.50<br>2.00<br>Com<br>30<br>37<br>45<br>G             | .25<br>.30<br>.37<br>lossy Buo               | .2<br>.3<br>ekthor<br>.2             |
| 6 to 8 ft  | 1.50<br>2.00<br>Com<br>30<br>45<br>G<br>30<br>45       | .25<br>.30<br>.37<br>lossy Bud<br>.25<br>.35 | .2<br>.2<br>.3<br>ekthor<br>.2<br>.3 |
| 6 to 8 ft  | 1.50<br>2.00<br>Com<br>30<br>45<br>G<br>30<br>45<br>60 | .25<br>.30<br>.37<br>lossy Buo               | .2<br>.2<br>.3<br><b>ekthor</b>      |

| RHODODENDRON carolinanum,   | 1-4          | Price in Quai<br>5-24 |                 |
|---|--------------|-----------------------|-----------------|
|   |              | D1 1 1                |                 |
|   |              | Rhodode               | ndron           |
| 12 to 15 in., B. & B  |              | .95                   | .75             |
| 15 to 18 in., B. & B  | 1.90         | 1.50                  | 1.25            |
| 18 to 24 in., B. & B  |              |                       |                 |
| 2 to 2½ ft., B. & B.  | 3.75         | 3.00                  | 2.50            |
| — catawbiense, 6'-9' Cat  | tawba        | Rhodode               | ndron           |
| 15 to 18 in., B. & B  |              | 1.50                  | 1.25            |
| 18 to 24 in., B. & B  |              |                       | 1.50            |
| 2 to 2½ ft., B. & B   |              |                       | 2.00            |
| 2½ to 3 ft., B. & B   |              |                       | 2.50            |
| 3 to 3½ ft, B. & B  |              |                       |                 |
| 0 to 0/2 tq B. a B  |              |                       |                 |
| — maximum, 8'-12' Ros   | sebay        | Rhodode               | ndron           |
| Nursery Grown. Raised from  | seed.        |                       |                 |
| 15 to 18 in., B. & B  |              | .80                   | .65             |
| 18 to 24 in., B. & B.   |              |                       |                 |
| 2 to 2½ ft., B. & B.  |              |                       |                 |
| 2½ to 3 ft., B. & B   |              |                       |                 |
| 3 to 4 ft., B. & B  |              |                       | 2.75            |
|   |              |                       |                 |
| — mucronulatum, 6' Ke   | orean        | Rhodode               | ndron           |
| 12 to 15 in., B. & B  | 1.50         | 1.25                  |                 |
| 15 to 18 in., B. & B  | <b>2</b> .00 | 1.75                  | <del></del>     |
| 18 to 24 in., B. & B  | 2.50         | 2.25                  |                 |
| IWDDID DIJADADEI  |              | NG                    |                 |
| HYBRID RHODODES   | NDKO         | NS                    |                 |
| - Album elegans Blush-pink.   | 12 - 15      | in., 15-13            | 8 in.,          |
| $18-24$ in., $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$                       | ft., 3-      | 4 ft., 4-5            | ft.             |
| - Catawbiense grandiflora-Ros   |              |                       |                 |
| 15-18 in., 18-24 in., 2-21/2 f  | t 21/2       | 3-3 ft., 3-4          | ft.             |
| - Everestianum-Rosy-lilac. 12-  |              |                       |                 |
| 24 in., 2-2 ½ ft., 2½-3 ft., 3-   |              |                       |                 |
| - President Lincoln—Pink. 12-1  | 5 in.,       | 15-18 in              | ., 18-          |
| 24 in., 2-2½ ft., 2½-3 ft.,   |              |                       |                 |
| - Roseum elegans—Rich pink.   |              |                       | 8 in            |
| 18-24 in., 2-2½ ft., 2½-3 f   |              |                       |                 |
| - Roseum superbum—Clear, soft   | coral-       | rose. 18-2            | 4 in            |
| 243 ft., 3-4 ft.  | 00100        | 1000.10               | 1 -11,          |
| ,   |              |                       | <b>~~</b> ~     |
| ABOVE VARIETIES AT FOLD   | rowi         | NG PRIC               | ES              |
| 12 to 15 in., B. & B  | 1.50         | 1.25                  | 1.00            |
| 15 to 18 in., B. & B.   | <b>2</b> .00 | 1.70                  | 1.35            |
| 18 to 24 in., B. & B.   | 3.00         | 2.50                  | 2.00            |
| 2 to $2\frac{1}{2}$ ft., B. & B.  | 4.00         | 3.50                  | 2.75            |
| 2½ to 3 ft., B. & B.  | 5.25         | 4.50                  | 3.50            |
| 3 to 4 ft., B. & B  | 6.75         |                       | 4.50            |
| 4 to 5 ft., B. & B  | 8.00         | 6.75                  | 5.50            |
| — Amphion—Rose-pink. 12-15 in. $2-2\frac{1}{2}$ ft., $2\frac{1}{2}-3$ ft. | ., 15-1      | 8 in., 18-2           | 4 in.,          |
| - Candidissima—White. 18-24 in  | ı., 2-2      | 1/2 ft., 21/2-        | -3 <b>f</b> t., |
| 3-4 ft.   |              |                       |                 |
| — Caractacus—Red. 12-15 in., 1  | 15-18        | in., 18-2             | 4 in.,          |
| 2-2½ ft., 2½-3 ft.  |              |                       |                 |
| — Catawbiense alba—Clear white  | , 15-1       | 8 in., 18-2           | 4 in.,          |
| 2-2½ ft., 2½-3 ft., 3-4 ft.   | F 40         | 100                   |                 |
| —Chas. Bagley—Bright red. 1:  | 5-18 i       | ın., 18-24            | ł 111.,         |
| 2-2½ ft., 2½-3 ft., 3-4 ft.  — Chas Dickers—Clear red 18-2                | 4 in         | 9_91/ ft              | 91/ 9           |
| - Chas. Dickens—Clear red. 18-2 ft., 3-4 ft.                              | ± 111.,      | $4-4\frac{1}{2}$ 1t., | 4/2-3           |



Rhododendron hybrid variety roseum elegans, grown under ideal conditions.

| HYBRID RHODODENDRONS | Unit P | rice in Qu | ıantities |
|----------------------|--------|------------|-----------|
| continued            | 1_4    | 5-24       | 25_249    |

—continued 1-4 5-24 25-249

- Delicatissum—Blush white. 18-24 in.,  $2-2\frac{1}{2}$  ft.,  $2-2\frac{1}{2}$  ft., 3-4 ft.
- Dr. Dresselhuis—Bright red. 12-15 in., 15-18 in., 18-24 in.,  $2-2\frac{1}{2}$  ft.,  $2\frac{1}{2}-3$  ft., 3-4 ft.
- Ignatius Sargent—Deep pink. 12-15 in., 15-18 in., 18-24 in.,  $2-2\frac{1}{2}$  ft.,  $2\frac{1}{2}-3$  ft., 3-4 ft.
- Kettledrum—Deep red. 18-24 in.,  $2-2\frac{1}{2}$  ft.,  $2\frac{1}{2}-3$  ft., 3-4 ft.
- Lee's Dark Purple—Dark purple. 18-24 in., 2-21/2 ft., 21/2-3 ft., 3-4 ft.
- Mrs. C. S. Sargent—Rich crimson. 12-15 in., 15-18 in., 18-24 in., 2-21/2 ft., 21/2-3 ft., 3-4 ft.
- Roseum superbum—Deep pink. 12-15 in., 15-18 in., 18-24 in.,  $2-2\frac{1}{2}$  ft.,  $2\frac{1}{2}-3$  ft.

## ABOVE VARIETIES AT FOLLOWING PRICES

| 12 to 15 in., B. & B.  15 to 18 in., B. & B.  18 to 24 in., B. & B.  2 to 2½ ft., B. & B. | 2.40<br>3.75<br>4.85 | 1.50<br>2.00<br>3.00<br>4.00<br>5.00 |  |
|---|----------------------|--------------------------------------|--|
| 2½ to 3 ft., B. & B.<br>3 to 4 ft., B. &B.  | 6.00                 | 5.00<br>6.00                         |  |

## X — Boule de Neige—White.

| 12 to 15 in., B. & B. | 2.25 | 1.75 |  |
|-----------------------|------|------|--|
| 15 to 18 in., B. & B. | 2.75 | 2.25 |  |
| 18 to 24 in., B. & B  | 4.00 | 3.25 |  |
| 2 to 2½ ft., B. & B   |      | 4.25 |  |
| 21/2 to 3 ft R & R    | 6.25 | 5 25 |  |

| RHODOTYPOS kerrioides, 4'-5' |     | White | Kerria |
|------------------------------|-----|-------|--------|
| 18 to 24 in.                 | .25 | .20   | .15    |
| 2 to 3 ft                    | .30 | .25   | .20    |
| 3 to 4 ft.                   | .40 | .30   | .25    |



Nursery grown Rhododendron maximum raised from seed in our propagating department and transplanted to the shade of native woodland oaks. These plants are offered at very reasonable prices.

|                                 |      | Price in Qu |         |
|---------------------------------|------|-------------|---------|
| RHUS—THE SUMACS                 | 1-4  | 5-24        | 25-249  |
| RHUS canadensis (aromatica), 4' | -5'  | Fragrant    | Sumac   |
| 18 to 24 in                     | .30  | .25         | .20     |
| 2 to 3 ft                       |      | .37         |         |
| 3 to 4 ft                       | .60  | .50         | .40     |
| — copallina, 12'-13'            |      | Shining     | Sumac   |
| 15 to 18 in                     |      |             | .15     |
| 18 to 24 in.                    | .3ე  |             |         |
| 2 to 3 ft                       |      | .37         | .30     |
| 3 to 4 ft                       | .60  | .50         | .40     |
| * — cotinus, 10'-12'            | Com  | mon Sm      | oketree |
|                                 |      | .50         |         |
| 3 to 4 ft                       | .90  |             |         |
| 4 to 5 ft                       |      |             |         |
| 5 to 6 ft                       |      |             |         |
| 6 to 8 ft., special             | 3.00 | 2.50        |         |
| — glabra, 10'-12'               |      | Smooth      | Sumac   |
| 2 to 3 ft                       | .22  | .20         | .14     |
| 3 to 4 ft                       | .27  | .22         | .18     |
| 4 to 5 ft                       | .37  | .30         | .25     |
| 5 to 6 ft                       | .52  | .45         |         |
| 6 to 8 ft                       | .75  | .60         | .50     |
| — typhina, 15'-18'              |      | Staghorn    | Sumac   |
| 2 to 3 ft                       | .22  | .18         | .14     |
| 3 to 4 ft                       | .27  | .22         | .18     |
| 4 to 5 ft                       | .37  | .30         | .25     |
| 5 to 6 ft                       | .52  | .45         | .35     |
| — typhina laciniata, 14'-15'    | 1    | Shredded    | Sumac   |
| 18 to 24 in                     | .22  | .20         | .15     |
| 2 to 3 ft                       | .30  |             | .20     |
| 3 to 4 ft                       | .37  |             | .25     |
| 4 to 5 ft                       | .52  |             | .35     |
| 5 to 6 ft                       | .70  | .55         |         |
|                                 |      |             |         |

|                                  | Unit | Price in Qu | antities<br>25-249 |
|----------------------------------|------|-------------|--------------------|
| ROBINIA hispida, 5'-6'           | 1-7  | _           | -acacia            |
| 18 to 24 in                      | .22  | .20         |                    |
| 2 to 3 ft                        | .37  | .30         |                    |
| 3 to 4 ft                        | .52  | .45         | .35                |
| — pseudoacacia, 60'-80'          |      | Black       | Locust             |
| 4 to 6 ft                        | .37  | * 7. 2      |                    |
| 6 to 8 ft                        | .75  | .60         |                    |
| 8 to 10 ft                       | 1.00 | .90         |                    |
| ROSA blanda, 4'-5'               |      | Meado       | w Rose             |
| 12 to 18 in                      | .22  | .20         | .15                |
| 18 to 24 in                      | .30  | .25         |                    |
| 2 to 3 ft                        | .45  | .37         | .30                |
| _ :                              |      | Rose of     |                    |
| 18 to 24 in                      |      |             | .25                |
| 2 to 3 ft                        | .52  | .45         | .35                |
| — lucida, 5'-6'                  |      | Virgini     | a Rose             |
| 12 to 15 in                      | .15  | .12         | .10                |
| 15 to 18 in                      | .22  | .20         |                    |
| 18 to 24 in                      | .30  | .25         | .20                |
| 2 to 3 ft                        | .37  | .30         | .25                |
| — multiflora, 9'-10'             |      | Japanes     | e Rose             |
| 18 to 24 in                      | .18  |             | .12                |
| 2 to 3 ft                        | .22  | .20         | .15                |
| 3 to 4 ft                        | .30  | .25         | .20                |
| — nitida, 3'-4'                  |      | Bristl      | y Rose             |
| 12 to 18 in                      | .30  | .25         |                    |
| 18 to 24 in                      | .37  | .30         | .25                |
| — palustris (carolina), 6'-8'    |      | Swam        | p Rose             |
| 12 to 18 in                      | .22  | .20         |                    |
| 18 to 24 in                      | .30  | .25         |                    |
| 2 to 3 ft                        | .37  | .30         | .25                |
| — rubiginosa, 5'-6'              | -    |             | etbrier            |
| 12 to 18 in                      | .22  | .20         | .15                |
| 18 to 24 in                      | .30  | .25<br>.30  |                    |
| 2 to 3 ft                        | .45  | .37         | .30                |
| — rubrifolia (ferruginea), 5'-6' |      | Redlea      |                    |
| 12 to 18 in                      | .22  | .20         | .15                |
| 18 to 24 in                      | .30  | .25         | .20                |
| 2 to 3 ft                        | .37  | .30         | .25                |
| — rugosa, 4'-5'                  |      | ed Rugos    |                    |
| 12 to 18 in                      | .22  | .20         | .15                |
| 18 to 24 in 2 to 3 ft            | .30  |             | .20<br>25          |
| rugosa alba 4'-5'                |      | ite Rugos   |                    |
| _                                |      | .37         | a Ituse            |
| 18 to 24 in 2 to 3 ft            | .50  |             |                    |
| — setigera, 5'-6'                | .50  |             | e Rose             |
| 18 to 24 in                      | .25  |             | .15                |
| 2 to 3 ft                        |      |             | .20                |
| 3 to 4 ft                        | .35  | .30         | .25                |
| 4 to 5 ft                        | .45  | .37         | .30                |

| ROSA—continued   | Unit<br>1-4   | Price in Q<br>5-24  | uantities<br>2 <b>5-249</b>   |
|--|---|---|---|
| — spinosissima, 4'   |   | Scot  | tch Rose  |
| 12 to 18 in  | 30  | .25   | .20   |
| 18 to 24 in  | 37  |   | ·- •  |
| 2 to 3 ft  | . <b>.5</b> 0   | .45   | .35   |
| - wichuraiana, white, 10'-12'  |   | Wichuri   | an Rose   |
| 1 year   | 25  | .20   | .15   |
| 2 year   | 30  | .25   | .20   |
| WICHURAIANA H  | YBRI  | DS  |   |
| — Albertine, coppery yellow.   |   |   |   |
| — American Beauty, carmine.  |   |   |   |
| — Christine Wright, rose-pink.   |   |   |   |
| - Dorothy Perkins, shell rose.   |   |   |   |
| — Dr. Van Fleet, pale-pink.  |   |   |   |
| - Excelsa, crimson Dorothy Per   | rkins   |   |   |
| — Silver Moon, large creamy wh   |   |   |   |
| 18 to 24 in  |   | .22   | .18   |
| 2 to 3 ft  |   | .30   | .16   |
| 3 to 4 ft  | .45   | .37   | .30   |
| RUBUS odoratus, 6'   | Flow  | ering Ra  |   |
| 18 to 24 in  |   |   | _   |
|  | 22  | 711   |   |
| 2 to 3 ft  |   | .30   | .25   |
| SALISBURIA adiantifolia (See   | 37<br>GINK(   | .30<br>GO)  | .25   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Baby   | 37  GINK( ylon V  | .30<br>GO)<br>Weeping   | .25   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Baby   | 37  GINK(  ylon V  .70  | .30 GO) Weeping .55   | Willow .45  |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft   |   | .30  Weeping .55 .75  | .25<br>Willow<br>.45<br>.60   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft   | .37  GINK( ylon V .70 .90  non V  | GO) Weeping .55 .75 Weeping   | Willow .45 .60 Willow   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft 6 to 8 ft   | GINK( ylon V .70 .90 non V  | GO) Weeping .55 .75 Weeping .75   | .25 Willow .45 .60 Willow .60   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab;  4 to 6 ft 6 to 8 ft  | 37<br>GINK(<br>ylon V<br>.70<br>.90<br>non V<br>.90<br>1.10<br>1.50                 | .30<br>Weeping<br>.55<br>.75<br>Weeping<br>.75<br>.95   | .25 Willow .45 .60 Willow .60 .75   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft 6 to 8 ft   | 37<br>GINK(<br>ylon V<br>.70<br>.90<br>non V<br>.90<br>1.10<br>1.50                 | GO) Weeping .55 .75 Weeping .75   | .25 Willow .45 .60 Willow .60 .75   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft 6 to 8 ft   | 37<br>GINK(<br>ylon V<br>.70<br>.90<br>non V<br>.90<br>1.10<br>1.50<br>1.90         | .30 Weeping .55 .75 Weeping .75 .95 1.25 1.50   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab;  4 to 6 ft 6 to 8 ft  | 37  GINK( ylon V .70 .90 non V .90 1.10 1.50 1.90 onsin                             | .30 Weeping .55 .75 Weeping .75 .95 1.25 1.50 Weeping   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25   |
| SALISBURIA adiantifolia (See CSALIX babylonica ,50'-60 Babylonica ,50'-50' Salar ,6 to 8 ft   | 37  GINKO  ylon V  .70 .90  1.10 1.50 1.90  onsin .70 .90                           | .30<br>.30<br>Weeping<br>.55<br>.75<br>Weeping<br>.75<br>1.25<br>1.50<br>Weeping<br>.55   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45  |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Babylonica ,50'-50' Salar   | 37  GINKO  ylon V  .70 .90  1.10 1.50 1.90  onsin .70 .90                           | .30<br>.30<br>Weeping<br>.55<br>.75<br>Weeping<br>.75<br>1.25<br>1.50<br>Weeping<br>.55   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45  |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab;  4 to 6 ft 6 to 8 ft  | 37  GINK( ylon V .70 .90 1.10 1.50 1.90 0nsin .70 .90 1.35                          | .30<br>Weeping<br>.55<br>.75<br>Weeping<br>.75<br>1.25<br>1.50<br>Weeping<br>.55<br>.75   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90  |
| SALISBURIA adiantifolia (See Constitution of Salisburia | 37  GINK( ylon V .70 .90 non V .90 1.10 1.50 1.90 onsin .70 .90 1.35                | .30 .30 .30 .30 .30 .30 .30 .30 .30 .30   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow   |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab;  4 to 6 ft  | 37  GINKO ylon V .70 .90 1.10 1.50 1.90 0.91 1.35 uropea .22                        | .30<br>.30<br>Weeping<br>.55<br>.75<br>Weeping<br>.75<br>1.25<br>1.50<br>Weeping<br>.55<br>.75<br>1.10<br>n Pussy<br>.20                      | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1:5  |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft 6 to 8 ft  —— salamoni, 40'-50' Salar 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft  — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft 10   | 37  GINK( ylon V .70 .90 non V .90 1.10 1.50 1.90 0nsin .70 .90 1.35                | .30<br>.30<br>Weeping<br>.55<br>.75<br>Weeping<br>.75<br>1.25<br>1.50<br>Weeping<br>.55<br>.75<br>1.10<br>n Pussy<br>.20<br>.25               | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .15 .20                                     |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft 6 to 8 ft  —— salamoni, 40'-50' Salar 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft  — blanda, 40'-50' Wiscon 4 to 6 ft 8 to 10 ft 8 t   | 37  GINK( ylon V .70 .90 non V .90 1.10 1.50 1.90 0nsin .70 .90 1.35                | .30<br>.30<br>.30<br>.30<br>.30<br>.30<br>.30<br>.35<br>.75<br>.95<br>.95<br>.95<br>.95<br>.95<br>.95<br>.95<br>.9                            | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1:5 .20 .30                                |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab; 4 to 6 ft 6 to 8 ft  —— salamoni, 40'-50' Salar 6 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft  — blanda, 40'-50' Wisco 4 to 6 ft 6 to 8 ft 8 to 10 ft 10   | 37  GINKO  ylon V .70 .90 1.10 1.50 1.90 1.35  consin .70 .90 1.35                  | .30<br>.30<br>.30<br>.30<br>.30<br>.30<br>.30<br>.35<br>.75<br>.95<br>.95<br>.95<br>.95<br>.95<br>.95<br>.95<br>.9                            | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .15 .20                                     |
| SALISBURIA adiantifolia (See CSALIX babylonica ,50'-60 Bab; 4 to 6 ft  | 37  GINK( ylon V .70 .90 non V .90 1.10 1.50 1.90 0.135  cropea .22 .30 .45 .60 .75 | .30<br>.30<br>Weeping<br>.55<br>.75<br>Weeping<br>.55<br>1.25<br>1.50<br>Weeping<br>.55<br>.75<br>1.10<br>n Pussy<br>.20<br>.25<br>.37<br>.50 | .25<br>.25<br>.25<br>.45<br>.60<br>.75<br>1.00<br>1.25<br>Willow<br>.45<br>.60<br>.90<br>.90<br>.30<br>.40<br>.50 |
| SALISBURIA adiantifolia (See Constitution of the Salisburia state of the Salis | 37  GINKO  ylon V .70 .90 1.10 1.50 1.90 1.35  cropea .22 .30 .45 .60 .75  y' R .30 | .30  Weeping .55 .75  Weeping .75 .95 1.25 1.50  Weeping .55 .75 1.10  n Pussy .20 .25 .37 .50 .60 osemary .25                                | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1°5 .20 .30 .40 .50 Willow .20             |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab;  4 to 6 ft  | 37  GINKO  ylon V .70 .90 1.10 1.50 1.90 1.35  ropea .22 .30 .45 .60 .75  ' R .30   | .30 .30 .30 .30 .30 .30 .30 .30 .30 .30   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.5 .20 .30 .40 .50 Willow .20 .25         |
| SALISBURIA adiantifolia (See CSALIX babylonica ,50'-60 Bab;  4 to 6 ft   | 37 GINKO ylon V .70 .90 1.10 1.50 1.90 1.35 1.35 1.35 1.35 1.36 1.37                | .30  Weeping .55 .75  Weeping .75 .95 1.25 1.50  Weeping .55 .75 1.10  n Pussy .20 .25 .37 .50 .60  osemary .25 .30 Black                     | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.55 .20 .30 .40 .50 Willow .20 .25 Willow |
| SALISBURIA adiantifolia (See SALIX babylonica ,50'-60 Bab;  4 to 6 ft  | 37  GINKO  ylon V .70 .90 1.10 1.50 1.90 1.35  cropea .22 .30 .45 .60 .75  y' R .30 | .30 .30 .30 .30 .30 .30 .30 .30 .30 .30   | .25 Willow .45 .60 Willow .60 .75 1.00 1.25 Willow .45 .60 .90 Willow .1.5 .20 .30 .40 .50 Willow .20 .25         |

|  | Unit        | Price in Qu | uantities          |
|--|-------------|-------------|--------------------|
| SALIX—continued                        | 1-4         | 5-24        | 25-249             |
| — pentandra, 20'-30'                   |             | Laurel      | Willow             |
| 4 to 6 ft                              |             |             |                    |
| 6 to 8 ft                              |             |             |                    |
| 8 to 10 ft                             | 1.10        | .95         | .75                |
| •                                      |             | n Golden    |                    |
| 4 to 6 ft                              |             |             | .50                |
| 6 to 8 ft                              |             |             | .60<br>.75         |
|  |             |             |                    |
| — britzensis, 30'-40'                  |             |             |                    |
| 4 to 5 ft                              |             |             |                    |
| 5 to 6 ft                              | .90         | ./5         | .60                |
| — — nova, 30'-40'                      | , Nev       | v Golden    | Willow             |
| 4 to 6 ft                              |             |             |                    |
| 6 to 8 ft                              | <b>.</b> 90 | .75         | .60                |
| — — pendula, 25'-30' We                | eping       | Golden      | Willow             |
| 4 to 6 ft                              | .70         | .55         | .45                |
| 6 to 8 ft                              |             |             |                    |
| 8 to 10 ft                             | 1.10        | .95         | .75                |
|  |             |             |                    |
| SAMBUCUS canadensis, 8'-9'             |             | America     |                    |
| 18 to 24 in                            | .12         | .10         | .08                |
| 2 to 3 ft                              | .18         | .15<br>.20  | .12<br>.1 <b>6</b> |
| 4 to 5 ft                              | .33         | .27         | .22                |
|  |             |             |                    |
| —————————————————————————————————————— |             |             |                    |
| 2 to 3 ft                              | .22         | .18<br>.22  | .14<br>.18         |
| 3 to 4 ft <b>4 to 5 ft.</b>            |             |             |                    |
|  |             |             | n Elder            |
| — aurea, 8'-9' 18 to 24 in             | .15         |             | .10                |
| 2 to 3 ft                              |             | .20         |                    |
| 3 to 4 ft                              |             |             |                    |
| 4 to 5 ft                              |             | .30         | .25                |
| COLADODIMNO monticillate EO/ FE        | <b>5</b> ′  | Umbro       | ll <b>a P</b> ine  |
| SCIADOPITYS verticillata, 50'-75       |             |             | .80                |
| 15 to 18 in., B. & B                   | 1.23        | 1.00        | 1.25               |
| 2 to 2½ ft., B. & B                    | 2.50        | 2.00        |                    |
| 2½ to 3 ft., B. & B                    | 3.50        | 3.00        | -                  |
| SOPHORA japonica, 80'-40'              | Chir        | nese Sch    | olartree           |
| 2 to 3 ft                              |             | .60         |                    |
| 3 to 4 ft                              |             | .95         |                    |
| 4 to 5 ft                              | 1.50        | 1.25        | 1.00               |
| 5 to 6 ft                              | 2.25        | 1.90        | <b>1.5</b> 0       |
| 6 to 7 ft                              |             | 2.50        |                    |
| 7 to 8 ft                              | 3.75        | 3.00        |                    |
| SORBARIA aitchisoni, 4'-5'             | Kashi       | mir Fals    | e-spirea           |
| 2 to 3 ft                              |             | .25         |                    |
| 3 to 4 ft                              | .37         | .30         | .25                |
| 4 to 5 ft                              | .45         | .37         | .30                |
| 5 to 6 ft                              | .60         | .50         | .40                |

|   | 1-4        | 5-24               | 25-249     |
|---|------------|--------------------|------------|
|   | Unit       | Price in Qu        | antities   |
| SORBUS americana, 30' An                  |            |                    |            |
| 4 to 5 ft                                 |            | .95                |            |
| 5 to 6 ft                                 |            |                    |            |
|   |            |                    |            |
|   |            | in Mount           |            |
| 4 to 6 ft                                 |            | .95<br><b>1.25</b> | .75        |
| 8 to 10 ft                                |            |                    |            |
| 10 to 12 ft                               |            |                    |            |
| SPIREA alba, 6'-7'                        |            | Meadow             | Spirea     |
| 2 to 3 ft                                 | .25        | .20                | .16        |
| 3 to 4 ft                                 | .30        | .25                | .20        |
| 4 to 5 ft                                 | .37        | .30                | .25        |
| — albiflora (callosa alba), 3'            |            | Japanese           | Spirea     |
| 15 to 18 in                               | .18        | .15                | .12        |
| 18 to 24 in                               | .22        |                    |            |
| 2 to 2½ ft                                | .30        | .25                | .20        |
| — billiardi, 5'-6'                        |            | Billiard           | Spirea     |
| 2 to 3 ft                                 | .20        | .18                | .14        |
| 3 to 4 ft                                 | .27<br>.37 | .22<br>.30         | .18<br>.25 |
|   |            |                    |            |
| — bumalda, 3'                             |            | Bumalda            |            |
| 15 to 18 in                               | .18<br>.25 | .15<br>.20         | .12        |
| 2 to 2½ ft                                |            |                    | .20        |
| — — Anthony Waterer, 3' Ant               |            |                    |            |
|   |            |                    |            |
| 12 to 15 in                               | .12        | .10                |            |
| 18 to 24 in                               | .25        |                    |            |
| 2 to 2½ ft                                | .30        | .25                | .20        |
| — latifolia (salicifolia), 4'-5'          | Pink       | Meadow             | Spirea     |
| 18 to 24 in                               | .18        | .15                | .12        |
| 2 to 3 ft                                 | .25        | .20                |            |
| 3 to 4 ft                                 | .30<br>.37 |                    |            |
|   | .37        |                    |            |
| — frobeli, 3'                             | 10         |                    | Spirea     |
| 18 to 24 in                               | .18        |                    | .12        |
| 2½ to 3 ft                                |            | .25                |            |
| — margaritae, 5'-6'                       |            | Iargarita          |            |
| 18 to 24 in                               | .22        |                    | .15        |
| 2 to 3 ft                                 | .30        |                    | .20        |
| — multiflora                              |            | Snow G             | arland     |
| 12 to 18 in                               |            | .12                |            |
| 18 to 24 in                               | .22        |                    | _          |
| 2 to 3 ft                                 | .30        | .25                |            |
| — nipponica rotundifolia, 6'-7' 2 to 3 ft | .30        | g Nippon           | Spirea .20 |
| 3 to 4 ft                                 |            | .25<br>.35         | _          |
| 4 to 5 ft                                 |            |                    |            |
| — opulifolia (See PHYSOCARPU              | S opu      | lifolia)           |            |
| — prunifolia plena 7'-8'                  | = <b>F</b> | · ·                | wreath     |
| 18 to 24 in                               | .30        | .25                | .20        |
| 2 to 3 ft                                 | .37        | .30                | .25        |
| 3 to 4 ft                                 | .52        | .45                | .35        |
| *   |            |                    |            |

| SPIREA—continued              | Unit Pri | ice in Qua<br>5-24 |        |
|-------------------------------|----------|--------------------|--------|
| — reevesiana, 7'-8'           |          | Reeves 8           |        |
| 18 to 24 in                   | .18      | .15                | .12    |
| 2 to 3 ft                     |          | .22                | .16    |
| 3 to 4 ft                     |          | .25                | .20    |
| 4 to 5 ft                     | .37      | .30                | .25    |
| — Fl. Pl. (Lanceata) 7'-8'    | Double   | Reeves             | Spirea |
| 18 to 24 in                   |          | .20                | .15    |
| 2 to 3 ft                     | .30      | .25                | .20    |
| 3 to 4 ft                     | .37      | .30                | .25    |
| — salicifolia                 | Will     | lowleaf s          | Spirea |
| 18 to 24 in                   | 18       | .15                |        |
| 2 to 3 ft                     |          | .20                | .16    |
| 3 to 4 ft                     | .30      | .25                | .20    |
|                               |          |                    | 0      |
| — sorbifolia (See SORBARIA so |          |                    | ~ .    |
| — thunbergi, 4'-5'            |          | inberg             |        |
| 12 to 18 in                   | .15      | .12                |        |
| 18 to 24 in                   |          | . – -              |        |
| 2 to 2½ ft                    |          | .22                | .18    |
| 2½ to 3 ft                    | .37      | .30                | .25    |
| — tomentosa, <b>3'-4'</b>     |          | Har                | dhack  |
| 18 to 24 in                   |          | .15                | .12    |
| 2 to 3 ft                     |          | .20                |        |
| 3 to 4 ft                     | .30      | .25                | .20    |
| — trichocarpa, 5'-6'          |          | Korean :           | Spirea |
| 18 to 24 in                   |          | .20                | .14    |
| 2 to 3 ft                     |          | .25                | .20    |
| 3 to 4 ft                     | .37      | .30                | .25    |
| — vanhouttei, 8'-9'           | Van      | houtte             | Spirea |
| 18 to 24 in                   | .12      | .10                | .08    |
| 2 to 3 ft                     |          | .15                | .12    |
| 3 to 4 ft                     | 25       | .20                | .16    |
| 4 to 5 ft                     |          | .25                | .20    |
| 5 to 6 ft                     | .45      | .37                | .30    |
| — veitchi                     |          | Veitch :           | Spirea |
| 18 to 24 in                   |          | .20                |        |
| 2 to 3 ft                     |          | .25                |        |
| 3 to 4 ft                     | .37      | .30                |        |
| STAPHYLEA colchica, 10'-12'   | Colch    | is Blade           | lernut |
| 18 to 24 in                   |          |                    |        |
| 2 to 3 ft                     |          | .50                |        |
| 3 to 4 ft                     |          | .75                |        |
| STEPHANANDRA flexuosa, 5'-6'  | Cutleaf  | Stephan            | andra  |
| 18 to 24 in                   |          | -                  |        |
| 2 to 3 ft                     |          | .20                | .16    |
| 3 to 4 ft                     |          | .30                | .25    |
|                               |          |                    |        |
| — tanakae, 6'                 |          | Stephan            |        |
| 18 to 24 in                   |          | .25                | .20    |
| 2 to 3 ft                     |          | .30                | .25    |
| 3 to 4 ft                     | 45       | .37                | .30    |

| `                             | Unit Pr  | rice in Qua<br>5-24 |          |
|-------------------------------|----------|---------------------|----------|
| STYRAX japonica, 12'-15'      | Japa     | nese Sno            | owbell   |
| 2 to 3 ft                     | .45      | .37                 |          |
| 3 to 4 ft                     |          | _                   | .50      |
| 4 to 6 ft                     |          |                     | .75      |
| 6 to 8 ft                     |          | 1.75                |          |
| 8 to 10 ft                    | 3.00     | 2.50                |          |
| SYMPHORICARPOS chenaulti, 6   |          | wit Cono            | lh ouner |
|                               |          | ult Cora            | _        |
| 18 to 24 in                   |          | .12                 |          |
| 2 to 3 ft                     |          |                     | .14      |
| 3 to 4 ft                     | .27      | .22                 | .18      |
| — mollis, 4'-5'               | Spread   | ing Snov            | vberry   |
| 18 to 24 in                   | .15      | .12                 | .10      |
| 2 to 3 ft                     | .22      | .20                 | .15      |
| 3 to 4 ft                     | .30      | .25                 | .20      |
| — racemosus, 5'-6'            |          | Snov                | berry    |
| 18 to 24 in                   | .15      | .12                 | .10      |
| 2 to 3 ft                     | .20      | .18                 |          |
| 3 to 4 ft                     | .27      | .22                 |          |
|                               | ,        | •                   |          |
| — vulgaris, 4'-5'             |          |                     | lberry   |
| 18 to 24 in                   |          | .12                 |          |
| 2 to 3 ft                     |          | .18                 |          |
| 3 to 4 ft                     | .27      | .22                 | .18      |
| SYMPLOCUS paniculata, 20'-25' | As       | iatic Swe           | etleaf   |
| 18 to 24 in                   | .37      | .30                 | .25      |
| 2 to 3 ft                     | .52      | .45                 | .35      |
| 3 to 4 ft                     | .75      | .60                 | .50      |
| 4 to 5 ft                     |          | .95                 | .75      |
| 5 to 6 ft                     |          | 1.20                |          |
| SYRINGA chinensis (rothomage  | nsis), 8 | 3'-9'               |          |
| 18 to 24 in                   |          | .25                 | .20      |
| 2 to 3 ft                     |          | .37                 | .30      |
| 3 to 4 ft                     | .60      | .50                 | .40      |
| — chinensis saugeana, 8'-9'   | Purple   | Chinese             | Lilac    |
| 18 to 24 in                   | _        | .25                 | .20      |
| 2 to 3 ft                     |          |                     | .30      |
| 3 to 4 ft                     |          | .50                 | .40      |
|                               |          |                     |          |
| — japonica, 18'-20'           | -        | iese Tree           |          |
| 4 to 5 ft                     | .60      | .50                 | .40      |
| 5 to 6 ft                     |          |                     | .50      |
| 6 to 8 ft                     |          |                     | .75      |
| 8 to 10 ft                    | 1.50     | 1.25                | 1.00     |
| — josikaea, 9'-10'            |          | ungarian            | Lilac    |
| 15 to 18 in.                  | .22      | .20                 | .15      |
| 4 to 5 ft                     |          | .55                 | .45      |
| 5 to 6 ft                     | .85      | .70                 | .55      |
| <b>L</b>                      |          |                     |          |

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

×

|                     | Unit Price in Quantities |         |                    |
|---------------------|--------------------------|---------|--------------------|
| SYRINGA—continued   | 1-4                      | 5-24    | 25-249             |
| — persica, 9'-10'   |                          | Pers'an | L <sup>†</sup> lac |
| 18 to 24 in         | .30                      | .25     | .20                |
| 2 to 3 ft           | .45                      | .37     |                    |
| — alba, 5'-6'       | White                    | Persian | Lilac              |
| 18 to 24 in         | .37                      | .30     | .25                |
| 2 to 3 ft           | .52                      | .45     | .35                |
| — villosa, 7'-8'    |                          | Late    | Lilac              |
| 2 to 3 ft           | .30                      | .25     | .20                |
| 3 to 4 ft           |                          | .37     | .30                |
| 4 to 5 ft           |                          | .50     | .40                |
| 5 to 6 ft           | .75                      | .60     | .50                |
| — vulgaris, 12'-15' | Common                   | Purple  | Lilac              |
| 18 to 24 in         | .18                      | .15     | .12                |
| 2 to 3 ft           | .25                      | .20     | .15                |
| 3 to 4 ft           | .30                      | .25     | .20                |
| 4 to 5 ft           | .45                      | .37     | .30                |
| — — alba, 12'-15'   | Common                   | n White | Lilac              |
| 2 to 3 ft           | .30                      | .25     | .20                |
| 3 to 4 ft           |                          | .37     | .30                |
| 4 to 5 ft           | .60                      | .50     |                    |

## FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

- Alphonse Lavalle, light purple, double.
- Charles Joly, red-mauve, semi-double.
- Charles Tenth, single, violet red.
- Hugo Koster, pale lilac, single.
- Ludwig Spaeth, reddish-purple, single.
- Marie LeGraye, white, single.
- Michel Buchner, lilac, double.
- Pres. Grevy, blue, double.
- President Poincare, violet double.
- -- Rubra de Marly, light blue, single.
- Wm. Robinson, violet-pink, double.

| 18 to 24 in | .50  | .40  | .35 |
|-------------|------|------|-----|
| 2 to 3 ft   |      | .50  | .45 |
| 3 to 4 ft   |      | .65  | .55 |
| 4 to 5 ft   |      | .90  |     |
| 5 to 6 ft   | 1.35 | 1.10 |     |

- Adelaide Dunbar, red-mauve, double.
- Belle de Nancy, light violet red, double.
- Bouss'ngault, light purple, double.
- Capt. Baltet, single light violet.
- Capt. Perrault, double, rose mauve.
- Congo, single, dark violet red.
- Edmond Boissier, single, light red mauve.
- Florent Stepman, white, single.
- Katherine Havemeyer, double, light mauve.
- Louvain, light purple, single.
- Mme. Casimir Perier, double, white.
- Mme. F. Morel, light mauve, single.
- Olivier de Serres, double, blush mauve.
- Paul Deschauel, double, light red mauve.

| SYRINGA—FRENCH LILACS continued             | Unit P            | Unit Price in Quantities 1-4 5-24 25-249 |              |  |
|---|-------------------|--|--------------|--|
| -Pres. Lincoln, single, light blu           | ie.               |  |              |  |
| - Reamur, single, violet red.               |                   |  |              |  |
| - Vestale, single white.                    |                   |  |              |  |
| 18 to 24 in                                 | .50               | .45                                      |              |  |
| 2 to 3 ft                                   | .70               | .55                                      |              |  |
| 3 to 4 ft                                   | .90<br>1.25       | .75<br>1.00                              |              |  |
| 5 to 6 ft                                   |                   |  |              |  |
| TAMARIX africana, 12'-14'                   | <b>A</b> :        | African Tamarix                          |              |  |
| 18 to 24 in                                 | .15               | .12                                      | .10          |  |
| 2 to 3 ft                                   | .20<br>.27        | .18                                      | .14          |  |
| 4 to 5 ft                                   | .37               | .22<br>.30                               | .18          |  |
| — gallica, 8'-9'                            |                   | rench T                                  |              |  |
| 18 to 24 in                                 | .15               | .12                                      | .10          |  |
| 2 to 3 ft                                   | .20               | .18                                      | .14          |  |
| 3 to 4 ft                                   | .27               | .22                                      | .18          |  |
| 4 to 5 ft                                   | .37               | .30                                      | .25          |  |
| — pentandra, 12'-15' 18 to 24 in            |                   | amen T                                   |              |  |
| 2 to 3 ft                                   | .18<br>.25        | .15<br>.20                               | .12          |  |
| 3 to 4 ft                                   | .33               | .27                                      | .22          |  |
| 4 to 5 ft                                   | .45               | .37                                      | .30          |  |
| <del></del>                                 |                   |  |              |  |
| TAXODIUM distichum, 75'-100'                | Commo             | on Balde                                 | cypress      |  |
| 3 to 4 ft. B. & B                           | 2.25              | 1.90                                     | 1.50         |  |
| 4 to 5 ft. B. & B<br>5 to 6 ft. B. & B      | 3.00              | 2.50                                     | 2.00         |  |
| 6 to 8 ft. B. & B.                          | <b>4.5</b> 0 6.00 | 3.75<br>5.00                             | 3.00<br>4.00 |  |
| 8 to 10 ft., B. & B                         | 7.50              | 6.00                                     | 5.00         |  |
| 10 to 12 ft., B. & B                        | 9.00              | 7.50                                     |              |  |
| TAXUS—THE YEWS                              |                   |  |              |  |
| TAXUS baccata, 15 -20'                      |                   | Englis                                   | h Yew        |  |
| 15 to 18 in., B. & B                        | .90               | .75                                      | .60          |  |
| 18 to 24 in., B. & B.  2 to 2½ ft., B. & B. |                   | .95                                      | .75          |  |
| 2½ to 3 ft B. & B.                          | 1.90<br>2.60      | 1.50<br>2.20                             |              |  |
| 3 to 4 ft., B. & B                          | 3.40              | 2.80                                     |              |  |
| — — compacta (adpressa erecta)              |                   |  |              |  |
| Upright Sl                                  |                   | f Englis                                 | h Yew        |  |
| 18 to 24 in., B. & B                        | 1.50              | 1.25                                     | 1.00         |  |
| 2 to 2½ ft., B. & B                         | 2.25<br>3.00      | 1.90<br>2.50                             | 1.50<br>2.00 |  |
| 3 to 4 ft., B. & B                          | 4.50              | 3.75                                     | 3.00         |  |
| 4 to 5 ft., B. & B                          | 5.25              | 4.50                                     |              |  |
| — erecta aurea, 12'-15' Golden Upright      | t Short           | le <b>af</b> Ens                         | z. Yew       |  |
| 18 to 24 in., B. & B                        |                   |  |              |  |
| 2 to $2\frac{1}{2}$ ft., B. & B             | 3.25              |  |              |  |
| $2\frac{1}{2}$ to 3 ft., B. & B             | <b>4.5</b> 0      |  |              |  |
| <b>3</b>                                    |                   |  |              |  |

| Unit Price in Quantities TAXUS—continued 1-4 5-24 25-249  |  |  |  |
|---|--|--|--|
| — — fastigiata, 10'   |  | Irish  | Yew  |
| 12 to 15 in., B. & B  | 1.10   | .95  | .75  |
| — repandens, 18"-24" Spi  | reading  | English  | Yew  |
| 12 to 15 in., B. & B  | 1.10<br>1.90<br>2.60<br>3.40<br>4.50                           | .95<br>1.50<br>2.20<br>2.80<br>3.75  | .75<br>1.25<br>1.75<br>2.25                                |
| - tardiva, 15'  | hortleaf   | English  | Yew  |
| 12 to 15 in., B. & B  | 1.50<br>2.25   |  | . 1.50   |
| — canadensis, $2'-2\frac{1}{2}'$  |  | Canada   | Yew  |
| 12 to 15 in., B. & B  | 1.25<br>1.90   |  |  |
| — cuspidata, 10'-15' Spr  |  |  |  |
| 12 to 15 in., B. & B  | 1.10<br>1.90<br>2.60<br>3.90<br>5.25<br>7.50<br>10.00<br>15.00 | .60<br>.95<br>1.50<br>2.20<br>3.25<br>4.50<br>6.00<br>8.00<br>12.50<br>additiona | .50<br>.75<br>1.25<br>1.75<br>2.75<br>3.75<br>5.00<br>7.00 |
| — — browni, 10'-15'   |  |  |  |
| 12 to 15 in., B. & B  | 1.90   | .95<br>1.50  | .75<br>1.25  |
| •   |  | Japanese   |  |
| 12 to 15 in., B. & B  | 1.10<br>1.90<br>2.25<br>3.00<br>4.10<br>5.25<br>6.75           | .60<br>.95<br>1.50<br>1.90<br>2.50<br>3.50<br>4.40<br>5.50<br>8.00               | .50<br>.75<br>1.25<br>1.50<br>2.00<br>2.75<br>3.50<br>4.50 |
| — fastigiata (T. columnaris)  12 to 15 in., B. & B  15 to 18 in., B. & B  18 to 24 in., B. & B  — hicksi, 20'-25' | . 1.10   | .60<br>.95<br>1.50<br><b>Hicks</b>   | .50<br>.75<br><b>Yew</b>                                   |
| 15 to 18 in., B. & B  | . 1.90<br>. 2.60<br>. 3.75                                     | .95<br>1.50<br>2.20<br>3.00<br>4.00  | .75<br>1.25<br>1.75<br>2.50<br>3.25                        |

×

| TAXUS—continued                 | Unit P<br>1-4 | rice in Quan<br>5-24 |       |
|---------------------------------|---------------|----------------------|-------|
| — — rana (brevifolia), 2'-3'    |               | Japanese             | _     |
| 9 to 12 in., B. & B             | .75           | .60                  | .50   |
|                                 |               | 1.25                 | 1.00  |
| 15 to 18 in., B. & B            | 2.25          | 1.23                 | 1.50  |
| 18 to 24 in. B. & B             | 3.40          | 2.80                 | 2.25  |
| 2 to 2½ ft. B. & B              |               | 4.40                 | 3.50  |
| 2½ to 3 ft. B. & B              |               | 5.50                 | 3.30  |
| 3 to 3½ ft. B. & B              |               | 7.00                 |       |
| — — thayeri, 6'-8'              |               | Thayers              | Yew   |
| 12 to 15 in., B. & B            | 1.10          | .95                  | .75   |
| 15 to 18 in. B. & B.            | 1.50          | 1.25                 | 1.00  |
|                                 | 2.25          | 1.90                 | 1.50  |
| 2 to 2½ ft. B. & B              |               | 2.80                 | 2.25  |
| 2½ to 3 ft., B. & B             |               | 3.75                 | 3.00  |
| — hatfieldi, 8'-10'             |               | Hatfield             | Yew   |
| 12 to 15 in., B. & B            | .75           | .60                  | .50   |
| 15 to 18 in., B. & B            | 1.10          | .95                  | .75   |
| 18 to 24 in., B. & B            | 1.90          | 1.50                 | 1.25  |
| 2 to 2½ ft., B. & B             | 2.60          | 2.20                 | 1.75  |
| 2½ to 3 ft., B. & B             | 3.75          | 3.00                 | 2.50  |
| 3 to 4 ft., B. & B.             | 5.25          | 4.40                 | 3.50  |
| — — ovata                       |               |                      |       |
| 12 to 15 in., B. & B            | .75           | .60                  | .50   |
| 15 to 18 in., B. & B.           | 1.10          | .95                  | .75   |
| 18 to 24 in., B. & B            | 1.90          | 1.50                 | 1.25  |
| — intermedia, 12'-15'           |               | Hybrid               | Yew   |
| 12 to 15 in. B. & B             | 1.10          | .95                  | .75   |
| 15 to 18 in. B. & B.            | 1.50          | 1.25                 | 1.00  |
| 18 to 24 in., B. & B.           | 2.25          | 1.90                 | 1.50  |
| 2 to 2½ ft., B. & B.            | 3.00          | 2.50                 | 2.00  |
| $2\frac{1}{2}$ to 3 ft., B. & B | 3.50          | 3.00                 |       |
| THUJA occidentalis, 15'-30'     | Americ        | an Arbor             | vitae |
| 2 to 3 ft., B. & B              | 1.10          | .95                  | .75   |
| 3 to 4 ft., B. & B              | 1.50          | 1.25                 | 1.00  |
| 4 to 5 ft., B. & B.             | 2.25          | 1.90                 | 1.50  |
| 5 to 6 ft., B. & B              | 3.00          | 2.50                 | 2.00  |
|                                 | 4.10          | 3.50                 | 2.75  |
| 8 to 10 ft., B. & B             | 6.75          | 5.50                 | 4.50  |
| 10 to 12 ft., B. & B            | 9.00          | 7.50                 | 6 00  |
|                                 |               |                      |       |



Thuja occidentalis pyramidalis 3 to 4 ft. and 4 to 5 ft.

| MIIIIA continued                            | Unit Pr      | ice in Quan           | tities                         |
|---|--------------|-----------------------|--------------------------------|
| THUJA—continued                             | 1-4          | 5-24 2                |                                |
| —— compacta, 2½'-4'                         |              | ns Arbor              |                                |
| , , , -                                     | .60          | .50<br>.75            | .40<br>.60                     |
| 15 to 18 in., B. & B                        | .90<br>1.10  | .95                   | .75                            |
| 2 to 2½ ft., B. & B                         | 1.50         | 1.25                  | 1.00                           |
| 2½ to 3 ft., B. & B                         | 1.90         | 1.50                  | 1.25                           |
| 3 to 3½ ft., B. & B                         | 2.25         | 1.90                  | 1.50                           |
| — — douglasi aurea, 10'-15'                 | 0.14         | an Ambai              | nzitoo                         |
|   |              | en Arbor              | VILAE                          |
| 3 to 4 ft., B. & B                          | 1.35         |                       |                                |
| 5 to 6 ft., B. & B                          | 2.40         | 2.00                  |                                |
| 6 to 8 ft., B. & B                          | 3.75         | 3.00                  |                                |
| — elegantissima, 10'-15' Gol                | dentipp      | ed Arbo               |                                |
| 2 to 3 ft., B. & B                          | 1.10         | .95                   | .75                            |
| 5 to 1 -11, -1 -1                           | 1.50<br>2.25 | 1.25<br>1.90          | 1. <b>0</b> 0<br>1. <b>5</b> 0 |
| 4 to 5 ft., B. & B<br>5 to 6 ft., B. & B    | 3.40         |                       | 2.25                           |
|   | 5.25         |                       |                                |
| 7 to 8 ft., B. & B                          | 7.50         | 6.25                  | 5.00                           |
| — ellwangeriana, 4'-6' Tor                  |              | _                     | rvitae                         |
| -   | .75          |                       |                                |
| 18 to 24 in., B. & B<br>2 to 2½ ft., B. & B | 1.20         | 1.00                  |                                |
| — globosa, 3'-4'                            |              | be Arbo               | rvitae                         |
| 12 to 15 in., B. & B                        | .70          | .55                   | .45                            |
| 15 to 18 in., B. & B                        | .90          | .75                   | .60                            |
| 18 to 24 in., B. & B                        |              | 1.00                  | .80                            |
| 2 to 2½ ft., B. & B                         |              | 1.25<br>1.50          | 1.00<br>1.25                   |
| 2½ to 3 ft., B. & B                         |              | vey Arbo              |                                |
| 12 to 15 in., B. & B                        | .60          | .50                   | .40                            |
| 15 to 18 in., B. & B                        | .90          | .75                   | .60                            |
| 18 to 24 in., B. & B                        | 1.10         | .95                   | .75                            |
| 2 to 2½ ft., B. & B                         | 1.50         | 1.25                  | 1.00                           |
| 2½ to 3 ft., B. & B                         |              | 1. <b>5</b> 0<br>1.90 | 1. <b>25</b><br>1.50           |
| 3 to 3½ ft., B. & B                         |              |                       |                                |
| 2 to 2 ½ ft., B. & B                        | .95          | .75                   | .65                            |
| 2½ to 3 ft., B. & B                         | 1.20         | 1.00                  | .80                            |
| 3 to 4 ft., B. & B                          |              | 1.30                  | 1.00                           |
| 4 to 5 ft., B. & B                          | ~ = =        | 2.20                  | 1.75                           |
| 5 to 6 ft., B. & B                          |              | 3.00<br>4.00          | 2.50<br>3.25                   |
| — — plicata, 10'-12'                        |              | loss Arbo             |                                |
| 2 to 3 ft., B. & B                          | 4.40         | .95                   | .75                            |
| 3 to 4 ft., B. & B                          | 1.50         | 1.25                  | 1.00                           |
| 4 to 5 ft., B. & B                          | 2.60         | 2.20                  | 1.75                           |
| 5 to 6 ft., B. & B                          |              | 3.00                  | 2.50                           |
| 6 to 7 ft., B. & B                          | 4.90<br>6.35 | 4.00<br>5.30          | 3.25<br>4.25                   |
| 7 to 8 ft., B. & B<br>8 to 10 ft., B. & B   | 6.35<br>9.00 | 7.50                  | 6.00                           |
| 8 to 10 it., b. & b                         | 7.00         | 7.50                  | 0.00                           |
|   |              |                       |                                |

Our Retail Catalogue gives a complete list of all our material and includes many scarce and unusual varieties. Send for a copy if interested.

|   | 11  | D.: O   |   |
|---|---|---|---|
| THUJA—continued   |   | Price in Qua  |   |
|   | 1-4   |   | 25-249  |
|   | -   | idal Arb  |   |
| 18 to 24 in   |   |   |   |
| 2 to 3 ft. B. & B   |   |   |   |
| 3 to 4 ft. B. & B   |   |   | 1.50<br>2.00  |
| 4 to 5 ft., B. & B<br>5 to 6 ft., B. & B  |   |   | 2.75  |
| 6 to 7 ft., B. & B  |   |   | _   |
| 7 to 8 ft., B. & B  |   |   |   |
| 8 to 10 ft., B. & B   |   |   |   |
| 10 to 11 ft., B. & B  |   |   |   |
|   |   |   |   |
| — — rosenthali, 6'-10'  | Rosen   | thal Arb  | orvitae   |
| 18 to 24 in., B. & B  | . 1.10  |   |   |
| 2 to 2½ ft., B. & B   | . 1.50  | 1.25  |   |
| $2\frac{1}{2}$ to 3 ft., B. & B   |   |   |   |
| 3 to 4 ft., B. & B.   |   |   |   |
| 4 to 5 ft., B. & B  |   |   |   |
| 5 to 6 ft., B. & B  | . 4.50  | 3.75  | 3.00  |
| — — umbraculifera, 2'-3'  | Umhi  | ella Arb  | orvitaa   |
|   |   |   |   |
| 18 to 24 in., B. & B  |   |   |   |
| $2\frac{1}{2}$ to 3 ft., B. & B   |   |   |   |
| 2/2 to 0 ft., D. & D  | . 1.50  | 1.50  | 1.23  |
| — vervaeneana, 8'-12'   | Verva   | ene Arbo  | orvitae   |
| 2 to 2½ ft., B. & B   | 1.00  | .80   | .65   |
| 2½ to 3 ft., B. & B   | 1.35  | 1.10  | .90   |
| 3 to 4 ft., B. & B.   | 1.90  | 1.50  |   |
| 4 to 5 ft., B. & B  | . 2.25  | 1.90  | 1.50  |
| 5 to 6 ft., B. & B  | . 3.75  | 3.00  | 2.00  |
| ——— aurea, 8'-12' Golden  | Vonze   | one Amb   |   |
|   |   |   | orvitae   |
| 3 to 4 ft. B. & B<br>4 to 5 ft. B. & B  |   | 1.50  |   |
| 5 to 6 ft. B. & B   | . 2.40<br>3.75  | 2.00<br>3.00  |   |
|   |   |   |   |
| — occidentalis wareana, 12'-15'   | Sibe  | rian Arbo   | orvitae   |
| 18 to 24 in. B. & B   | 75  | 60  | 50  |
| 2 to 2½ ft. B. & B.   | . 1.10  | .95   | .75   |
| 2½ to 3 tt. B. & B  | . 1.50  | 1.25  | 1.00  |
| 3 to 4 ft. B. & B   | . 2.25  | _   | 1.50  |
| 4 to 5 ft. B. & B   | . 3./5  | 3.00  | 2.50  |
|   |   |   |   |
| DIOTA CITINETE AT   |   |   |   |
| DIUTA OF CHINESE AL   | RBORV   | TTAE  |   |
| BIOTA or CHINESE AI  — orientalis (Biota) 20'-25'   |   |   |   |
| — orientalis (Biota), 20'-25'   | Orie  | ntal Arbo   |   |
| — orientalis (Biota), 20'-25' 2 to 3 ft., B. & B  | Orie:   | ntal Arbo   | .75   |
| — orientalis (Biota), 20'-25' 2 to 3 ft., B. & B  | Orien 1.10 1.50   | n <b>tal Arbo</b><br>.95<br>1.25  | .75<br>1.00   |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B   | Orien 1.10 1.50 2.25  | ntal Arbo<br>.95<br>1.25<br>1.90  | .75<br>1.00<br>1.50   |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B   | Orien 1.10 1.50 2.25 3.00   | ntal Arbo<br>.95<br>1.25<br>1.90<br>2.50  | .75<br>1.00<br>1.50<br>2.00                                   |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.   | Orien 1.10 1.50 2.25 3.00 4.10  | .95<br>1.25<br>1.90<br>2.50<br>3.50   | .75<br>1.00<br>1.50<br>2.00<br>2.75                           |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  | Orien 1.10 1.50 2.25 3.00 4.10 5.25                                       | .95<br>1.25<br>1.90<br>2.50<br>3.50   | .75<br>1.00<br>1.50<br>2.00                                   |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.   | Orien 1.10 1.50 2.25 3.00 4.10 5.25                                       | .95<br>1.25<br>1.90<br>2.50<br>3.50   | .75<br>1.00<br>1.50<br>2.00<br>2.75                           |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  —— aurea conspicua (Biota),   | Orien 1.10 1.50 2.25 3.00 4.10 5.25  7'-8' Goldsn                         | .95<br>1.25<br>1.90<br>2.50<br>3.50<br>4.40   | .75<br>1.00<br>1.50<br>2.00<br>2.75<br>3.50                   |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  — aurea conspicua (Biota),  18 to 24 in., B. & B.   | Orien 1.10 1.50 2.25 3.00 4.10 5.25  7'-8' Goldsn .90                     | .95<br>1.25<br>1.90<br>2.50<br>3.50<br>4.40   | .75<br>1.00<br>1.50<br>2.00<br>2.75<br>3.50<br>ervitae        |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  —— aurea conspicua (Biota),  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  | Orien 1.10 1.50 2.25 3.00 4.10 5.25  7'-8' Goldsn .90 1.20                | .95<br>1.25<br>1.90<br>2.50<br>3.50<br>4.40<br>Dire Arbo                                | .75<br>1.00<br>1.50<br>2.00<br>2.75<br>3.50<br>ervitae<br>.60 |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  — aurea conspicua (Biota),  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.   | Orien 1.10 1.50 2.25 3.00 4.10 5.25  7'-8' Goldsn 1.20 1.90               | .95<br>1.25<br>1.90<br>2.50<br>3.50<br>4.40<br>Dire Arbo                                | .75<br>1.00<br>1.50<br>2.00<br>2.75<br>3.50<br>ervitae<br>.60 |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  — aurea conspicua (Biota),  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.                      | Orien 1.10 1.50 2.25 3.00 4.10 5.25  7'-8' Goldsn .90 1.20 1.90 2.00      | .95<br>1.25<br>1.90<br>2.50<br>3.50<br>4.40<br>Dire Arbo<br>.75<br>1.00<br>1.50<br>2.50 | .75<br>1.00<br>1.50<br>2.00<br>2.75<br>3.50<br>ervitae<br>.60 |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  — aurea conspicua (Biota),  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.  4 to 5 ft., B. & B. | Orien 1.10 1.50 2.25 3.00 4.10 5.25  7'-8' Goldsn 1.20 1.90 2.00 3.75     | .95<br>1.25<br>1.90<br>2.50<br>3.50<br>4.40<br>Dire Arbo<br>.75<br>1.00<br>1.50         | .75<br>1.00<br>1.50<br>2.00<br>2.75<br>3.50<br>ervitae<br>.60 |
| — orientalis (Biota), 20'-25'  2 to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft. B. & B.  5 to 6 ft. B. & B.  6 to 7 ft., B. & B.  7 to 8 ft., B. & B.  — aurea conspicua (Biota),  18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft., B. & B.                      | Orien 1.10 1.50 2.25 3.00 4.10 5.25  7'-8' Goldsr .90 1.20 1.90 2.00 3.75 | .95<br>1.25<br>1.90<br>2.50<br>3.50<br>4.40<br>Dire Arbo<br>.75<br>1.00<br>1.50<br>2.50 | .75<br>1.00<br>1.50<br>2.00<br>2.75<br>3.50<br>ervitae<br>.60 |

| TRINCETON NORS                                      |                  |                     |                     |
|---|------------------|---------------------|---------------------|
| THUJA—continued                                     | Unit F<br>1-4    | Price in Qu<br>5-24 | uantities<br>25-249 |
| ——— nana (Biota), 2½'-3'                            |                  |                     |                     |
| Berckman  | is Gol           | den Arl             | orvitae             |
| 12 to 15 in., B. & B                                | .90              | .75                 | .60                 |
| 15 to 18 in., B. & B                                | 1.20             |                     | .80                 |
| 18 to 24 in. B. & B                                 | 1.90             | 1.50                | 1.25                |
| 2 to 2½ ft., B. & B                                 |                  |                     |                     |
| 2½ to 3 ft., B. & B                                 |                  | 3.00                |                     |
| 3 to 3½ ft., B. & B                                 |                  | 4.00                |                     |
| — compacta (Biota), 3'-4'                           |                  | old Arb             | orvitae             |
| 18 to 24 in., B. & B                                |                  |                     |                     |
| 2 to 2½ ft., B. & B                                 | 1.65             |                     |                     |
| 2½ to 3 ft., B. & B                                 | 2.00             |                     |                     |
| 3 to 4 ft., B. & B                                  | 2.50             |                     |                     |
| 4 to 5 ft., B. & B                                  | 3.75             | 3.00                |                     |
| — orientalis elegantissima (Biota                   | ı), <b>7′-</b> 8 | 3'                  |                     |
| Yellov  | v Colu           | mn Art              | orvitae             |
| 18 to 24 in., B. & B                                |                  | .75                 | .60                 |
| 2 to $2\frac{1}{2}$ ft., B. & B                     |                  | .95                 | .75                 |
| 2½ to 3 ft., B. & B                                 |                  | 1.50                | 1.25                |
| 3 to 4 ft., B. & B                                  |                  | 2.20                | 1.75                |
| 4 to 5 ft., B. & B                                  |                  |                     |                     |
| 5 to 6 ft., B. & B                                  |                  | 3.50                |                     |
| 6 to 7 ft., B. & B                                  | 5.25             | 4.40                |                     |
| TWO ARBORVITAE THAT A                               | RE D             | IFFERI              | ENT                 |
| — plicata atrovirens (lobbi), 100                   | ' Gi             | ant Arb             | orvitae             |
| 2 to 3 ft. B. & B                                   |                  |                     |                     |
| 3 to 4 ft. B. & B                                   |                  |                     |                     |
| 4 to 5 ft. B. & B                                   |                  |                     |                     |
| 5 to 6 ft. B. & B                                   |                  |                     |                     |
| 6 to 7 ft B. & B                                    | 4.50             | 3.75                |                     |
| 7 to 8 ft., B. & B                                  | 6.00             | 5.00                |                     |
| — standishi, 25'-40'                                | Standi           | sh Arb              | orvitae             |
| 2 to 2½ ft., B. & B                                 | 1.10             | .90                 |                     |
| 2½ to 3 ft., B. & B                                 |                  | 1.25                |                     |
| 3 to 4 ft., B. & B                                  | 1.90             | 1.50                |                     |
| 4 to 5 ft., B. & B                                  | 2.50             | 2.00                |                     |
| 5 to 6 ft., B. & B                                  | 3.00             | 2.50                |                     |
| TILIA—THE LIN                                       | DENS             |                     |                     |
|   |                  | nerican             | Linden              |
| 6 to 8 ft   |                  | 1.00                |                     |
| 8 to 10 ft., 1½ to 1½ in                            | 1.50             |                     |                     |
| 10 to 12 ft., 1½ to 1¾ in                           | 2.00             | 1.70                |                     |
| 10 to 12 ft., 13/4 to 3 in                          | 2.50             | 2.05                |                     |
| 12 to 14 ft., 2 to 2 <sup>1</sup> / <sub>4</sub> in | 3.00             | 2.50                |                     |
| 12 to 14 ft., 2 to 2½ in                            | 3.75             | 3.00                | 2.50                |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in                | 4.25             | 3.50                |                     |
| 16 to 18 ft., 3 to 3½ in                            | 5.25             | 4.50                |                     |
| cordata, 70' Littlele                               | eaf Eu           | ropean              | Linder              |
| 6 to 8 ft   | 1.50             | 1.25                | 1.00                |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in    | 2.25             | 1.90                |                     |
| 8 to 10 ft., 1½ to 1¾ in                            | 2.60             | 2.20                |                     |
| 10 to 11 ft., 13/4 to 2 in                          | 3.00             | 2.50                | 2.00                |
| 10 to 12 ft., 2 to 2½ in                            |                  | 2.80                |                     |
| 10 to 12 ft., 21/4 to 21/2 in                       | 4.10             | 3.50                | 2.75                |
| 12 to 14 ft., 2½ to 3 in                            | 5.25<br>6.75     | 4.40                | 3.50<br>4.50        |
| 12 to 14 ft., 3 to $3\frac{1}{2}$ in                | 6.75             | 5.50                | 4.50                |
|   |                  |                     |                     |

| TILIA—continued                                   |      | Price in Qu<br>5-24 |        |
|---|------|---------------------|--------|
| — neglecta, 60'-75'                               |      | Gray                | Linden |
| 8 to 10 ft., 1½ to 1¾ in                          | 2.75 | 2.25                |        |
| 9 to 10 ft., 13/4 to 2 in                         | 3.25 | 2.75                |        |
| 10 to 11 ft., 2 to 2½ in                          | 3.75 | 3.25                |        |
| 10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in | 4.50 | 3.75                | ·      |
| 12 to 14 ft., 2½ to 3 in                          | 5.00 | 3.50                |        |
| 12 to 14 ft. 3 to 3½ in                           | 6.00 | 5.00                |        |
| — petiolaris, 40'-60'                             | V    | Veeping             | Linden |
| 8 to 10 ft  | 1.50 | 1.25                | 1.00   |
| 8 to 10 ft. 1¼ to 1½ in                           | 2.25 | 1.90                | 1.50   |
| 10 to 11 ft., 1½ to 1¾ in                         | 3.00 | 2.50                | 2.00   |
| 10 to 12 ft., 13/4 to 2 in                        | 3.75 | 3.00                | 2.50   |
| 10 to 12 ft., 2 to 2½ in                          | 5.25 | 4.40                | 3.50   |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in              | 7.50 | 6.25                | 5.00   |



Tilia cordata—Offering an excellent stock at very reasonable prices.

This is one of our finest shade trees.

| TILIA—continued  | Unit P<br>1-4   | rice in Qu<br>5-24  | antities<br>25-249   |
|--|---|---|--|
| — platyphyllos, 70' Bigle  | af Eu   | ropean  | Linden   |
| 6 to 8 ft  | 1.50  | 1.25  | 1.00   |
| 8 to 10 ft., 1½ to 1½ in   | 1.90  | 1.50  |  |
| 8 to 10 ft., 1½ to 1¾ in   | 2.25  | 1.90  |  |
| 8 to 10 ft., 13/4 to 2 in  | 2.60  | 2.20  |  |
| 10 to 12 ft 2 to 2½ in   | 3.00  | 2.50  | 2.00<br>2.50   |
| 10 to 12 ft., 2½ to 2½ in  | 3.75  |   |  |
| 12 to 14 ft., 2½ to 3 in   | 4. <b>5</b> 0<br>5.25   | 3.73<br>4.40  | _  |
| 1 2to 14 ft. 3 to 3½ in  | 3.23  |   | Linden   |
| 6 to 8 ft  | 1.50  | 1.25  | 1.00   |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in   | 2.25  | 1.90  | 1.50   |
| 9 to 10 ft., 1½ to 1¾ in   | <b>3.0</b> 0  | 2.50  | 2.00   |
| 10 to 11 ft., 13/4 to 2 in   | 3.75  |   |  |
| 10 to 12 ft., 2 to 2½ in   | 4.50  | 3.75  |  |
| 10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in  | 6.00  | 5.00  |  |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in   | 7.50  | 6.25  | 5.00   |
| 12 to 14 ft., 3 to 3½ in   | 9.00  | 7.50  |  |
| — vulgaris, 70'-90'  |   | ropean<br>1.25  | Linden 1.00  |
| 6 to 8 ft<br>8 to 10 ft  | 1.50<br>2.00  | 1.70  |  |
| 8 to 10 ft. 1½ to 1½ in  | 2.50  | 2.00  | 1.65   |
| 10 to 12 ft., 1½ to 1¾ in  | 3.00  |   |  |
| 10 to 12 ft., 1½ to 1¼ m   | 3.50  |   | 2.35   |
| 11 to 13 ft., 2 to 2½ in   | 4.25  |   |  |
| 11 to 13 ft., 2½ to 2½ in  | 5.25  |   | 3.50   |
| 13 to 14 ft., $2\frac{1}{2}$ to 3 in   | 6.00  | 5.00  |  |
| THE HEMLOC<br>TSUGA canadensis, 75'-90'  |   | nada H  | [e <b>mlock</b>  |
| ·  |   | .95   | .75  |
| 18 to 24 in., B. & B<br>2 to 3 ft., B. & B   |   | 1.50  |  |
| 3 to 4 ft., B. & B   |   | 2.20  |  |
| 4 to 5 ft., B. & B   |   | 3.00  |  |
| 5 to 6 ft., B. & B   | 5.25  |   | 3.50   |
| 6 to 7 ft., B. & B   | 6.75  | 5.50  | 4.50   |
| 7 to 8 ft., B. & B   | 8.50  | _   |  |
| 8 to 9 ft., B. & B   | 11.00   |   |  |
| — — pendula, 8'-10'  |   |   | lemlock  |
| 18 to 24 in., B. & B   | 2.40  |   |  |
| 2 to 2½ ft., B. & B  | 3./3<br>5.00  | 3.00  |  |
| 2½ to 3 ft., B. & B  | 3.00<br>7.50  | 4.00<br>6. <b>00</b>  |  |
| 3 to 4 ft. B. & B  |   |   | lemlock  |
| caroliniana. 50'-60'   | Car   | uma 1.  |  |
| ·  |   |   | ./3  |
| 18 to 24 in., B. & B.  | 1.10  | .95   | .75<br>1.00  |
| 18 to 24 in., B. & B   | 1.10<br>1.50  | .95<br>1.25   | 1.00   |
| 18 to 24 in., B. & B   | 1.10<br>1.50<br>2.25  | .95<br>1.25<br>1.90   | 1.00<br>1.50   |
| 18 to 24 in., B. & B   | 1.10<br>1.50<br>2.25<br>2.60  | .95<br>1.25<br>1.90<br>2.20   | 1.00<br>1.50<br>1.75   |
| 18 to 24 in., B. & B   | 1.10<br>1.50<br>2.25<br>2.60<br>3.75  | .95<br>1.25<br>1.90<br>2.20<br>3.00   | 1.00<br>1.50<br>1.75<br>2.50   |
| 18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  — diversifolia, 30'-40'   | 1.10<br>1.50<br>2.25<br>2.60<br>3.75<br>5.25                                | .95<br>1.25<br>1.90<br>2.20<br>3.00<br>4.40<br>eanese H                                     | 1.00<br>1.50<br>1.75<br>2.50<br>3.50<br>Iemlock                                    |
| 18 to 24 in., B. & B   | 1.10<br>1.50<br>2.25<br>2.60<br>3.75<br>5.25<br>Jap<br>1.50                 | .95<br>1.25<br>1.90<br>2.20<br>3.00<br>4.40<br>anese H                                      | 1.00<br>1.50<br>1.75<br>2.50<br>3.50<br>Iemlock<br>1.00                            |
| 18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  — diversifolia, 30′-40′  15 to 18 in., B. & B.  18 to 24 in., B. & B. | 1.10<br>1.50<br>2.25<br>2.60<br>3.75<br>5.25<br>Jap<br>1.50<br>2.25         | .95<br>1.25<br>1.90<br>2.20<br>3.00<br>4.40<br>eanese H                                     | 1.00<br>1.50<br>1.75<br>2.50<br>3.50<br>Iemlock<br>1.00<br>1.50                    |
| 18 to 24 in., B. & B.  2 to 2½ ft., B. & B.  2½ to 3 ft., B. & B.  3 to 4 ft. B. & B.  4 to 5 ft., B. & B.  5 to 6 ft., B. & B.  — diversifolia, 30′-40′  15 to 18 in., B. & B.                        | 1.10<br>1.50<br>2.25<br>2.60<br>3.75<br>5.25<br>Jap<br>1.50<br>2.25<br>3.00 | .95<br>1.25<br>1.90<br>2.20<br>3.00<br>4.40<br>eanese H<br>1.25<br>1.90<br>2.50             | 1.00<br>1.50<br>1.75<br>2.50<br>3.50<br>Iemlock<br>1.00<br>1.50<br>2.00            |
| 18 to 24 in., B. & B   | 1.10<br>1.50<br>2.25<br>2.60<br>3.75<br>5.25<br>Jap<br>1.50<br>2.25<br>3.00 | .95<br>1.25<br>1.90<br>2.20<br>3.00<br>4.40<br>eanese H<br>1.25<br>1.90<br>2.50<br>iebold H | 1.00<br>1.50<br>1.75<br>2.50<br>3.50<br>Iemlock<br>1.00<br>1.50<br>2.00            |
| 2 to 2½ ft., B. & B  | 1.10<br>1.50<br>2.25<br>2.60<br>3.75<br>5.25<br>Jap<br>1.50<br>2.25<br>3.00 | .95<br>1.25<br>1.90<br>2.20<br>3.00<br>4.40<br>anese H<br>1.25<br>1.90<br>2.50<br>iebold H  | 1.00<br>1.50<br>1.75<br>2.50<br>3.50<br>Iemlock<br>1.00<br>2.00<br>Iemlock<br>1.00 |
| 18 to 24 in., B. & B   | 1.10<br>1.50<br>2.25<br>2.60<br>3.75<br>5.25<br>Jap<br>1.50<br>2.25<br>3.00 | .95<br>1.25<br>1.90<br>2.20<br>3.00<br>4.40<br>eanese H<br>1.25<br>1.90<br>2.50<br>iebold H | 1.00<br>1.50<br>1.75<br>2.50<br>3.50<br>Iemlock<br>1.00<br>1.50<br>2.00            |

| { U }   | Unit I       | Price in Quant<br>5-24 2 |                |
|---|--------------|--------------------------|----------------|
| ULMUS americana, 80'-100'                         | •            | American                 |                |
| 6 to 8 ft   | .75          | .60                      | .50            |
| 8 to 10 ft  | .90          | .75                      | .60            |
| 8 to 10 ft., 1¼ to 1½ in                          | 1.00         | .90                      | .70            |
| 9 to 11 ft., 1½ to 1¾ in                          | 1.50         | 1.25                     | 1.00           |
| 10 to 12 ft., 13/4 to 2 in                        | 2.25         | 1.90                     | 1.50           |
| 11 to 12 ft., 2 to 2½ in                          | 3.00         | 2.50                     | 2.00           |
|   | 3.75         | 3.00                     | 2.50           |
| 12 to 14 ft., 2½ to 2½ in                         | 5.25         | 4.40                     | 3.50           |
| 12 to 14 ft., 2½ to 3 in                          | 5.23<br>6.75 | 5.50                     | 4.50           |
| 14 to 16 ft., 3 to 3½ in                          |              |                          | 4.50           |
| 14 to 16 ft., 3½ to 4 in                          |              | 7.00                     |                |
| 16 to 18 ft., 4 to 4½ in                          |              | 9.00                     | <del></del>    |
| 18 to 20 ft., $4\frac{1}{2}$ to 5 in              | 14.00        | 12.00                    |                |
| — — Moline, 80'-100'                              |              | Moline                   |                |
| 6 to 8 ft   | 1.00         | .90                      | .70            |
| 8 to 10 ft  | 1.35         | 1.10                     | .90            |
| 8 to 10 ft., 1½ to 1½ in                          | 1.90         | 1.50                     | 1.25           |
| 10 to 12 ft., 1½ to 1¾ in                         | 2.60         | 2.20                     | 1.75           |
| 10 to 12 ft., 13/4 to 2 in                        | <b>3</b> .40 | 2.80                     | 2.25           |
| 11 to 12 ft., 2 to 2½ in                          | 5.00         | 4.00                     |                |
| 11 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in | 6.00         | 5.00                     |                |
| 13 to 14 ft., 2½ to 3 in                          | 7.50         | 6.00                     |                |
|   |              | Princeton                | Elm            |
|   | 1.00         |                          |                |
| 6 to 8 ft   |              |                          | .65            |
| 8 to 10 ft  | 1.35<br>1.90 | 1.10<br>1.50             | .90:<br>1.25   |
| 8 to 10 ft 1½ to 1½ in                            |              |                          | 1.65           |
| 10 to 12 ft., 1½ to 1½ in                         | 2.50         | 2.00                     |                |
| 12 to 14 ft., 13/4 to 2 in                        | 3.00         |                          | 2.00<br>2.50   |
| 12 to 14 ft., 2 to 2½ in                          | 3.75         | 3.00                     | 2.50           |
| — Vase shape, 60'-75' Vase S                      |              |                          | $\mathbf{Elm}$ |
| 10 to 12 ft., 1½ to 1¾ in                         | 1.90         | 1.65                     |                |
| 10 to 12 ft., 13/4 to 2 in                        | 2.40         | 2.00                     |                |
| 11 to 12 ft., 2 to 2½ in                          | 3.00         | 2.50                     |                |
| 12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in | 4.90         | 4.00                     |                |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in              |              |                          |                |
| 14 to 16 ft., 3 in                                | 8.00         | 6.50                     |                |
| — pumila, 50'-75'                                 |              | Chinese                  | Elm            |
| 5 to 6 ft   | .75          | .60                      |                |
| 6 to 8 ft   | .95          | .75                      |                |
| 8 to 10 ft  | 1.25         | 1.00                     |                |
| 8 to 10 ft., 1½ to 1½ in                          | 1.50         | 1.30                     |                |
| 10 to 12 ft., 1½ to 1¾ in                         | 2.00         |                          |                |
| 10 to 12 ft., 13/4 to 2 in                        | 3.00         |                          |                |
| 11 to 13 ft., 2 to 21/4 in                        | 4.00         |                          |                |
|   |              |                          |                |
| <b>ર્સ V</b> }\$                                  |              |                          |                |
|   |              |                          |                |
| VIBURNUM americanum (oxycoc                       | cos),        | 8′-9′                    |                |

| A           | merican | Cranberry | ybush |
|-------------|---------|-----------|-------|
| 18 to 24 in | 30      | .25       | .20   |
| 2 to 3 ft   | 37      |           | .25   |
| 3 to 4 ft   | 45      | .37       | .30   |
| 4 to 5 ft   |         | .50       | .40   |
| 5 to 6 ft   |         | .60       | .50   |
| 6 to 7 ft   | 90      | .75       | .60   |


| VIBURNUM—continued  | Unit<br>1-4                        | Price in Qu                       |                                  |
|---|------------------------------------|-----------------------------------|----------------------------------|
| — cassinoides, 5'-6'  | 1-7                                | -                                 | the-rod                          |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.            | .45<br>.60<br>.75<br>.90<br>1.10   | .37<br>.50<br>.60<br>.75<br>.95   | .30<br>.40<br>.50<br>.60         |
| — dentatum, 10'-12'   |                                    | Arro                              | whead                            |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. | .22<br>.30<br>.37<br>.52<br>.70    | .20<br>.25<br>.30<br>.45<br>.55   | .15<br>.20<br>.25<br>.35<br>.45  |
| — dilatatum, 8'-9'  | Li                                 | nden Vib                          | urnum                            |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.            | .30<br>.45<br>.60<br>.75<br>1.00   | .25<br>.37<br>.50<br>.60<br>.75   | .20<br>.30<br>.40<br>.50         |
| lantana, 15'-18'  |                                    | Wayfarii                          | ng-tree                          |
| 18 to 24 in   | .22<br>.30<br>.37<br>.52<br>.70    | .20<br>.25<br>.30<br>.45          | .15<br>.20<br>.25<br>.35<br>.45  |
| — lentago, 18'-20'  |                                    | Nann                              | yberry                           |
| 2 to 3 ft   | .60<br>.75<br>1.00<br>1.35<br>1.90 | .50<br>.60<br>.80<br>1.10<br>1.50 | .40<br>.50<br>.65<br>.90<br>1.25 |



Viburnum plicatum as grown at Princeton. All of these shrubs are cut back after transplanting.

|                                | Unit I      | Price in Quai    | ntities         |
|--------------------------------|-------------|------------------|-----------------|
| VIBURNUM—continued             | 1-4         | 5-24             | 25-2 <b>4</b> 9 |
| — molle, 10'-12'               |             | icky Vibu        |                 |
| 18 to 24 in                    |             | .20              | .15             |
| 2 to 3 ft                      |             | .25              | .20             |
| 3 to 4 ft                      |             | .30              | .25             |
| 4 to 5 ft                      |             | .45              | .35             |
| 5 to 6 ft                      |             | .55              | .45             |
| 6 to 7 tt                      | .85         | .70              | .55             |
| — opulus, 9'-10' Euro          | _           | Cranberr         |                 |
| 12 to 18 in                    |             | .20              | .15             |
| 18 to 24 in                    |             | .25              |                 |
| 2 to 3 ft                      |             | .30              | .25             |
| 3 to 4 ft                      |             | .45              |                 |
| 4 to 5 ft                      | ~ -         | .55              | .45             |
| 5 to 6 ft                      |             | .70              | .55             |
| — opulus nanum, 18"-24"        |             | Cranberr         |                 |
| 4 to 6 in                      |             | .20              | .15             |
| 6 to 9 in                      |             |                  |                 |
| 9 to 12 in                     |             | .37              | .30             |
| — sterile, 9'-10'              |             | nmon Sno         |                 |
| 12 to 18 in                    |             | .20              | .15             |
| 18 to 24 in                    |             | .25              |                 |
| 2 to 3 ft                      |             | .30              |                 |
| 3 to 4 ft                      |             | .37              | .30<br>.40      |
| 4 to 5 ft                      | 60          | .50              | ckhaw           |
| — prunifolium, 10'-12'         | 70          |                  |                 |
| 18 to 24 in                    | 70          | .55              | .45             |
| 2 to 2½ ft                     | 90          | .75              | .60<br>.75      |
| 2½ to 3 ft                     | 1.1U        | .95<br>1.20      | .73<br>.95      |
| 3 to 4 ft<br>4 to 5 ft         |             |                  |                 |
| - rhytidophyllum, 6'-8'        |             |                  |                 |
| 15 to 18 in. B. & B            |             | .45              | .35             |
| 18 to 24 in. B. & B            |             |                  |                 |
| 2 to 2½ ft., B. & B            |             |                  | .75             |
| 2½ to 3 ft., B. & B            | 1.50        | 1.25             |                 |
| — sieboldi (japonicum), 9'-10' |             | ebold Vib        |                 |
| 18 to 24 in                    |             | .25              | .20             |
| 2 to 3 ft                      | 37          | .30              |                 |
| 3 to 4 ft                      | .52         |                  |                 |
| 4 to 5 ft                      | <b>.7</b> 0 | .55              | .45             |
| — tomentosum, 7'-8'            |             | lefile Vib       |                 |
| 18 to 24 in                    |             |                  | .16             |
| 2 to 3 ft                      |             | .25              |                 |
| 3 to 4 ft                      |             | .37              |                 |
| 4 to 5 ft                      |             |                  | .40             |
| 5 to 6 ft                      |             | .60<br>panese Sn | .50.            |
| — — plicatum, 7'-8'            |             |                  | .20             |
| 18 to 24 in                    |             | .37              |                 |
| 3 to 4 ft                      |             | .50              |                 |
| 4 to 5 ft                      |             | .60              | .50             |
| 5 to 6 ft                      |             | .75              | .60             |
| — wrighti, 7'-8'               |             | right Vib        |                 |
| 2 to 3 ft                      |             | _                | .30             |
| 3 to 4 ft                      |             | .50              |                 |
| 4 to 5 ft                      |             |                  | .50             |
| 5 to 6 ft                      |             |                  | .75             |
| 6 to 8 ft                      |             |                  |                 |
|                                |             |                  |                 |

|                               | Unit    | Price in Q<br>5-24 | uantities<br>25-249 |
|-------------------------------|---------|--------------------|---------------------|
| VINCA minor, 6"-8"            | Periwi  | nkle or            | Myrtle              |
| 3 in pots                     | 15      | .12                | .09                 |
| VITEX agnus-castus, 4'-5'     |         | ilac Cha           | ste-tree            |
| 18 to 24 in                   | 22      | .20                | .15                 |
| 2 to 3 ft                     |         | .25                | -                   |
| - macrophylla, 3'-4' Large le | aved Li | ilac Cha           | ste-tree            |
| 12 to 18 in                   |         | .12                | .10                 |
| 18 to 24 in.                  |         | .20                |                     |
| 2 to 3 ft                     | 30      | .25                |                     |
| 3 to 4 ft.                    | 35      | .30                |                     |
|                               |         |                    |                     |
| WEIGELA amabilis, 7'-8'       |         | Rose               | Weigela             |
| 18 to 24 in                   | 15      | .12                | .10                 |
| 2 to 3 ft                     |         | .18                | • -                 |
| 3 to 4 ft                     |         | .23                |                     |
| 4 to 5 ft                     | 35      | .27                | .24                 |
| 5 to 6 ft                     |         | .37                | .30                 |
| — candida, 7'-8'              |         | White              | -                   |
| 18 to 24 in                   |         | .12                | .10                 |
| 2 to 3 ft                     |         | .18                | .14                 |
| 3 to 4 ft<br>4 to 5 ft        | 27      | .22                | .18                 |
| 5 to 6 ft                     |         | .27<br>.37         | .24                 |
| 6 to 7 ft                     |         | .50                | .30<br>.40          |
| — Eva Rathke, 4'-5'           |         | wered V            |                     |
| 12 to 18 in                   |         | .15                | .12                 |
| 18 to 24 in.                  | 27      | .22                | .18                 |
| 2 to 3 ft                     |         | .27                | .22                 |
| 3 to 4 ft                     |         | .37                | .30                 |
| — floribunda, 8'              |         | mson V             |                     |
| 18 to 24 in.                  |         | .12                | .10                 |
| 2 to 3 ft                     |         | .18                | .14                 |
| 3 to 4 ft                     |         | .22                | .18                 |
| 4 to 5 ft.                    |         | .27                | .24                 |
|                               |         | _                  |                     |



WEIGELAS

This cut shows the bushy character of the shrubs offered on this page.

| WEIGELIA—continued                 | Unit Pr<br>1-4 | ice in Qua<br>5-24 |                  |
|------------------------------------|----------------|--------------------|------------------|
| - nana variegata, 6'-8' Vari       | egated         | Leaf W             | eigela           |
| 18 to 24 in                        | .15            | .12                | .10              |
| 2 to 3 ft                          | .22            | .18                | .14              |
| 3 to 4 ft                          | .27            | .22                | .18              |
| 4 to 5 ft                          | .35            | .27                | .24              |
| 5 to 6 ft                          | .45            | .37                | .30              |
| — rosea, 7'-8'                     |                | Pink W             | 'eigela          |
| 18 to 24 in                        | .15            | .12                | .10              |
| 2 to 3 ft                          | .22            | .18                | .14              |
| 3 to 4 ft                          | .27            | .22                |                  |
| 4 to 5 ft                          | .35            | .27<br>.37         | .24<br>.30       |
| 5 to 6 ft                          | .45            | .37                | .30              |
| WEIGELA HYBRIDS                    |                |                    |                  |
| - Feerie, deep rose                |                |                    |                  |
| — Profusion, reddish               |                |                    |                  |
| - Richesse, deep pink              | 4 5            | 10                 | 10               |
| 18 to 24 in                        | .15            | .12                | .10<br>.15       |
| 2 to 3 ft                          | .22            | .18<br>.25         | .13              |
| 3 to 4 ft                          | .30<br>.45     | .37                | .30              |
| 4 to 5 ft                          |                |                    |                  |
| WISTERIA multijuga, 35'-50'        |                |                    | isteria          |
| 18 to 24 in., grafts               | .40            | .35                |                  |
| 2 to 3 ft., grafts                 | .50            | .45<br>1.00        |                  |
| 5 to 6 ft., grafts                 | 1.23           | 1.50               |                  |
| 6 to 8 ft., grafts                 |                |                    | iatorio          |
| — alba, 35'-50' Wh                 |                |                    | isteria          |
| 18 to 24 in., grafts               | .60            | .50                |                  |
| 2 to 3 ft., grafts                 | .90            | .75                |                  |
| 3 to 4 ft., grafts                 | 4 0 =          | 1.00               |                  |
| — sinensis blue, 35'-50' (grafted) |                | inese W            | 'ister <b>ia</b> |
| 2 to 3 ft., 2 yr. grafts           | .35            | .30                | .25              |
| 3 to 4 ft., 3 yr. grafts           | .52            | .45                |                  |
| 4 to 5 ft., 4 yr. grafts           | .75            | .60                | .50              |
| 5 to 6 ft., 5 yr. grafts           | 1.10           | .95                |                  |
| 6 to 8 it., 5 yr. grafts           | 1.50           | 1.25               | 1.00             |
| — — alba, 35'-50' Whi              | te Wee         | eping W            |                  |
| 2 to 3 ft., 2 yr. grafts           | .45            | .37                | .30              |
| 3 to 4 ft., 3 yr. grafts           | .60            | .50                |                  |
| 4 to 5 ft., 4 yr. grafts           | .90            | .75                | .60<br>.75       |
| 5 to 6 ft., 5 yr. grafts           | 1.10<br>1.50   |                    |                  |
| 6 to 8 ft., 5 yr. grafts           | 1.50           | 1.23               | 1.00             |
|                                    |                |                    |                  |
|                                    |                | Adams              | Needle           |
| YUCCA filamentosa, 2'-3'           | 22             | .20                |                  |
| 2 year                             |                | .25                |                  |
| 3 year 4 year                      | .35            | .30                |                  |
|                                    |                |                    |                  |
|                                    |                |                    |                  |
| ZANTHORHIZA apiifolia, 2'-3'       |                |                    | lowroot          |
| 8 to 12 in                         |                | .15                | .12              |
| 12 to 15 in                        | .22            | .20                | .15              |
|                                    |                |                    |                  |

## **MEMORANDUM**

## How to Reach Princeton by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road in the township of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

PHONE
PRINCETON
1776

